
#### JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar
Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)
email:mdjkmscl2@gmail.com; gmjjkmscl@gmail.com website: www.jkmsclbusIness.com



# E-BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENTS

(REFERENCE NO: NIT/JKMSCL/M&E/2025/677 DATED: 24/11/2025

LAST DATE OF SUBMISSION OF ONLINE BIDS: -11-2025 upto 1600 hrs

Important Note: Each page of e-Bid should be properly page marked and indexed. Page Number should be reflected at the bottom of each page. All documents requested in "Annexure-II", should be reflected in the column mentioned against each (Page No. \_\_\_\_). Any deviation may result in rejection of the bid and the bidder shall be solely responsible for the same.

# BIDDING DOCUMENT FOR PROCUMENT OFMACHINERY & EQUIPMENTS Table of Contents

S.No.	Section	Description	Pages
1.	NIL	Bid Submission Letter	
2.	NIL	Notice Inviting Bid for uploading on Websites	
3.	I	Instructions to Bidders	
4.	II	Bid Data Sheet	
5.	III	Evaluation and Qualification Criteria	
6.	IV	Bidding Forms (BF)	
7.	V	Schedule of Supply	
8.	VIA	General Conditions of Contract (GCC)	
9.	VIB	Special Conditions of Contract (SCC)	
10.	VIC	Contract Forms (CF)	

# (To be submitted on letter head of Firm)

# **Bid Submission Letter**

(Declaration Form)

Sub: - Regarding Bio	d submission	for NIT/JKMSCI	L/M&E/2025/677	DATED 24 -11-2025

I/We(Name, Designation and Address of Bidder) having our office
at(Address of Firm) do hereby declare that I/We have read all the
terms & conditions of the bid document floated by JKMSCL and agree to abide by
all the terms & conditions set forth therein.
I/We declare that we are participating in this bid in the capacity of
(Manufacturer / Direct Importer / Authorized representative of the original manufacturer)
I/We have enclosed all the requisite documents and are as per the requirement of the
NIT.
I/We further declare that the rates offered by us shall remain valid for the period
of 24 months extendable for a further period of three months and shall reduce the
rates, if the rates are reduced by us for any other buyer during this period within Union
of India. I/We have enclosed the documents as per details given in Annexure I of the
NIB and other documents asked in NIT.
We further undertake to abide by all the terms & conditions of the NIB.
Dated Name and signature of bidder with seal
Paroa ramo ana signatoro di biador with soar



#### JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar) email:mdjkmscl@gmail.com; gmjjkmscl@gmail.com website: www.jkmsclbusIness.com

Tender No. NIT/JKMSCL/M&E/2025/677

Dated: 24/11/2025

#### NOTICE INVITING TENDER

On Behalf of Jammu & Kashmir Medical Supplies Corporation Limited, e-bid under two cover system (Technical bid in cover 1 and Financial bid in cover-2) is invited for the finalization of Rate Contract for the procurement of "Machinery & Equipment" from the Original manufacturers / Direct importers/ Authorized Representatives of the manufacturers/ direct importers. Detailed tender document may be downloaded at J&K Govt. Portal www.jktenders.gov.in, www.jkmsclbusiness.com. The cost of the tender along with tender processing charges of Rs.10,000/- + 18% GST = 11,800/- (i.e Rupees Eleven thousand Eight Hundred only/-) i.e. Rs.1,000/- + 18% GST = 1180/- (Rupees one thousand one hundred eighty only) as cost of tender & Rs.9,000/- + 18% GST = 10620/- (Rupees Ten thousand Six hundred twenty only) as tender processing charges shall have to be paid either through NEFT/RTGS only in the Corporation's Bank Account No. 0373040500000032 maintained at J&K Bank Limited, Branch Medical College Jammu, IFSC Code JAKA0MEDJAM or by depositing the amount directly into the above Account No. along with the submission of requisite valid documentary proof.

- IMPS mode of transfer is not verifiable and hence shall not be entertained as tender fee or tender processing charges. Bidders claiming to submit money through IMPS Mode shall be out-rightly rejected.
- DD as mode of payment for cost of tender/tender processing fees/Bid Security shall only be entertained if the same is deposited physically against proper receipt in the Corporate Office of JKMSCL, before the closing due date of e-bid.
- <u>Bid Security</u> Rs. 1,00,000.00 in the form of FDR/CDR/BG/RTGS/NEFT (FDR/CDR from scheduled/Nationalised Bank / BG from Nationalised Bank) with validity of 30 months. Bids submitted without sufficient bid security & validity shall be summarily rejected. Firms which are registered as (Micro and Small Enterprise) MSEs Unit(s) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) shall be considered for Exemption of bid security including tender fee of Rs. 1000/- as per provisions of MSME Policy. Tender Processing charges of Rs. 9000/- is to be paid by the MSE Unit(s) also.
- Physical hard copy of Bid Security in form of FDR/CDR/BG may be submitted to the Corporate Head Office before closing the due date of e-bid. Scanned copy of the same shall be uploaded along with Technical Bid, failing which bid shall be out rightly rejected.
- The bidders seeking EMD exemption must submit the valid supporting document for the relevant category. <u>Under MSE category only manufacturers for goods and service providers for services are</u> eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- Scanned copies of NEFT/RTGS/Bank Transfer/Receipt towards the cost of tender documents and tender processing charges shall have to uploaded along with Technical Bid, failing which bid shall be out rightly rejected.

- Sd/-Managing Director Jammu and Kashmir Medical Supplies Corporation Ltd.

- Note: 1. The bidders who opt to bid for multiple manufacturer for different items shall have to provide complete details of each manufacturers in a systemic way covering all documents asked in Cover-A. Separate sheet shall have to be attached for every individual item. Multiple manufacturers are not allowed for quoting the same item.
  - 2. Every participating supplier/contractor to mandatorily disclose the Bank account number which is linked with GSTIN at the time of bid submission. No payments shall be released by the Govt. Department/Agency to any other bank account except the one linked with the GST regarding number of the successful bidder"

### JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar
Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)

email:mdjkmscl2@gmail.com; gmjjkmscl@gmail.comwebsite: www.jkmsclbusIness.com

# BIDDING DOCUMENT FOR Procurement of Machinery & Equipment

Tender No.NIT/JKMSCL/M&E/2024/677

Date of publication of e-bid

Start date and time for download of bid document Last date and time for download of bid document

Clarification start date

Clarification end date

Pre- bid conference

JKMSCL

Start date and time for submission of online bids Last date and time for submission of online bids Date and time for online opening of technical bids

Cost of tender document

Tender Processing charges

: 24-11-2025

: 25-11-2025

: 25-11.2025

: 30-12-2025 at 1600 hrs : 25-11-2025 at 1100 hrs

: 25-11-2025 at 1100 nrs

: 05-12-2025 upto1400 hrs

: 06-12.2025 AT 11.00 A.M

(at Corporate Office, Jammu/Srinagar)

: 25-11-2025 at 1500 hrs

: 30-12-2025 at 1600 hrs

: 31-12-2025 at 1100 hrs

: Rs. 1000/-

: Rs. 9000/-

# ADDRESS FOR COMMUNICATION: Managing Director or General Manager, J&K Medical Supplies Corporation Ltd,

Address: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar, Jammu Bemina Near Haj House- Srinagar (Kashmir)

#### Note: -

- 1. The bidder shall have to get themselves updated with the date & time fixed for Prebid as per the item list. After pre-bid meeting necessary changes in bid conditions shall be done with the recommendations of panel of technical experts drawn from the intending department after the approval of the competent authority. Bid should be submitted through e-portal <a href="www.jktenders.gov.in">www.jktenders.gov.in</a> after pre-bid meeting including all the clarifications/ modifications/ amendments.
- 2. Corrigendum/addendum shall be the integral part of terms & conditions of bid which shall be duly signed and attached with the bid document by the bidder.
- 3. The JKMSCL is not bound to accept the lowest bid and may reject any/part thereof or all bids without assigning any reason thereof.

- 4. The bidders shall have to submit a **GST No. and valid 'GST'** clearance certificate/returns submitted from the taxation department and the 'PAN' issued by income tax department.
- 5. It is clarified that the information required in bidding document should be submitted only in enclosed format bidding forms without any change or modification in its formats. Bids submitted with changed or modified annexure/formats shall be rejected.
- 6. Information of award of contract shall be communicated to all participating bidders on the website <a href="https://www.jktenders.gov.in">www.jktenders.gov.in</a>, <a href="https://www.jktenders.gov.in">www.jktenders.gov.in

#### Note: -

If any amendment/clarification is carried out in the technical specifications and bid terms & conditions following pre-bid meeting or any other information, the same shall also be uploaded on the websites mentioned above and the bidders shall keep themselves updated by regularly visiting the website/ik portal.

### **Important Note:**

- 1. No representation shall be allowed, accepted and entertained after the Pre-bid meeting (i.e upto 4.00 P.M of Pre-bid date). Bidders are requested to submit their queries/clarifications by or before the date fixed (mentioned above), so that the same can be discussed and clarified during the Pre-bid meeting.
- 2. E mail id for pre-bid conference prebid.jkmscl@gmail.com
- 3. Google Code for pre bid conference :https://meet.google.com/psg-bhus-ure

#### TABLE-1

S.	Item	NAME OF THE EQUIPMENT	Average Annual turnover for last
No	Code		03 years
1	ME2314	High Capacity Electronics Oscillating System	05 Crore
		( 5 KVA TO 100 KVA)	
2	OPH03	Vitrectomy Unit	05 Crore
3	ONC16	Flow Cytometer	05 Crore
4	ME0722	Solid State Photocoagulator	05 Crore
5	ENT2213	ENT powered drill system	05 Crore
6	OPH01	IOL	05 Crore
7	ME2304	Hemo diafiltration Machine	05 Crore
8	MC0905	NCT (Non Contact Tonometer)	05 Crore
9	MC2305	4 KW high Frequency Mobile Machine	05 Crore
10	SCI04	Modular Monitor	05 Crore
11	ME2301	Dialysis chair	05 Crore
12.	PAED22	Video Endoscope System	05 Crore
13.	Ma0622	Disinfectant Generation System	05 Crore
14	GMCS1	Fully Automated Allergy Analyzer.	05 Crore
15	GMCS2	Body box (Plethysmography System)	05 Crore
16	GMCD3	Automated Plasma expresser.	05 Crore
17	GMCJ4	Advance Visual Field Analyzer	05 Crore
18	GMCJ5	Non Contact Biometer Swept Source OCT Technology.	05 Crore
19	GMCJ6	Rapid Biological Indicator for Autoclave.	05 Crore
20	GMCJ7	Laparoscopic Simulator.	05 Crore

The Average Annual Turn Over required for the above items pertaining to Group "Procurement of Machinery & Equipment" is mentioned above. Only the bid(s) falling under the category as specified under Annual Turnover is accepted. The bid(s) not falling under the Annual Turnover clause shall be out rightly rejected. Only manufacturer(s) or Importer(s) fulfilling the turnover clause shall be eligible to participate the e.bid. Important Note:

- 1. The catalogues/brochures of the item shall be submitted along with the EMD in separate envelopes, prior to submission of online bids. The catalogues/brochures pertaining to the equipment information should be signed by the authorized signatory of the manufacturer.
- 2. No minimum quantity is guaranteed and the bidder shall not claim any compensation from the Jammu & Kashmir Medical Supplies Corporation Ltd.
- 3. Financial Bids of only those bidders shall be considered for opening after being recommended by the Technical Experts, from the concerned Department, out of the bidders recommended by the subcommittee after evaluation of Technical Bids and acceptance of Technical Evaluation/Advisory Committee.
- 4. In case of any default by the bidder, at any stage of tender or subsequent approval by JKMSCL, for a particular items/s, the Disciplinary Committee/ any other committee

constituted for the purpose shall be at liberty to take appropriate action as per provisions of Standard Procurement Procedures (SPP) and / or Policy for Blacklisting of JKMSCL.

#### DISCLAIMER

The information contained in this bid document for proposed procurement or subsequently provided to the Bidder(s), in documentary or any other form by or on behalf of the Jammu and Kashmir Medical Supplies Corporation Itd. (procuring entity) or any of its employees or advisors, is provided to bidder(s) on the terms and conditions set out in this bid and such other terms and conditions subject to which such information is provided to the bidder.

Whilst the information in this bid has been prepared in good faith and contains general information in respect of the proposed procurement, the bid is not and does not purport to contain all the information which the bidder any require.

Jammu and Kashmir Medical Supplies Corporation Ltd., does not accept any liability or responsibility for the accuracy, reasonableness or completeness of, or for any errors, omissions or misstatements, negligent or otherwise, relating to the proposed procurement, or makes any representation or warranty, express or implied, with respect to the information contained in this bid or on which this bid is based or with respect to any written or oral information made or to be made available to any of the recipients or their professional advisers and liability therefore is hereby expressly disclaimed.

This document is neither an agreement and nor an offer or invitation by the Jammu and Kashmir Medical Supplies Corporation Limited, (hereinafter referred to as "procuring entity") to the prospective bidders or any other person. The purpose of the bid document is to provide interested parties with information to assist the formulation of their proposal/offer. The information contained in this bid document is selective and is subject to updating expansion, revision, and amendment. Each recipient must conduct its own analysis of the information contained in this bid document or to connect any inaccuracies therein that may be in this bid document and is advised to carry out its own investigation into the proposed procurement, the legislative and regulatory regime which applies thereto and by and all matters pertinent to the proposed procurement and seek its own professional advice on the legal, financial, regulatory and taxation consequences of the entering into any agreement or arrangement relating to the proposed procurement.

This bid document includes certain statements, estimates and targets with respect to the procurement. Such statements, estimates and targets reflect various assumptions made by the procuring entity, (and the base information on which they are made) which may or may not prove to be correct. No representation or warranty is given as to the reasonableness of forecasts or the assumptions on which they may be based and nothing in this bid document is, or should be relied on as, a promise, representation, or warranty. Bid document and the information contained therein is meant only for those applying for this procurement, it may not be copied or distributed by the recipient to third

parties, or used as information source by the bidder or any other in any context, other than applying for this proposed procurement.

The procuring entity is, its employees and advisors make no representation or warranty and shall have no liability to any person, including any bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this bid document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the bid document and any assessment, assumption, statement or information contained therein or deemed to form part of this bid document or arising in any way for participation in this bidding process.

The procuring entity also accepts no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any bidder upon the statements contained in this bid document.

The procuring entity may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this bid documents.

The issue of this bid document does not imply that the procuring entity is bound to select a bidder or to appoint the selected bidder or bidder, as the case may be, for the procurement and the procuring entity reserves the right to reject all or any of the bidders or bids at any point to time without assigning any reason whatsoever.

The bidder shall bear all its costs associated with or relating to the preparation and submission of its bid including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by the procuring entity or any other costs incurred in connection with or relating to its bid. All such costs and expenses shall remain with the bidder and the procuring entity shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the bid, regardless of the conduct or outcome of the bidding process.

Any information/documents including information/ documents pertaining to this bid or subsequently provided to bidder and/or selected bidder and information/documents relating to the bidding process; the disclosure of which is prejudicial and/or detrimental to, or endangers, the implementation of the procurement is not subject to disclosure as public information/documents.

Managing Director Jammu and Kashmir Medical Supplies Corporation Ltd

# Section-I Instruction To Bidders (ITB)

Before uploading bid, kindly go through the following instructions carefully so that your bid may not be considered invalid:

your bid	may not be considered invalid:
Clause	Description
No.	
1.	Go through the terms and conditions, annexure and other forms of the document carefully and meticulously & get your digital signatures available for uploading.
2.	Bid form must conform the terms & conditions of the bid documents and Technical Bid in Cover- 'A' & Financial Bid in Cover-'B' to be uploaded on <a href="https://www.jktenders.gov.in">www.jktenders.gov.in</a> . The receipt for cost of tender, tender processing fee and catalogues of the quoted items shall be submitted in the office of JKMSCL atleast one day prior to submission of online bids.
3.	It is expected from all bidders that CDR/FDR/BG in separate envelope shall be deposited with the authorised person of JKMSCL at reception against proper receipt from the concerned.
4.	Correspondences/Complaints lodged to JKMSCL should bear signature, name, I.D proof and mobile number of the complainant. Unauthenticated correspondence/complaints may not be acted upon. If any bidder intends to lodge a complaint or make a suggestion with regards to some bid condition, it shall be done in the Pre-bid conference, in the office of JKMSCL in writing. After the stipulated period as decided by the JKMSCL, no such complaint/ suggestion would normally be considered.
5	Certificates/Licenses/Documents which are required should be complete and updated. The bidder shall submit acceptance of terms and conditions of the tender document.
6	If there is any query in bid document/uploading process, bidder may contact JKMSCL office at Jammu/Srinagar during working hours i.e 1000 hrs to 1600 hrs on ph. 0191-2478842; 191-3510489, 0194-2432008 or e-mail on gmkjkmscl1@gmail.com/jkmsclepm@gmail.com/gmjjkmscl@gmail.com
7.	In case a bidder is given any assurance what so ever of being provided with any advantage in JKMSCL by anybody or if a bidder is directly or indirectly threatened of being put to some deliberate disadvantage in the bidding process & in the bidder's subsequent association/ working with JKMSCL, it is requested that the concerned must immediately inform about the same to the Managing Director, JKMSCL/G.M-J(Adm), JKMSCL in writing or through e-mail on gmjjkmscl@gmail.com. It is advised that evidence of such unfair activity of such person, if available, is produced along with the complaint, so that action can be taken against such a person(s) and that their details can be put on the website so that other bidders can be forewarned in this regard.

8	The Bidders shall have to submit a GST No. & GST clearance certificate/return submitted from the concerned commercial taxes officer and the 'PAN' issued by income tax department.
9	It is clarified that the information required in bidding document should be uploaded as per enclosed bidding form without any change or modification in its formats. Bids submitted with changed or modified annexure/ formats shall out rightly be rejected.
10	The declaration of technical bid in respect of responsive/non responsive bidders shall be uploaded on website <a href="www.jktenders.gov.in">www.jktenders.gov.in</a> Similarly, information regarding financial bid (L-1) shall also be provided to bidders on above websites. Individual bidders shall not be informed separately.
11	No firm/bidder/manufacture/importer shall provide/supply any of the product item at the rate contract /approved by JKMSCL to any of the department/NGO/other procuring institute within or outside the Union Territory of J&K. In case any supply is made in violation to the said condition (or), the supplier/firm shall be liable to be penalised to the tune of 7.5% of order placed/blacklisting for a period not less than five years (or) both as deemed fit, to the competent/Tender Inviting Authority. However, JKMSCL can procure the items for any of the departments within /outside the Union Territory of J&K/after charging the administrative expenses.  The qualified bidders are required to submit the relevant documents and annexure uploaded with their e.bid in original along with catalogues at the time of issuance of LOI /execution of agreement before issuance of rate contract.
13	The bidder shall not under any circumstances quote "Zero" anywhere in the BOQ.
14	Important Instructions to bidders  The bidders shall have to abide the clauses/restrictions in terms of Rule 144 (xi) of the General Financial Rules (GFRs) issued by the Ministry of Finance, Department of Expenditure, Public Procurement Division vide No. F.No.6/18/2019-PDD dated 23.07.2020.  The bidders are required to submit a certificate/ declaration regarding their compliance with this order. If such certificate given by a bidder whose bid is accepted and is found to be false, it will be a ground for immediate termination & further legal action in accordance with law. Bidders are required to go through the said order & Office Memorandum (s) for the necessary compliance  Model Certificate for tenders
	"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I hereby certify that this border is not from such a country and is eligible to be considered."  Model Certificate for Tenders  "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fullfills all requirements in this regard and is eligible to be considered (where applicable, evidence of valid registration by the competent Authority shall be attached"

# Section-II: Bid Data Sheet (BDS) Table of Contents

S. No.	Description	Pages
1.	Introduction	
2.	Bidding Document	
3.	Preparation of Bids	
4.	Submission and Opening of Bids	
5.	Evaluation and Comparison of Bids	
6.	Award of Contract	
7.	Redressal of Grievances during Procurement Process	

#### Section III: Evaluation and Qualification Criteria

#### 2. Qualification Criteria

The lowest evaluated bidder shall have the necessary qualifications to successfully fulfil its obligation under the contract. Minimum acceptable levels with regards to bidder's experience in supply of goods and related services with comparable technical parameters, its financial capability and other factors are defined.

	ers, its financial capability and other factors are defined.
Clause No.	Description
1.	Contractual experience:-
	The bidder shall be an original manufacturer; direct importer; (or) authorised representative of the original manufacturer/direct importer, who must have manufactured/ imported, supplied and installed such equipments in India satisfactorily. The list of such installations may be asked from the bidder and the bidder should submit self attested copy of purchase order, indent and invoice (inclusive of quantity & rate).
2.	Technical experience:-
	Client Base on Letter Head of the Bidder / Manufacture/Indian Subsidiary of Principal Manufacturer with references of the supply orders, for any of the three financial years in last five financial years along with satisfactory performance certificate of minimum one Purchase Order and installation report of Govt. Institution (Copies of reference supply orders and satisfactory performance certificate need to be attached)
3.	Production capacity:
	The JKMSCL may fix the minimum supply and/ or production capacity required to assure that the bidder is capable of supplying the type, size and quantity of goods required. It should be dedicated quantity to JKMSCL on monthly and annual basis. Production capacity certificate be attached with uploaded document.
4.	Financial position:- The soundness of the bidders financial position showing long term profitability demonstrated through audited annual financial statement (balance sheet, income statement etc.) for last three years.
5.	Cash Flow capacity: The bidder should have sufficient availability of/access to liquid assets, lines of credit and other finances to meet the possible cash flow requirement which may arise during the execution of the rate contract.
6.	Litigation history:-
	The information regarding all pending claims, arbitration, or other litigation is asked by the JKMSCL
7.	Tax clearance certificates:-
	The Latest GST returns and other tax clearance certificate (latest) or declaration to be submitted by the bidder. Bidders shall have to submit a valid & latest 'GST' clearance certificate/return submitted online as per GST rules along with GST No. and the 'PAN' issued by concerned department.
8.	Declaration regarding qualifications :-
	Declaration regarding qualifications of the bidder shall be given in specified format provided in bidding forms.

# 1. Evaluation Criteria

Claus	Description
1.	Scope
1.1	<b>Local handling and inland transportation:-</b> The cost for Inland transportation, insurance, related services, installation, commissioning, demonstration and other incidental costs for delivery of goods, or port of entry, or supply point to
	consignee site, schedule of supply shall be quoted in price schedule.
1.2	Minor omission and missing items:- Pursuant to the relevant clauses, the cost of all quantifiable non-material non-conformities or omissions from the contractual and commercial conditions shall be evaluated. The procuring entity will make its own assessment of the cost of any non-material non-conformities and omissions for the purpose of ensuring fare comparison of bids.
2.	<b>Technical Criteria:-</b> The minimum technical level that the goods and related services shall have in order to comply with the Section V, schedule of supply are specified. These criteria are evaluated on a pass-fail system, with a minimum acceptable level for each criteria enumerated in technical specifications of item. However, a minor deficiency in technical compliance may not be cause for rejection of the bid.
3.	<b>Economic Criteria:</b> - The economic criteria are most important when evaluating a Bid. The price, however, may not be the only criterion, as there could be technical evaluation that may be expressed in mandatory terms <i>i.e.</i> cost per test etc. The following may be examples: - 3.1, 3.2
3.1	<b>Adjustment for deviations in the delivery and completion schedule: -</b> The deviation from the delivery and completion schedule specified in Section V, schedule of supply are permitted. No credit will be given for earlier completion.
3.2	<b>Operation and maintenance cost:</b> The operation and maintenance costs of equipments are taken into account for bid evaluation purposes. The methodology is elaborated at BOQ for determining lowest bid (L-1).
3.2	Spare parts: - Only those spare parts and tools which are specified on an item wise basis in the list of goods and related services, schedule of supply shall be taken in account in bid evaluation. Supplier recommended spare parts for specified operating requirement shall not be considered in bid evaluation. The price for evaluating L1 (as per BOQs) shall be decided on the basis of cumulative rates of Main item, Accessories (wherever asked) /Indian items (wherever asked) i.e cost of main item + cost of Accessories = Total cost of equipment.
3.3	<b>Performance and productivity of goods:-</b> The performance and productivity of the equipments shall be as per the reference value or norms specified in technical specification of an item and corresponding value guaranteed by the bidder in its bid.
4.	Price preference:-
4.1	The price preference shall be given in evaluation of bids and award of contract as per MSME Policy in vogue.
4.2	Taxes as applicable, should be mentioned clearly and separately.

# **Section IV: Bidding Forms**

# **Table of Contents**

S.No	Name of Bidding Forms		Pages
1	Bid security		
2	Bid / Tender charges (Incl. Tender processi	ng fee)	
3	List of Items Quoted	(Annexure I)	
4	Technical bid submission sheet	(Annexure II)	
5	Financial bid format (BOQ)	(Annexure III)	
6.	Declaration and undertaking	(Annexure IV)	
7	Client Base	(Annexure V)	
8	Authorisation from principal manufacturer	(Annexure VI)	
9	Average Annual Turnover Statement	(Annexure VII)	

# (Annexure I)

On Firm's letter head

# LIST OF ITEMS QUOTED IN THE BID

S. No.	Ten der a Quality Certification										
	Sr. No.	Code	Name of Item	Manufactured By	Imported by	Make & Model quoted/ offered	BIS License	ISO	CE	USFDA	Any Other

Seal & Signature (Authorised Signatory)

# (To be submitted on Firms' letter head) Technical Bid Submission Sheet (Cover 'A')

### **Managing Director**

Jammu & Kashmir Medical Supplies Corporation Ltd. J&K

	We.	the	undersign	ed. d	leclare	e that
--	-----	-----	-----------	-------	---------	--------

- 2. Our bid shall be valid for a period of minimum 120 working days from the date of technical bid opening in accordance with the bidding document, and it shall remain bidding upon us and may be accepted at any time before the expiration of that period. However, validity may also be extended with mutual consent;
- 3. If our bid is accepted, we commit to submit a performance security in the amount of 5% of the contract price or as specified in bid document for the due performance of the contract;
- 4. Our firm, including authorised representative for any part of the contract, have nationalities from the eligible countries;
- 5. I/We are not participating, as bidders, in more than one bid in this bidding process, in the bidding document;
- 6. Our firm, its affiliates or subsidiaries, including authorised representative has not been debarred by the Union Govt/any State Government or the procuring entity.
- 7. I/We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- 8. I/We agree to permit the JKMSCL to ask any relevant documents. I/We shall be bound to provide the said relevant document within the specified period.
- 10. The bidder shall ensure that the bid document sheet shall be properly filled with particulars, page numbering and tender document should be properly numbered.
- 11. I/We certify that I/We have annexed the following documents with particulars & page No. mentioned against each column:

S. No	Item	Particular	Man	er		
			M1	M2	М3	M4
1.	Bid security (as mentioned above)					
2.	Cost of Tender & Tender Processing charges					
3.	List of Items quoted by the Bidder mentioning name of manufacturer/ importer with make & model as per annexure.	Annexure I				
4	Copy of Catalogue of the Quoted product (self attested)					
5	Compliance Sheet for each equipment (self					

	attested)		
6	Technical bid submission sheet duly filled	Annexure II	
7	Financial bid (To be uploaded in BOQ only)	Annexure III	
8	Declaration for Latest Non Conviction, non		
	blacklisting on non judicial Stamp paper of Rs 100		
	furnished by the Principal Manufacturer / Sole		
	Importer/ Indian Subsidiary as per proforma duly		
	notarised.	Ammayura IV D	
9	Declaration for Latest Non Conviction, non blacklisting on non judicial Stamp paper of Rs 100	Annexure IV B	
	furnished by the Bidder as per proforma duly		
	notarised.		
10	Client Base on Letter Head of the Bidder /	Annexure V	
	Manufacture/Indian Subsidiary of Principal		
	Manufacturer with references of the supply		
	orders, for any of the three financial years in last		
	five financial years along with satisfactory performance certificate of <b>minimum one</b>		
	Purchase Order and installation report of Govt.		
	Institution (Copies of reference supply orders		
	and satisfactory performance certificate need to		
	be attached)		
11	,	Annexure VI	
	Importer		
	(On the letterhead of Principal manufacturer / Sole Importer)		
	In case authorization to the bidder is furnished by		
	the Sole Importer/Indian Subsidiary, document		
	confirming authorization from foreign Principal		
	Manufacturer in favour of Indian Subsidiary /		
	Sole Importer is to be submitted (strictly as per		
12	annexure VI)  Average Annual Turnover Statement for Last 3	Annexure	
12	financial Years of the Indian Subsidiary of	VII	
	Principal Manufacturer/ Sole Importer issued by		
	Chartered Accountant/competent authority		
	with UDIN (2022-23, 2023-24 and 2024-25).		
	In case of foreign manufacturer the turnover of		
	Indian Subsidiary/Sole Importer only shall be		
13	considered and not of the original manufacturer.  Copies of Audited Balance sheet & profit loss		
13	account for last three financial years certified by		
	Chartered Accountant of the Importer/ Indian		
	Subsidiary for 2022-23, 2023-24 and 2024-25 with		
	UDIN.		
	In case of foreign manufacturer the balance		
	sheets of Indian Subsidiary/Sole Importer only		
14	<pre>shall be considered Nature of the Firm/Public Company / Private</pre>	Annexure	
1-4	Company/ Partnership/ Proprietorship/any other	VIII	
	with Documentary proof.		

15	Self attested photocopy of IEC certificate and Permission/ Authorization for sale for sale from the foreign principle manufacturer (in case of imported product)	Annexure A (if applicable)
16	Copy of GST Registration of the Bidder	Annexure B
17	Latest GST Returns of the Bidder	Annexure C
18	Copy of the PAN Card of the Bidder	Annexure D
19	Quality Certifications on the products viz. ISI/CE/USFDA etc. whichever applicable.	Annexure E
20	Name, photograph & specimen signature of the designated officer/ representative of the Bidder who is authorized to make correspondence with the JKMSCL, if any.	
21	Specify point of supply with full Address.  NB: Specifying of point of supply does not means authorization to raise, invoice and receive payments on behalf of bidder(s)	
22	Declaration of bidder regarding acceptance Bid for terms & conditions	Annexure A1
23.	Copy of CDSCO Registration Certification, wherever applicable	

#### **Important Note**

- The bidders who opt to bid for multiple manufacturer for different items shall have to provide complete details of each manufacturers in a systemic way covering all documents asked in Annexure II. <u>Multiple manufacturers are not allowed for quoting</u> the same item.
- 2. Please Note the Annexure A"II" should be properly filled showing the page number when the asked document has been attached. All the documents attached with the technical bid should be properly page numbered.

I/we understand that our bid shall liable to be declared non responsive in case of any deficiency in fulfilment of above requirements on our part.

I/we accept all the terms, conditions and provisions of this bid document.

Name/	Address.		 						
		capacity				ignat	ion)	 	 
					-	_	-		
•		of Firm	•		Ū				
Dated.		Tel:	 	e-mail:	 				

N.B : The original manufacturer/direct importer of the bidding items/their sole authorised representative shall execute tri-partite agreement with the Corporation i.e JKMSCL, inter-alia, stating that :

- i. The invoice submitted by the authorised representative for such supplies shall be endorsed by the original manufacturer/direct importer of bidding items. Original copy of the delivery challan of the manufacturer towards authorised representative for such supplies shall be endorsed along with invoice submitted by Authorised representative.
- ii. JKMSCL may secure confirmation/or authenticating of such supplies from manufacturer/direct importer before releasing the payment.

- iii. No original manufacturer/direct importer shall be allowed to authorize more than one representatives to bid, to negotiate/to raise invoice or to receive payments & to enter into tripartite agreement with regard to business against this specific tender.
- iv. In case, original manufacturer/direct importer wish to authorise any representative to bid, to negotiate, to raise invoice to receive payments on behalf of original manufacturer/direct importer/against invoice raised by representative, <u>Annexure All</u> duly filled shall need to be uploaded alongwith e.bid; otherwise no representation in this matter shall be entertained in the later stage.

Annexure III

# For Uploading Rates of Equipment Please read the amended BOQ as follows:

- i) The rates shall be quoted in the BOQ as per format mentioned below.
- ii) The rates of the accessories, if any, shall be quoted cumulative as per NIT.

iii) The rates of the India items, if any, shall be quoted cumulative as per NIT

	111)		acco or			,	arry, orrar	1	20100				as pc.	
S. No.	Item Description	Item Code	Unit	Qty	Currency type	Basic Equipment cost for one unit	Packing & forwarding charges/freight insurance charges	Indian Agency Commission for I unit in foreign	Custom Duty	SGST	CGSI	IGST	Custom clearance in foreign	Total Amount including Taxes
1	2	3	4	5	6	7	8	9	10		11		12	13
1	Main item													
2	Access ories, if													
3	any. Indian items, if any													
5.	Option al Items, if any													
CMC Ist Ye	C for CM( ear 2 <sup>nd</sup> )	C for Year	CMC for 3rd Year	or ir	CMC fo 4 <sup>th</sup> Yea		NC for Year						To ai C	otal mount MC
14	15		16		17	18								
														_

#### **Important Note:**

The Following Information is Mandatory to be submitted by the suppliers/contractors

The Following	the Following information is manuatory to be submitted by the suppliers, contractors									
Name of the bidder	Bank Name	A/C No. linked with GSTIN	IFSC CODE	BRANCH	STATE/UT					

#### The following instructions shall be followed: -

- 1. The rate quote should be as per BOO.
- 2. CGST, SGST or IGST should be separately shown in absolute amount only.
- 3. Rate should be quoted only for packing units as mentioned in the bid
- 4. No quantity or cash discounts should be offered.
- 5. Read all the terms & conditions before filling the Annexure III.
- 6. Please quote rates in absolute amount only.
- 7. Please quote rates per unit only
- 8. The bidder shall not under any circumstances quoted "Zero" anywhere in the BOQ.
- 9. Finalization of the rates shall be made on the basis of price quoted in BOQ
- 10. Custom duty, if applicable shall be indicated separately.
- 11. The final rates quoted at Column No. 13 shall be considered as final rates and shall be considered for evaluating financial bid. L1 rate shall be finalised on the basis rate and taxes as applicable.

- 12. The price for evaluating L1 (as per BOQs) shall be decided on the basis of cumulative rates of Main item, Accessories (wherever asked) i.e cost of main item + cost of Accessories + Indian items = Total cost of equipment.
- 13. The rates quoted for the <u>CMC (Comprehensive Maintenance Contract)</u> and <u>Optional items</u> shall not be considered for finalizing/deciding L1 rates.
- 14. Warranty of 05 years shall be applicable for Machinery and Two years of instruments.
- 15. The bidder may quote in foreign currency as per the BOQ uploaded in the e.portal on the following terms & conditions

#### (For Imported equipment)

80% payment shall be released in favour of supplies on presentation of shipping documents and balance 20% after successful installation of machine. Bank Guarantee is not required for L.C Letter of credit would be opened subject to following additional conditions:

- 1. At site LC would be opened.
- 2. A level vessel would be used for shipment of supplies which should not be more than 15 years old.
- 3. Supplies shall be insured vide comprehensive Insurance Policy including machine insurance by the OEM till the final delivery site shall also include "Force Majeure".
- 4. Pre-dispatch inspection shall be carried out by OEM by certified inspection agency before shipment of supply.
- 5. The CIF (cost insurance freight)/CIP (cost insurance price) upto New Delhi, should be in Foreign Currency, payable by the Principal company in that currency only as per the mode of L.C stipulations. The CIF prices shall be borne by the firm upto site.
- 6. The custom duty shall be paid as per actual on the production of documentary proof. No Custom duty exemption certificate shall be issued by JKMSCL to facilitate custom clearance on the concessional rates.
- 7. CIF price of optional accessories, if any, Percentage of Indian direct Importer/authorized representative's percentage (Indian agency commission), if any, on FOB (Freight on board) Price which shall be payable to the Indian direct Importer (Indian Agency) in Indian currency at the exchange rate as mentioned below. However local accessories, if quoted in Indian currency, GST shall be paid as admissible under rules.
- 8. The prices quoted should be as per the price of the manufacturer applicable in within India
- 9. The L1 shall be calculated on the basis of conversion of currency as on date of opening of financial bid.

Delivery Period shall be 60 days for Indian Items and 90 days for Imported items.

PLEASE DON'T WRITE 00 AGAINST THE ITEMS FOR WHICH YOU DIDN'T WISH TO QUOUTE; INSTEAD, LEAVE THE COLUMN BLANK" AGAINST THE SAID ITEM; AS THE SYSTEM TAKES RS. 00.00 AS L1.

Important Note: Besides custom duty, the firm shall also mention Health cess and Social Welfare cess amount as applicable. Demurrage charges or late fee will not be paid by JKMSCL.

Only the Rates reflected in the comparative sheet in the BOQ (as per format uploaded) shall be considered for ascertaining L1. No Separate rates quoted by the bidders in the BOQ shall be accepted.

#### Declaration and Undertaking by the Bidder

(On Non Judicial Stamp Paper worth Rs. 100/- Attested by Notary Public and submitted with Cover-'A')

1.	I/We	(Name	of firm)	certify	that	the	quoted	model	(of	quoted
	item) is of latest ted	hnology	y and is	not out	dated	d.				

- 2. I/We certify that the rates (of quoted item) are reasonable and not sold on lower rates to anyone than charged from JKMSCL.
- 3. I/We do hereby accept condition of warranty period with spare parts of each quoted equipment as per terms & conditions and/or technical specifications. (From the date of installation/ demonstration).
- 4. (a) I/We do hereby undertake that our company/firm has not been black listed/banned/debarred/Convicted by Union Govt. or any State Govt. or their subordinate departments from participation in bidding.
  - (b) I/We do hereby declare that our company/firm has been black listed/banned/debarred/convicted

- (i) Cause of blacklisting/banning/debarring/conviction.
- (ii) For which item.....
- (iii) Period of black listing/banning/debarring/ conviction.

Name: Designation

- (iv) Latest Status of black listing/banning/debarring/conviction.
- 5. I/We hereby confirm that we have deposited all the GST/all applicable taxes as on date of submission of tender with the concerned authority/department. No GST/other taxes is due on the firm as on date of submission of tender.
- 6. I/we do hereby agree to the condition that JKMSCL may, if deemed fit go for the third party maintenance under Comprehensive equipment maintenance programme of Govt. of India.

#### **VERIFICATION & DECLARATION**

I/we	S/o	age
bidder/proprietor/ partne	er/director of firm M/s	verify
	ntents of bidding documents , its bidding fo	orms, Annexure
and other information sul	bmitted for bid no.	
of my knowledge and no	are true and containing has been concealed therein.  iscrepancy/wrong declaration is found du	
stages, I/We shall be he	eld personally responsible & JKMSCL ma barring of my/our firm for a period not less	ıy take any action
Place :-	Signature of the [	Deponent

E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2025)

Dated:-

#### **Annexure IV B**

# Declaration of Manufacturer/Direct Importer/Indian Subsidiary To be submitted on non judicial stamp paper of Rs. 100 duly notarised

	Date:	NIB No.:
I/We a legally constituted firm/body	Name of Bidder/S	Sole proprietor/ CMD/
<ol> <li>The items (Name of item) is/ are</li></ol>	ress of factory & of t the quoted mod ranty period wit	ffice). el (of quoted item) is of th spare parts of each
quoted item as per terms & conditions or tec installation/ demonstration).	hnical specificatio	ons. (From the date of
<ul> <li>a. Our company/firm has not been blace</li> <li>Union Govt. or any State Govt. or participation in bidding.</li> </ul>		
b. Our company/firm has been black	me, Address of C :	Govt./dept./State) and
(ii) For which item(iii) Period of black listing/banning. (iv) Latest Status of black listing/ba	 /debarring/ convid anning/debarring/	ction. conviction.
4. I/We hereby confirm that we have deposite the date of submission of tenders with the GST/other taxes is due on the firm as a	e concerned aut	
<ol> <li>We undertake that in case of change of dealer preventive services and maintenance of the experiod.</li> </ol>	ership, we shall be r	
6. We fully qualify the laid down terms & conditi <b>VERIFICATION &amp; DECLARATION</b>	ons of the NIB inclu	uding Turnover class.
I/we	authoriz verify and co I to Annexure VIII rrect to the best o tion is found during IMSCL may take	ed bidder/proprietor/ infirm that the contents and other information of my knowledge and scrutiny at later stages, any action including
Place :- Dated:-	Signature of the Name : Designation	

Signature of bidder with Seal.

	C	lient Base (Item wise)						
On letter Head of Bidder / Manufacture/Indian Subsidiary of Principal Manufacturer								
that our cli Head of the references of with satisfact report of Go	ient base for the offer ne Bidder / Manufact of the supply orders, for ctory performance certi	red equipments are as ure/Indian Subsidiary of any of the three financia ficate of minimum one Pure reference supply orders	) do hereby certify under { Client Base on Letter Principal Manufacturer with I years in last five years along urchase Order and installation and satisfactory performance					
Item	Name of the Item	Client list	Reference to supply order					
Code								
	be submitted with te le from relevant docu		bove information should be					
2. Firm sho	ould have market stan	ding of the quoted prod	duct as mentioned above.					
3. The diff	erent variants of same	equipment may be co	nsidered.					
certific	ate and other informaties including bill of en	tion to the effect that the	may be asked to furnish a ne firm has completed all the ection with import of the item					
Place:								

Date:

#### Annexure VI

# AUTHORISATION from principal manufacturer/importer/Indian Subsidiary

(On the letterhead of Principal manufacturer / Sole Importer/Indian Subsidiary)
In case authorization to the bidder is furnished by the Sole Importer/Indian Subsidiary,
document confirming authorization from foreign Principal Manufacturer in favour of
Indian Subsidiary / Sole Importer is to be submitted.

The Managing Director Jammu and Kashmir Medical Supplies Corporation Limited J&K
Subject: Regarding authorisation for our products.  Ref.: Your NIB nodated  Name of items
Dear Sirs,
I/we(Name) for M/S(Name of firm) who are proven and reputable manufacturers(Name of item) having factory at(Address of Factory and Office) hereby authorize M/S(Name of Bidder firm) to submit a bid, process the same further and enter into a contract with you against your requirement as contained in the above referred bid documents/NIB for the above goods manufactured / imported by us.
I/we further confirm that no supplier or firm or individual other than M/S
I/we also hereby extend our full guarantee, as applicable as per bid conditions of contract, read with modifications/addendum, if any, in the general/special conditions of contract for the goods and services offered for supply by the above firm against this bid document.
I/we also hereby confirm that we shall also be responsible for the satisfactory execution of contract placed on the authorized Firm. In case of default of authorised representative (or) otherwise, we shall also be responsible for the satisfactory execution of contract placed on the authorized Firm & penalty, if any, for non-execution of contract by the authorised representative shall be borne by us.  This authorization shall be valid till the completion of rate contract period and related services i.e. warranty and comprehensive maintenance obligations, etc.,
whichever is later.
Yours faithfully,
(Name & Signature) verification and signature by bidder For M/s Seal and address of bidder AUTHORISED SIGNATORY
Accepted by the authorized Bidder Mr(Signature, Name & Address)

# ((On letter head of Chartered Accountant))

# **ANNUAL TURN OVER STATEMENT**

and address	the past three years are given	below and certified that the
per returns filed with	Taxation Department for the y	ment has been prepared strictly as ear 2022-23, 2023-24 and 2024-25 and found during evaluation /later
SI. No.	Financial Years	Turnover in Lakhs (Rs.)
1.	2022-23	
2.	2023-24	
3.	2024-25	
	Total -	Lakhs
Average gross annu	ual turnover	Lakhs
should be suppo 2. The turnover sho 3. The Certificate is certification. 4. The Average Ar "Procurement of under the categorial falling under the	rted with returns filed for the la uld be supported by the balar sued by Taxation Department: nnul Turn Over required for the Machinery & Equipment" is a ory as specified under Annual Annual Turnover clause shall be	he item(s) pertaining to the Group s per Table 1. Only the bid(s) not
Date	Signature of the bidder	Signature of Auditor/Seal Chartered Accountant (Name & Address.) Tel. No. UDIN NO.

# (On Firm's letter head)

# **Memorandum of Appeal**

	Appeal noofBefore the(appellate authority)	
1.	Particulars of appellant:  (i) Name of the appellant:  (ii) Official address, if any:  (iii) Residential address:	
2.	Name and address of the respondent(s): (i) (ii) (iii)	
3.	Number and date of the order appealed against and name and designation of the officer/authority that passed the order (enclose copy), or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved:	
4.	<ol> <li>If the appellant proposes to be represented by a representative, the r postal address of the representative:</li> </ol>	ame and
5.	5. Number of affidavits and documents enclosed with the appeal:	
6.	5. Ground of appeal:	
7.		
	emand Draft of Rsdd as appeal fees	ated
	Place Dated	

# Section V: Schedule of Supply

### **Table of Contents**

S. No.	Description	Pages
1.	List of goods and related services	
2.	Delivery and completion schedule	
3.	Technical specifications	
4.	Drawings	
5.	Inspections and tests	

# **Section V: Schedule of Supply**

Clause No.	Description
1	List of goods and related services
1.1	Name of item
1.2	Related services are delivery, local transportation, installation, commissioning, demonstration and training etc.
1.3	Warranty period starts from the date of successful installation for a period of Five years.
1.4	JKMSCL may, if deemed fit, enter into third party agreement under comprehensive equipment maintenance programme, Govt. of India.
2	Delivery and completion schedule
2.1	SUPPLY ORDERS AND SUPPLY SCHEDULE:
2.1.1	Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of e mail/fax/other communication shall be treated as the date of order for calculating the period of execution of order. The successful bidder shall execute the orders within a delivery period of 60 days or as specified in the supply order from the date of issuing supply order and handing over of space with the availability of power & other requisite installations by the end users.
2.1.2	In case of imported items, 30 days will be given in addition to above mentioned period, as mentioned in condition No. 2.1.1 above.
2.1.3	The successful bidder shall acknowledge the receipt of orders, if any, within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. However finalization of annual Rate contract does not mean mandatory issuance of supply order. Supply order shall be as per the requirements of items at various end-users.
2.1.4	The Site of delivery shall be Drug ware House of JKMSCL or as per the requirement of the Department. The bidders can visit the site after seeking permission from the competent authority before quoting their rates.
2.1.5	To ensure sustained supply without any interruption, the JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders on L1 matched rates only. In such a case, the requirement may be met by dividing be quantity among the R/C holders considering the quantity required and dedicated capacity of the successful bidders.
2.1.6	The ready stock position of the item, if provided by the firm, may be considered by the corporation for the placement of supply orders.
2.1.7	It may be noted that the JKMSCL does not undertake to assist in the procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if taken, as argument for non-supply/delayed supply will not be entertained.

2.1.8	The figures indicated, if any, do not constitute any commitment on the part of JKMSCL to purchase any of the articles and the quantities shown therein against each or in any quantity whatsoever and no objection against the quantity of the indent of approved item being more or less than the indicative quantity will be entertained and shall not be acceptable as a ground for non supply of the quantity indented.
2.2	PROCURING ENTITY'S RIGHT TO VARY QUANTITY:
2.2.1	If the JKMSCL procures less than the quantity indicated in the bidding documents (if asked) the bidder shall not be entitled for any claim of compensation except otherwise provided in the conditions of contract.
2.2.2	If the bidder fails to supply, the JKMSCL shall be free to arrange / procure the item(s) from other sources and the extra cost incurred shall be recovered from the supplier.
2.3	SUBMISSION OF CONTRACT COMPLETION REPORT
2.3.1	Firms shall have to submit consolidated statement in duplicate at the end or rate contract as well as after expiry of equipment / instrument warranty period (as provided in guarantee clause of the contract) to enable the corporation to examine the case for refund of performance security.
2.3.2	The consignee shall intimate the contract /supplier about the defect (s) or once in such a manner, so as to reach the office of the firm immediately and before completion of warranty period. It shall be the responsibility of the consignee to get the complaint of warranty period. It shall be the responsibility of the consignee to get the complaint of defective equipment of defective performance registered immediately with the office of JKMSCL.
2.5	PACKING & INSURANCE:
2.5.1	The good shall be delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the corporation shall not be required to pay any such charges, if incurred.
2.5.2	The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by sea, rail, road or air and delivery of material in good condition to the procurement officer's store. In the event of any loss, damage, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the checking/inspection of material by the consignee. No extra cost on such account shall be admissible. The firm may keep its representative to verify any damage or loss discovered at the consignee's store, if it so likes.
2.5.3	The material received with damaged packing (or) without packing as per terms & conditions of NIT (or) in damaged state, shall be liable to the minimum penalty of 2% of the value of the damaged item (or) quantity received with damaged packing. Further packing, cases, containers and other allied material if any shall be supplied free, except where otherwise specified by the firm(s) and agreed by the corporation and the same shall not be returned to him.

0.5.4	Duraldia waxa a Mia a Na wa
2.5.4.	Packing specifications
	Schedule for packing – General specifications
	1. All items should be packed only in first hand boxes only.
	2. Label: Every box should carry a large outer label clearly indicated
	that the product is for "JKMSCL Supply" for the year, "Not for Sale"
	and it should carry the correct technical name, strength or the
	product, date of manufacturing, date of expiry, quantity packed
	and net weight of the box in bold letters.
	Note: The weight/size of the box for packing the item may vary for the
	safe delivery/installation of equipment. Any deviation in the packing, if
	necessary shall be made after getting permission from JKMSCL.
2.6	REJECTION OF GOODS:
2.6.1	Articles not as per specification/ or not approved shall be rejected by the
2.0.1	corporation / consignee and will have to be replaced by the supplier firm
	, , , , , , , , , , , , , , , , , , , ,
_	at its own cost within 15 days or with time limit fixed by the corporation.
2.6.2	All the stores supplied shall be of the best quality and conforming to
	the specification, trademark laid down in the schedule attached to
	agreement and in strict accordance with and equal to the approved,
	standard/specifications/ samples. In case of any material of which there
	are no standards or approved samples, the supply shall be of the best
	quality to be substantiated by documents/specifications. The decision of
	JKMSCL as to the quality of stores is final and binding upon the bidder. In
	case any of the articles supplied are not found as per specification or
	declared sub-standard, that shall be liable to be rejected and any
	expenses of loss caused to the supplier as a result of rejection of supplies
	shall be entirely at his account.
2.6.3	·
2.6.3	The rejected item must be removed by the firm, within 15 days of the date
	of intimation of rejection. The officials concerned shall take reasonable care
	of such material upto 15 days from the date of intimation only but in no
	case shall be responsible for any loss, damage, shortage that may occur
	while it is in their premises. In case firm fails to remove the items within fifteen
	days, JKMSCL shall have full right to get the said item(s) removed &
	destroyed at the cost & risk of supplier/bidder, without any further
	correspondence. The destroying charges as per the actual plus 1% penalty
	shall be deducted from any amount payable to the firm.
2.6.4	No payment shall be made for defective/incorrect items.
2.6.5	In case firm wants to take back item to their service station for rectification
	then firm has to deposit payment received against such defective
	supplies. In case supplier has not received any payment then material be
	returned to supplier firm for rectification. In no case the defective equipment
	is allowed to be installed after rectification.
2.6.7	The bidder shall be responsible for the proper packing and delivery of the
2.5.7	material to the consignee. In the event of any loss, damage, or breakage,
	leakage or shortage in transit, the bidder shall be responsible. No extra cost
	on such account shall be admissible.
2.7	Payment Terms (For items quoted in foreign currency)
2.7	- 47e terms (10. heins quotes in foreign contents)
	·

### 2.7.1 For Payment through Letter of Credit (for imported items only)

Payment shall be considered to be made only on receipt of an agreement & performance security, where requisitioned and in the following manners:

In case of irrevocable Letter of Credit (for imported machinery & equipment, its parts, accessories & consumable etc. which are part of supply, installation & commission)

#### i. On shipment form abroad:

80% of the net FOR value shall be paid through irrevocable Letter of Credit established in favour of the suppliers by JKMSCL on a bank in the supplier's country, on submission of the documents specified in the Letter of Credit and further following documents:

- a. Supplier's certificate that the amount(s) shown in the invoice is/are correct in terms of the contract and that all the terms and conditions of the contract have been accepted and complied with.
- Supplier's certificate confirming that the original shipping documents have been dispatched to the consignee in accordance with the contract and
- Any other document specified in the notification of award or the contract.

### ii. On final acceptance after receipt of acceptance certificate:

- a. Balance 20% of the net F.O.R value (in case of foreign principals), shall be payable by JKMSCL on receipt of goods, on submission of claim supported by the acceptance certificate issued by the user department, mentioning therein the dates of receipt of goods, installation of the equipment and completion of minimum 30 days satisfactory & faultless functioning of the equipment/goods and also subject to other provisions of the agreement.
- b. The freight and insurance, if any, based on the production of the documentary evidence of the same shall be reimbursed by JKMSCL subject to the estimated amount as mentioned in the supply order/rate contract.
- iii. Rates quoted must be FOR stores of JKMSCL/site of installation of end user Department. All the statutory duties/taxes are to be paid by the approved supplier. However, same shall be reimbursed at actual on production of requisite documents from the competent authority. JKMSCL shall not be responsible for any demurrage charges on any grounds.

#### In other case:

entity with all relevant shipping documents in case of consumate spare parts whether Imported or Indigenous.  ii. 100% in case of goods required commissioning, installation, turn work and supply of Import Indigenous goods/equipments, submission of claims procurement entity with all acceptian certificate issued by the user department in favour of supplie countersigned by the supplier as per NIT mentioning therein dates of recent of goods, installation of equipment and completion of minimum 30 days satisfactory & faultless function of the equipment/goods and also subject to other provisions of Agreement.  iii. In cases of imported goods the supplier shall also submit with the claims, the documentary evidences like bill of entry etc. or or documents issued by the custom department, Government of Infor clearance of such imported goods supplied to the JKMSCL.  2.7.2 Payment shall be made by RTGS. Expenses on this account, if any, shall borne by the firm.  2.7.3 Payment to the authorised representative shall be made as per the tripad agreement with the Corporation i.e JKMSCL on the basis of Annexure A euploaded along with e.bid.  2.7.4 No advance payments towards cost of items shall be made to the bidd for a tripadian process in rates in case the bidder fails to notify or fails to agree for such reduction as is necessin rates in case the bidder fails to notify or fails to agree for such reduction frates. In case the bidder fails to notify or fails to agree for such reduction frates. In case the bidder fails to notify or fails to agree for such reduction as is necessin rates in case the bidder fails to notify or fails to agree for such reduction frates. In case the bidder fails to notify or fails to agree for such reduction frates. In case the bidder fails to notify or fails to agree for such reduction for eates. In case the bidder fails to notify or fails to agree for such reduction frates. In case of any enhancement in taxes/duty due to notification of Government after the date of submission of bids and during the b		
<ul> <li>2.7.2 Payment shall be made by RTGS. Expenses on this account, if any, shall borne by the firm.</li> <li>2.7.3 Payment to the authorised representative shall be made as per the tripa agreement with the Corporation i.e JKMSCL on the basis of Annexure A e uploaded along with e.bid.</li> <li>2.7.4 No advance payments towards cost of items shall be made to the bidd</li> <li>2.7.5 If at any time during the period of contract, the price of bid item reduced or brought down by any law or Act of the Central or Standard Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing authors shall be empowered to unilaterally effect such reduction as is necess in rates in case the bidder fails to notify or fails to agree for such reduct of rates. In case this reduction of rates comes to the knowledge of JKMS in later stage, additional payment made w.e.f of the details of rates she charged from the firm with 1.5% monthly interest from the date/till rothave been reduced besides action as desired fit by JKMSCL which may debarring/any other penalty as per penalty clause.</li> <li>2.7.6 In case of any enhancement in taxes/duty due to notification of Government after the date of submission of bids and during the bid perithe quantum of additional taxes/duty so levied shall be allowed to charged extra as a separate item without any change in the basic prestructure of the items approved under the bid. For claiming the addition cost on account of the increase in tax/ duty, the bidder should productletter from the concerned authorities for having paid additional tax/don the goods supplied to ordering authority and also must claim the sa in the invoice separately. Similarly if there is any reduction in the rate</li> </ul>		entity with all relevant shipping documents in case of consumables spare parts whether Imported or Indigenous.  ii. 100% in case of goods required commissioning, installation, turnkey work and supply of Import Indigenous goods/equipments, or submission of claims procurement entity with all acceptance certificate issued by the user department in favour of supplier 8 countersigned by the supplier as per NIT mentioning therein the dates of recent of goods, installation of equipment and afte completion of minimum 30 days satisfactory & faultless functioning of the equipment/goods and also subject to other provisions of the Agreement.  iii. In cases of imported goods the supplier shall also submit with thei claims, the documentary evidences like bill of entry etc. or othe documents issued by the custom department, Government of Indices.
agreement with the Corporation i.e JKMSCL on the basis of Annexure A e uploaded along with e.bid.  2.7.4 No advance payments towards cost of items shall be made to the bidd 2.7.5 If at any time during the period of contract, the price of bid item reduced or brought down by any law or Act of the Central or Str. Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing author shall be empowered to unilaterally effect such reduction as is necess in rates in case the bidder fails to notify or fails to agree for such reduct of rates. In case this reduction of rates comes to the knowledge of JKMS in later stage, additional payment made w.e.f of the details of rates she charged from the firm with 1.5% monthly interest from the date/till rate have been reduced besides action as desired fit by JKMSCL which may debarring/any other penalty as per penalty clause.  2.7.6 In case of any enhancement in taxes/duty due to notification of Government after the date of submission of bids and during the bid peri the quantum of additional taxes/duty so levied shall be allowed to charged extra as a separate item without any change in the basic prostructure of the items approved under the bid. For claiming the addition cost on account of the increase in tax/ duty, the bidder should productetter from the concerned authorities for having paid additional tax/d on the goods supplied to ordering authority and also must claim the sa in the invoice separately. Similarly if there is any reduction in the rate	2.7.2	Payment shall be made by RTGS. Expenses on this account, if any, shall be
<ul> <li>2.7.5 If at any time during the period of contract, the price of bid item reduced or brought down by any law or Act of the Central or St. Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing author shall be empowered to unilaterally effect such reduction as is necess in rates in case the bidder fails to notify or fails to agree for such reduct of rates. In case this reduction of rates comes to the knowledge of JKMS in later stage, additional payment made w.e.f of the details of rates be charged from the firm with 1.5% monthly interest from the date/till rothave been reduced besides action as desired fit by JKMSCL which may debarring/any other penalty as per penalty clause.</li> <li>2.7.6 In case of any enhancement in taxes/duty due to notification of Government after the date of submission of bids and during the bid pering the quantum of additional taxes/duty so levied shall be allowed to charged extra as a separate item without any change in the basic prostructure of the items approved under the bid. For claiming the addition cost on account of the increase in tax/ duty, the bidder should productletter from the concerned authorities for having paid additional tax/d on the goods supplied to ordering authority and also must claim the sa in the invoice separately. Similarly if there is any reduction in the rate</li> </ul>	2.7.3	Payment to the authorised representative shall be made as per the tripartite agreement with the Corporation i.e JKMSCL on the basis of Annexure All to e uploaded along with e.bid.
<ul> <li>2.7.5 If at any time during the period of contract, the price of bid item reduced or brought down by any law or Act of the Central or St. Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing author shall be empowered to unilaterally effect such reduction as is necess in rates in case the bidder fails to notify or fails to agree for such reduct of rates. In case this reduction of rates comes to the knowledge of JKMS in later stage, additional payment made w.e.f of the details of rates be charged from the firm with 1.5% monthly interest from the date/till rothave been reduced besides action as desired fit by JKMSCL which may debarring/any other penalty as per penalty clause.</li> <li>2.7.6 In case of any enhancement in taxes/duty due to notification of Government after the date of submission of bids and during the bid perithe quantum of additional taxes/duty so levied shall be allowed to charged extra as a separate item without any change in the basic prestructure of the items approved under the bid. For claiming the addition cost on account of the increase in tax/duty, the bidder should productletter from the concerned authorities for having paid additional tax/d on the goods supplied to ordering authority and also must claim the sa in the invoice separately. Similarly if there is any reduction in the rate</li> </ul>	2.7.4	·
Government after the date of submission of bids and during the bid peri the quantum of additional taxes/duty so levied shall be allowed to charged extra as a separate item without any change in the basic pr structure of the items approved under the bid. For claiming the addition cost on account of the increase in tax/duty, the bidder should product letter from the concerned authorities for having paid additional tax/d on the goods supplied to ordering authority and also must claim the sa in the invoice separately. Similarly if there is any reduction in the rate	2.7.5	If at any time during the period of contract, the price of bid items is reduced or brought down by any law or Act of the Central or State Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing authority shall be empowered to unilaterally effect such reduction as is necessary in rates in case the bidder fails to notify or fails to agree for such reduction of rates. In case this reduction of rates comes to the knowledge of JKMSCL in later stage, additional payment made w.e.f of the details of rates shall be charged from the firm with 1.5% monthly interest from the date/till rates have been reduced besides action as desired fit by JKMSCL which may be debarring/any other penalty as per penalty clause.
submission of bid, the quantum of the price to the extent of reduction taxes/duty of items will be deducted without any change in the basic pr	2.7.6	Government after the date of submission of bids and during the bid period, the quantum of additional taxes/duty so levied shall be allowed to be charged extra as a separate item without any change in the basic price structure of the items approved under the bid. For claiming the additional cost on account of the increase in tax/ duty, the bidder should produce a letter from the concerned authorities for having paid additional tax/duty on the goods supplied to ordering authority and also must claim the same in the invoice separately. Similarly if there is any reduction in the rate of taxes/duty of items, as notified by the Government, after the date of submission of bid, the quantum of the price to the extent of reduction of taxes/duty of items will be deducted without any change in the basic price
structure of the items approved under the bidder.  2.7.7 In case of successful bidder has been enjoying exemption on any crite	277	

	such bidder will not be allowed to claim taxes/duty at later point of time during the tenure of contract, if the taxes/ duty become chargeable on goods manufactured due to any reason.
2.7.8	If there is any hindrance by the consignee to provide the required site for installation the part payment of equipment shall be made / decided by JKMSCL. In that case, the firm has to inform JKMSCL immediately.
2.8	LIQUIDATED DAMAGES:
2.8.1	The time specified for delivery in the bid form shall be deemed to be the essence of the contract and the successful bidder shall arrange supplies within the period on receipt of order from the purchasing officers.
2.8.2	In case of extension in the delivery period with liquidated damages after the expiry of supply schedule (60 days for Indian items & 90 days for imported items) from the date of issuance of Purchase Orders), recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Total Penalty period shall be upto 60 days from the last day of supply period. Rest of the terms and conditions of SPP with regard to penalty clause shall remained unchanged.
2.8.3	If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to Managing Director JKMSCL, J&K, for the same immediately on occurrence of the hindrances but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only be released by corporation after sanction of extension in delivery period.
2.8.4	Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of force majeure i.e., which is beyond the control of the bidder, the extension in delivery period may be granted without liquidated damage.
2.8.5	If the bidder is unable to complete the supply within the specified or extended period, the corporation shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval of Managing Director JKMSCL, J&K. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder.  The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from
	any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made from the bidder. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.

_	
2.8.6	LD for damaged packing or loose packing equivalent to 2 % of the value of the products received with damaged packing or in loose packing or with packing not conforming to the terms and conditions, specified in the tender document.
2.9	RECOVERIES:-
2.9.1	Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinarily be made from bills. Such amount may also be recovered from any other untied dues & security deposits available with the JKMSCL. In case recovery is not possible, action will be taken as per prevailing Acts/rules in J&K State.
2.9.2	Any recovery on account of liquidated damage charges/risk & cost charges in respect of previous rate contracts/supply orders placed on them by the JKMSCL can also be recovered from any sum accrued against this bid after accounting for untied sum or due payment lying with JKMSCL against previous rate contracts/supply orders. Firm shall submit details of pending amount lying with JKMSCL but decision of Managing Director JKMSCL, J&K regarding authenticity of sum payable shall be final.
2.9.3	Testing & Handling Charges: the testing and handling charges to the tune of 1.5% of total cost shall be deducted from the invoices raised by the approved bidder against the supply orders placed from time to time.

### 3. Technical Specifications:

Annexure: A-III (technical specifications attached for Table I)

#### General features:

- i. Bidders are requested to send printed descriptive literature/catalogue of the quoted items duly sealed by MD/Chairman/authorised signatory of the firm/bidder in the office of Jammu and Kashmir Medical Supplies Corporation Ltd. one day prior to last day of uploading of the bid. The catalogues along with compliance sheets should also be uploaded with the technical bid.
- ii. If bidder supplied to or have rate contract of quoted items with any other Govt. institutions within one year, he may be asked to provide copies of purchase orders, invoices and rate contract.
- 4) .Drawings if any to be attached with the technical bid.

5. Inspection and Tests

Clause No.	Description		
5.1	INSPECTION OF EQUIPMENTS AND INSTRUMENTS:-		
5.2	The equipments supplies shall be according to technical specifications and shall be inspected by the committee constituted by JKMSCL as mentioned in the supply order or amended thereafter by competent authority. In case of BIS Items, inspection shall be strictly as per relevant BIS specifications with latest amendments and have been made applicable by B.I.S. at the time of inspection. The inspection and testing of the material may be got done by any inspecting Agency/team of experts at site of installation/commissioning. The supplier shall provide all facilities for inspection/testing free of cost.		
5.3	Notwithstanding the fact that the authorized inspecting team had inspected and/or has approved the stores/articles, any officer(s)/team of officer nominated by the corporation may inspect the item/material as soon as it is received in the stores to ensure that the supply is in accordance with the specifications laid down in rate contract/supply order.		
5.4	In case of doubts in inspection/ test, same may be got inspected or tested in any laboratory. If the material is not found as per specifications or defective, consignee shall not accept the material and shall inform the corporation within 3 days. Consignee may also simultaneously ask the firm for removal of defect/replacement. The firm shall be bound to replace the defective equipment/item within 15 days of receipt of intimation from the consignee/corporation. However, the date of delivery, in case of defective item shall be taken as the date on which the JKMSCL accepts the item after replacement of defective material/removal of defects as the case may be. Wherever defective item is replaced, the inspection/testing charges, if any, shall be borne by the supplier.		
5.5	The corporation/technical expert or team shall match the specification with available reserved sample with the corporation which is submitted by the firm/supplier at the time of technical approval before release to end user		
5.6	In case of imported item, the supplier shall ensure that the item shall be inspected by the third party inspection agency before dispatched to the consignee. In case any un-inspected item has been found in the item received by consignee, the firm shall be solely responsible for it and the JKMSCL shall be free to take suitable necessary action as per terms and conditions of bid documents/agreement against the firm.		

## Section VI A: - General Conditions of Contract (GCC)

## **Table of Contents**

S. NO.	DESCRIPTION
1.	DEFINITIONS
2.	GENERAL TERMS
3.	BID SECURITY
4.	FORFEITURE OF BID SECURITY
5.	GAURANNTY CLAUSE
6.	MARKING
7.	APPLICABILITY OF RATES
8	COMPARISON OF RATES
9.	SUBMISSION OF SAMPLES AND DEMONSTRATION
10	PERFORMANCE SECURITY (P.S.) AND AGREEMENT
11.	SUPPLY ORDERS
12	SUBMISSION OF CONTRACT COMPLETION REPORT
13.	TERMS OF PAYMENT
14.	LIQUIDATED DAMAGES
15	RECOVERIES
16	INSPECTION
17	PACKING & INSURANCE
18	REJECTION
19	CORRECTION OF ARITHMETIC ERRORS
20	PROCURING ENTITY'S RIGHT TO VARY QUANTITY
21	PARALLEL RATE CONTRACT
22	VALIDITY OF BID
23	PRICE ESCALATION
24	SUBLETTING OF CONTRACT
25	FALL CLAUSE
26	GRIEVANCE REDRESSAL DURING PROCUREMENT PROCESS
27	COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF
	INTEREST
28	DISPUTE SETTLEMENT MECHANISM
29	OTHER CLAUSES
31	JURISDICTION

### SECTION VI A: - GENERAL CONDITIONS OF CONTRACT (GCC)

Bidder should read these terms & conditions carefully and comply strictly while submitting their bids. If a bidder has any doubt regarding the terms & conditions and specifications mentioned in the bid notice/ catalogue, he should refer these to the Jammu and Kashmir Medical Supplies Corporation, J&K, before submitting bids and obtains clarifications. The decision of the Managing Director Jammu and Kashmir Medical Supplies Corporation, J&K, shall be final and binding on the bidder. The clauses of terms & conditions are as follows:-

Clause	Description
No.	2 333.16.13.1
1.	Definitions
	The following words and expressions shall have the meanings hereby
	assigned to them:
	'Act/Rules' means Acts & rules prevailing in J&K Union Territory in terms of
	procurement.  'Completion' Means the fulfilment of the supplies and Related Services by the
	supplier in accordance with the terms and conditions set forth in the
	contract.
	"Contract" Means the Agreement entered into between the procuring entity and supplier, together with the contract documents referred to therein, including all attachments, appendices, specifications and codes and all documents incorporated by reference therein.
	"Contract Documents" Means the documents listed in the agreement, including any amendments thereto.
	"Contract Price/Rate" Means the price payable to the supplier as specified in
	the agreement, subject to such additions and adjustments thereto or deductions there from, as may be made pursuant to the contract.
	"Day" Means calendar day. "Delivery" Means the transfer of the goods from the supplier to the procuring
	entity in accordance with the terms and conditions set forth in the contract.  "GCC" Means the general conditions of rate contract.
	"SCC' Means the special conditions of rate contract".
	"Goods" Means all of the commodities, raw material, machinery and equipment, documents, warrantees and /or other materials that the supplier
	is required to supply to the Procuring Entity under the Contract.  "Procuring Entity" Means the entity purchasing the goods and related
	services, Managing Director Jammu and Kashmir Medical Supplies Corporation, J&K, or as specified in the special conditions of the contract
	(SCC).
	"Related Services" Means the services incidental to the supply of the
	goods, such insurance, installation, training and initial maintenance,
	commissioning of equipment or machinery and other similar obligations of the supplier under the contract. "Subcontractor" Means any natural
	person, private or government entity, or a combination of the above,
	including its legal successors or permitted assigns, to whom any part of the
	goods to be supplied is subcontracted by the supplier.
	"Supplier" Means the natural person, private or government entity, or a

	combination of the above, whose bid to perform the contract has been accepted by the procuring entity and is named as such in the agreement, and includes the legal successors or permitted assigns of the supplier.  Authorised representative: Means the natural person, proprietor or Govt entity, duly authorised by the Managing Director/Prop/Chairman/Board of Director of original manufacturer/direct importer under their seal signatures duly notarized; to bid, negotiate, raise the invoice, receive the payment against the supplies made, enter into tripartite agreement within the Corporation i.e JKMSCL, inter-alia.  Authorised signatory: Means the natural person authorised by the proprietor, Managing Director/Chairman/Board of Director of original manufacturer/direct importer under their seal signatures duly notarized to sign on behalf of the company.  "The Site" where applicable, means the place of delivery, installation, testing/ commissioning of the goods /equipment or machinery or as mentioned in the supply order.
2.	"Consignee" Means the receiver of the stores as mentioned in supply order.  General terms
2.1	Bids are invited from original manufacturers /direct importers/authorized representative of the original manufacturer/direct importer.
2.2	Bid shall have to uploaded as per schedule, to JK e-portal: www.jktenders.gov.in. At any time prior to the date of uploading of bid, bid inviting authority may, for any reason, whether on his own initiative or in response to a clarification requested by a prospective bidder, modify the condition in bid document by an amendment. In order to provide reasonable time to take the amendment into account in preparing their bid, bid inviting authority may at his discretion, extend the date and time for submission of bid. Interested eligible bidders may obtain further information in this regard from the office of the bid inviting authority.
2.3	Supplies shall be made directly by the bidder to be called as "Supplier" after finalization of rate contract, and suppliers. Manufacturer bidder should have permission to manufacture the item quoted as per specification given in the bid from the competent authority.
2.4.1	Direct importer should authenticate import/sale license for the product quoted in the bid issued by the competent authority.
2.4.2	In case, the item/product is supplied through authorised representative, product manufacturing permission, import/sale license of the principal manufacturer (s) direct importer (s) shall have to be uploaded along with technical bid.
2.5	Bid shall be have to be loaded on e-portal i.e <u>www.jktenders.gov.in</u> submitted to Managing Director, Jammu and Kashmir Medical Supplies Corporation, J&K

- 2.6 The bidder shall also submit the following documents and certificates along with the bid as per technical bid submission letter:-
  - (i) A combined undertaking/declaration regarding that the quoted item:
    - a. Model is of latest technology, the item has not become outdated, that the rate quoted is not more than the rate charged from anyone else,
    - b. That the bidder is not black listed or banned or debarred by central or any state government or its append gages,
    - c. Availability of spare parts and consumables for the quoted equipment for at least 10 years/life of the item, from the date of installation.

Note: Bid should not be submitted for the quoted item(s) for which the bidder has been blacklisted/banned/debarred either by bid inviting authority or Govt. of J&K or by any other \$tate/Central Govt. and its agencies. This also applies to the bidder for its sister/allied firm(s)/unit(s).

(ii) The bidder, in case of representative of the manufacturer/direct importer shall submit fresh authorization of the manufacturer/direct importer duly authenticated and notarized.

#### PLEASE ALSO NOTE THAT: -

- (A) All attested documents must be submitted in English language. If the documents are not in English, translated version of the same, in English, duly signed and attested by authorized translator must be submitted along with copy of original document.
- (B) All the above mentioned documents should be under the name and address of the premises where the quoted items are actually manufactured/stored for supply.
- Financial Bid duly filled in (Annexure III/BOQ) giving the rates for quoted items should be uploaded through e portal <a href="www.jktenders.gov.in">www.jktenders.gov.in</a>. The rate should not be disclosed/uploaded in the technical bid. Rates uploaded along with technical bid shall means out rightly rejection of bid of the concerned person.
- 2.8 The required amounts towards cost of bid document and tender processing charges shall be deposited as mentioned at page 5, 01 day before the last date and time of bid submission.

All bids received will be opened in the presence of bidders, who choose to be present. Financial bid will be opened only for those bidders, who satisfy the criteria laid down by the JKMSCL on the details furnished by the bidder in technical bid in compliance of terms & conditions of the bid.

(i) In case of the bid being submitted by a proprietary firm, the bid must be signed by the sole proprietor. In case of a partnership firm, bid must be signed on behalf of the firm by a person authorized, holding a power

2.9

- of attorney in his favour to do so; and in the case of a company, the bid must be signed by an authorized signatory, in the manner laid down in the articles of association of the bidder company.
- (ii) Any change in the constitution of the firm/ company shall be notified forthwith by the bidder/contractor in writing to the Jammu and Kashmir Medical Supplies Corporation, J&K and such change shall not relieve any former member of the firm/ company from the liability under the conditions of the bid/contract. No new partner / partners shall be accepted in the firm by the bidder/contractor in respect of the bid/contract unless he/ they agree to abide by all its terms and conditions and submit a written agreement to this effect. The bidder's/contractor's receipt for acknowledgement or date of any new partner subsequently inducted, as above, shall bind all of them and will be a sufficient discharge for any of the purposes of the contract.

## 3 BID SECURITY:

- (i) Bid shall have to be accompanied with a scanned copy of FDR/CDR/BG/NEFT/RTGS as bid security. The bid security shall have to be submitted before the opening of technical bid with a validity of 30 months. Bids submitted without sufficient bid security & validity shall be summarily rejected.
- (ii) The bid security of bidder shall be refunded after the earliest of the following events, namely:-
  - (a) the expiry of validity of bid security;
  - (b) the cancellation of the procurement process; or
  - (c) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.
- (iii) The bid security lying with the JKMSCL in respect of other bids awaiting approval or rejection or on account of contracts being completed, shall not be adjusted towards bid security for the fresh bids. The bid security may, however, be taken into consideration in case bids are reinvited for the same item.
- (vi) In case any document submitted by the bidder or by his authorized representative is found to be forged, false or fabricated, the bid shall be rejected and bid security may be forfeited. Bidder/his representative may also be banned / debarred. Report with police station may also be filed against such bidder/his representative.

#### 4 FORFEITURE OF BID SECURITY: -

The bid security shall be forfeited if:

- (i) The bidder withdraws or modifies the offer after opening of financial bid, but before acceptance of bid,
- (ii) The bidder does not execute the agreement, if any, prescribed within the specified time or extended time by competent authority (on the request of the bidder),
- (iii) The bidder does not deposit the 'performance security' after the supply order is placed/requested for signing the agreement,
- (iv) The bidder fails to commence the supply of the items as per supply

- order within the time prescribed,
- (v) The bidder fails to submit samples/demonstration of quoted item on demand
- (vi) The bidder violates any of the terms & conditions of the bid document.

#### 5 WARRANTY CLAUSE:-

- The bidder would guarantee that the subject matter of procurement would continue to conform to the description and quality as per technical specifications and performs as per descriptions, from the date of delivery/ installation of the said subject matter of procurement. Notwithstanding the fact that the purchaser may have inspected and/or approved the said subject matter of procurement during the warranty period, if the said subject matter of procurement is discovered not to conform to the description and quality as aforesaid or not performing, as described, the procuring entity will be entitled to reject the said subject matter of procurement or such portion thereof as may be discovered not to conform to the said description and quality or not performing as described. On such rejection, the subject matter of procurement will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The successful bidder shall, if called upon to do so, replace the goods etc. or such portion thereof, as rejected by the procuring entity. Otherwise, the bidder shall pay such damages, as may arise by reason of such breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the procuring entity in that behalf under this contract or otherwise.
- (ii) The bidder shall, during the warranty period appearing in the contract, replace the whole subject matter of procurement or part(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment/ordered items operative.
- In case of the machinery or equipment/ordered items, the successful (iii) bidder shall be responsible for carrying out annual maintenance and repairs on the terms & conditions, as agreed. The bidder shall have to ensure that consumables required for the maintenance of machine/equipment are being supplied free of cost during warranty period. The adequate regular supply of spare parts and consumables per incident for the machinery or equipment, whether under their annual maintenance and repairs contract or otherwise shall be ensured. In case of change of model the bidder shall notify the procuring entity sufficiently in advance, to facilitate procurement of sufficient quantity of consumables/ spare parts from the bidder to maintain the machinery or equipment. In case, item supplied by the successful bidder does not conform to the required specifications, the payment thereof, if received by the supplier, shall have to be refunded to the Jammu and Kashmir Medical Supplies Corporation, J&K along with interest to the tune of 1.5% per month from

the date of release of payment. The supplier will not have any rightful claim to the payment of cost for substandard supplies, which may have been consumed, either in part or whole, pending receipt of laboratory test / inspection report, wherever required. Supply of goods less in weight and volume than those mentioned on the label of the container, the same will be dealt with in the manner prescribed under rules.

#### 6 MARKING

All items and accessories supplied should bear marking "JKMSCL SUPPLY (<u>DD/MM/YYYY</u>) engraved or non removable material) "NOT FOR SALE" or as mentioned in supply order in English, without which the supply will not be entertained. JKMSCL may ask change in art work to be printed on the item at any stage of the contract.



#### JKMSCL SUPPLY (**DD/MM/YYYY**) NOT FOR SALE

#### 7 COMPARISON OF RATES:

- (i) Only net rates should be quoted. No separate free goods or cash discounts should be offered. Rates must be valid for the entire period of contract.
- (ii) Consignee may be located at a district headquarter (except equipment/ machinery requiring installation and commissioning, the place may be any other station) or as directed by Jammu and Kashmir Medical Supplies Corporation Limited, J&K and the rates must be quoted accordingly. No cartage or transportation charges shall be payable.
- (iv) The net rate must be inclusive of all charges by way of packing, forwarding, incidental or transit charges, including transit insurance, and any other levies or duties etc. on the subject matter of procurement.
- (v) In the event of any subsequent variation (increase or decrease) in the rate of GST or any other taxes by the government (state /UT or central), the same will be admissible accordingly.
- (vi) If the rates of item quoted are found same from two for more bidders, then the bidders shall be asked to submit revised financial bid, containing reduced rates within given time by Managing Director, Jammu and Kashmir Medical Supplies Corporation Limited, J&K.
- (vii) The bidder will exercise all due diligence at their own level regarding applicability of other taxes, duties and fees etc. for the unit of supplies as specified in the bid document and accordingly include the same in their quotes. Any additional/extra claims over and above the rates agreed pertaining to taxes, duties and fees etc. will not be entertained later on any account.

	(viii) No part of the bid document should be detached / deleted.			
8	3	SUBMISSION OF SAMPLES/CATALOGUES AND DEMONSTRATION		
		(i)	Catalogues/samples of the quoted item(s) must be sent free of cost to JKMSCL even though the specifications or description etc. are mentioned in the bid form are complied.	
		(ii)	Samples of items(s) should be collected back from the JKMSCL, J&K within 15 days from the date of finalization of list of successful bidder/demonstration of product before the expert panel. The corporation shall not be responsible for any damage, wear and tear or loss during the course of testing / examination, etc. The corporation may retain the sample of approved item for one month beyond expiry of contract. The corporation shall not be responsible for any damage, wear and tear or loss in this period. The corporation shall not make any arrangement for return of samples even if the bidder agrees to pay the cost of transportation.	
		(iii)	The bidder may be asked to demonstrate the technique, procedure and utility of item as per specifications given in the bid document before the technical committee constituted by the Corporation for the purpose. In case of heavy equipment, the demonstration may be carried out at the nearby place where the equipment has been installed by the bidder. In that case, the decision of the technical committee shall be final. The firm shall keep ready the quoted item and arrange all logistics within the time frame as and when asked by the JKMSCL. After the due date, no request of the bidder/firm shall be entertained for demonstration.	
		(i∨)	Sample should be strictly according to the item quoted in the bid form failing which the bid will not be considered. Sample must be submitted duly sealed and marked suitably either by writing on the sample or on a slip or durable paper securely fastened to the sample with the particulars as mentioned below:  a. Name and full address of the firm  b. Catalogue no. and name of the item  c. Name of section  d. Name of manufacturer  e. Brand	
		(v)	No change in marking on sample will be allowed after the submission of the sample.	
	9	PERFORMANCE SECURITY (P.S.) AND AGREEMENT:		
		(i)	The successful bidder shall submit the original copy of Bid document signed on each page <b>at the time of agreement</b> . However, while uploading the technical bid, only the declaration regarding acceptance of terms & conditions shall be uploaded.	
		(ii)	The period of rate contract shall be 24 months from the date of issuance of rate contract. The Managing Director, JKMSCL can extend the original rate contract subject to original terms and conditions for	
45	E BID E	OD THE 1	PROCLIREMENT OF MACHINERY & FOLLIPMENT (2025)	

- a period deemed fit by them, but not exceeding three months, for which the bidder shall abide.
- (iii) Successful bidders, whose offers are accepted, shall have to deposit performance security @ 5% of the value of the supply order in favour of Chief Accounts Officer, JKMSCL within 15 days from the date of issuance of letter of intent. The performance security shall be deposited in the form of FDR/CDR/B.G (Bank Guarantee)/NEFT/RTGS. However, the bank guarantee shall be for a validity period i.e (sixty six) 66 months from the date of installation of the equipment.
- (iv) In case of successful bidder(s), the amount of bid security shall be adjusted for performance security for the supply order placed to the firms/bidders. The amount of performance security, if exceeds the bid security, it shall be deposited by the firm against the supply orders issued from time to time.
- (v) The firm may submit bank guarantee issued by any scheduled/nationalised bank. The minimum validity of bank guarantee should be six months after completion of warranty period for the item.
- (vi) The Performance Security: The Performance Security (P.S.) shall be 5% of the total value of stores ordered for supply. The payment shall not be released against supplies untill the additional Performance Security due is deposited by the supplier or additional.
- (vii) The performance security shall be refunded after six months after satisfactory completion of contract and after satisfying that there are no dues outstanding against the bidder subject to warranty provisions.
- (viii) It is to be noted that earlier year's bid security and performance security, even if lying in the JKMSCL shall not be considered towards this contract and therefore fresh bid security/performance security shall be deposited. The JKMSCL shall pay no interest on bid security or performance security amount.
- (ix) Successful bidders shall have to execute an agreement on a Non-Judicial stamp paper of an amount mentioned in the offer letter, in the prescribed form with the JKMSCL and deposit performance security within **30 days** from the date of acceptance of the bid is communicated to him. However, Managing Director JKMSCL, J&K may condone the delay in execution of contract by the bidder. The expenses in this regard shall be borne by the successful bidder. The validity of contract under this agreement shall be for a period as mentioned.
- (x) The bidder shall furnish the following documents at the time of execution of agreement:-
  - (i) Attested copy of partnership deed in case of partnership firms.
  - (ii) Registration number and year of registration, in case partnership firm is registered with registrar of firms;

- (xi) Address of residence and office, telephone numbers, in case of sole proprietorship with:
  - (i) Registration issued by registrar of companies under Registrar of companies Act 1956, in case of company.
- (xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of Managing Director JKMSCL J&K shall be final.
- (xv) The rate contract can be repudiate/rejected at any time by the Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder.

#### 11 SUPPLY ORDERS:

- (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order.
- (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision.
- (iii) In case of imported items, 30 days shall be given in addition to above mentioned period,
- (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL.
- (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders.
- (vi) The ready stock position of the item, if provided by the firm, may be considered by the corporation for the placement of supply orders.
- (vi) It may be noted that the JKMSCL does not undertake to assist in the procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if

	taken, as argument for non-supply/delayed supply will not be		
12	entertained.  SUBMISSION OF CONTRACT COMPLETION REPORT		
12.1	Firms shall have to submit consolidated statement in duplicate at the end of rate contract well as after expiry of equipment / instrument warranty period (as provided in warranty clause of the contract) to enable JKMSCL to examine the case for refund of performance security.		
12.2	The end user shall intimate the complaint/defect arise immediately to the manufacturer/importer/representative with copy to JKMSCL for further follow up		
13	LIQUIDATED DAMAGES:		
	I. The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers.		
	II. In case of extension in the delivery period with liquidated dam recovery of liquidated damages shall be made at the rate of 0.25% period for every day of delay subject to maximum of 10%. Delay beyond 12 Indian products) and 180 days (for imported products) shall be made the consent of the TIA subject to imposition of penalty @20%.		
	III. Penalty shall not be imposed if claim with regard to any supply i.e Drugs/Equipment is complete in all respects i.e. QC verification/Boar verified etc. is not cleared by the JKMSCL within a period of 60 days.		
	IV. Fraction of a day in reckoning the period of delay in supplies shall be eliminated if it is less than half a day.		
	V. The maximum amount of agreed liquidated damage shall be 20%.		
VI. If the supplier requires an extension of time in completion of co supply on account of occurrence of any hindrance, he shall apply to M.D., JKMSCL, Jammu / Srinagar (J&K), which has placed the order, for the same immediately on occurrence of the hindrance after the stipulated date of completion of supply. The firms shown extension of delivery period for delayed supplies. The payment released by purchase officer after sanction of extension in delive by M.D., JKMSCL.			
	VII. Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of hindrances beyond the control of the Bidder, the extension in delivery period may be granted without Liquidated Damage.		
	VIII. If the Bidder is unable to complete the supply within the specified of extended period, the purchasing officer (JKMSCL) shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the Bidder on his (i.e. Bidders) account and risk only with the prior approve from M.D., JKMSCL, Jammu / Srinagar (J&K). The Bidder shall be liable to page		

any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the Bidder. The Bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the Bidder under this or any other contract with the government. If recovery is not possible from the bill and the Bidder fails to pay the loss or damage, within one month of the demand, the recovery of such amount or sum due from the Bidder shall be made under the law for the time being in force. In case more than one supplier has been approved for any item under the approved list circulated to the purchasing officers, the risk purchases may be made at a higher rate from any other firm whose rate is duly approved. It is mandatory for the approved supplier to acknowledge receipt of orders with in fifteen days from the date of dispatch of order, failing which the purchasing officer will be at liberty to initiate action to purchase the items on risk purchase system at the expiry of the prescribed supply period, after taking required approval from M.D., JKMSCL (J&K). If the bidder is unable to complete the supply within the specified or IX. extended period, the purchasing officer shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval from JKMSCL. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder. The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made or any other law for the time being in force. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period. Χ. In case of wrong quoting, (or) if successful bidder refuses (or) fails to execute the supplies on the basis of wrong quoting of rates, the bidder shall be penalized with forfeiting of amount equivalent to the Performance security for the said product (or) debarring/blacklisting of firm for that particular product(s) for a period not less than 02 years (or) both as deemed fit by TIA i.e. MD, JKMSCL. 14 (i) JKMSCL shall procure the machinery & equipment for the Health & Medical Education Institutes of UT of J&K inter-alia. The funds shall be transferred to JKMSCL with indent form and supply orders shall be placed by JKMSCL to suppliers. **RECOVERIES** 15 (i) Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinary be made from bills. Such amount may also be recovered from any other untied dues & security deposits

- available with Corporation. In case recovery is not possible, recourse will be taken under law in force.
- (ii) Any recovery on account of L.D. charges/risk & cost charges in respect of previous rate contracts/ supply orders placed on them by the corporation can also be recovered from any sum accrued against this tender after accounting for untied sum or due payment sum lying with corporation against previous rate contracts/supply orders. Firm shall submit details of pending amount lying with corporation but decision of M.D., JKMSCL, J&K regarding authenticity of sum payable shall be final.

#### 16 INSPECTION:-

- (i) The equipments supplied shall be according to specifications provided at Section IV (3) schedule of supply and may be inspected by the technical panel/team constituted for the purpose by JKMSCL deemed fit on the site of manufacturer (in case of Indian manufacturer)/importer (importer site). The manufacturer/importer shall facilitate the demonstration of the said machine/equipment/on the site only. After the receipt of "Certificate of satisfaction" from the technical panel, the supply order shall placed. In case of BIS Items, inspection shall be strictly as per relevant BIS specifications with latest amendments and have been made applicable by B.I.S. at the time of inspection. The machine/equipment shall be further inspected at the time of installation/commissioning at site i.e the end user site. The supplier shall provide all facilities for inspection/testing free of cost.
- (ii) Notwithstanding the fact that the authorized inspecting agency had inspected and/or has approved the stores/articles, the procurement officer or his representative may inspect the item/material as soon as it is received in the stores to ensure that the supply is in accordance with the specifications laid down in rate contract.
- (iii) In case of doubts in inspection/ test, same may be got inspected or tested in any laboratory. If the material is not found as per specifications or defective, consignee will not accept the material and shall inform the JKMSCL, J&K within 3 days. Consignee may also simultaneously ask the firm for removal of defect/replacement. The firm shall be bound to remove the defect or replace the defective equipment/item within 15 days of receipt of intimation from the consignee. However, the date of delivery, in case of defective item shall be taken as the date on which the JKMSCL accepts the item after replacement of defective material/removal of defects as the case may be. Wherever defective item is replaced, the inspection / testing charges, if any, shall be borne by the supplier.
- (iv) If required, the consignee may refer inspection committee to match the specification with available reserved sample with the corporation which is submitted by the firm/supplier at the time of technical approval.
- (v) In case of imported item, the supplier shall ensure that the item shall

be inspected by the third party inspection agency before dispatched to the consignee. In case any un-inspected item has been found in the item received by consignee, the firm shall be solely responsible for it and the JKMSCL shall be free to take suitable necessary action as per terms and conditions of bid documents/agreement against the firm.

#### 17 **PACKING AND INSURANCE**

- (i) The goods will be delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the corporation shall not be required to pay any such charges, if incurred.
- (ii) The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by sea, rail, road or air and delivery of material in good condition to the procurement officer's store. In the event of any loss, damage, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the checking/inspection of material by the consignee. No extra cost on such account shall be admissible. The firm may keep its representative to verify any damage or loss discovered at the consignee's store, if it so likes.
- (iii) Packing, cases, containers and other allied material if any shall be supplied free, except where otherwise specified by the firm(s) and agreed by the JKMSCL and the same shall not be returned to him.

#### 18 REJECTION

- (i) Articles not as per specifications/or not approved shall be rejected by the JKMSCL and will have to be replaced by the supplier firm at his own cost within 15 days or as time limit fixed by the JKMSCL.
- (ii) All the stores supplied shall be of the best quality and conforming to the specification, trademark laid down in the schedule attached to agreement and in strict accordance with and equal to the approved, standard, samples. In case of any material of which there are no standards or approved samples, the supply shall be of the best quality to be substantiated by documents. The decision of Managing Director JKMSCL as to the quality of stores be final and binding upon the bidder. In case any of the articles supplied are not found as per specification or declared sub-standard/spurious, that shall be liable to be rejected and any expenses of loss caused to the supplier as a result of rejection of supplies shall be entirely at his account.
- (iii) The rejected item must be removed by the firm, within 15 days of the date of intimation of rejection. The officials concerned will take reasonable care of such material but in no case shall be responsible for any loss, damage, shortage that may occur while it is in their premises.
- (iv) No payment shall be made for defective/incorrect items. However, if payment has been made, then defective items shall be allowed to be removed only after the firm replaces material as per specifications, duly inspected. If the payment has not been made, the firm may be allowed to remove the material without prior replacement (provided firm has performance security as per condition No. 18). Joint inspection of defective material may be carried out as required by the JKMSCL. However sample of ISI marked material found defective shall be kept by consignee for reference to BIS.

(v) In case firm wants to take back item to their works for rectification then firm has to deposit payment received against such defective supplies. In case supplier has not received any payment then material be returned to supplier firm for rectification.

The Bidder shall be responsible for the proper packing and delivery of the material to the consignee. In the event of any loss, damage, or breakage, leakage or shortage in transit, the Bidder shall be responsible. No extra cost on such account shall be admissible.

#### 19. CORRECTION OF ARITHMETIC ERRORS

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected.
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above.

If the bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

#### 20 PROCURING ENTITY'S RIGHT TO VARY QUANTITY:

- (i) The quantity of equipments and instruments originally indicated in the bidding document may vary without any change in the unit prices and other terms and conditions of the bid and the conditions of contract.
- (ii) If the Managing Director JKMSCL J&K procures less than the quantity indicated in the bidding documents the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (i) If the Bidder fails to supply the Managing Director JKMSCL J&K shall be free to arrange/procure the items and the extra cost incurred shall be recovered from the Supplier.

#### 21. PARALLEL RATE CONTRACT

The JKMSCL may also execute parallel rate contract to with more than one firm for each item on the lowest approved rates on the same terms and conditions, if the original lowest one each not in a position to supply material as per JKMSCL requirement.

- (i) To ensure sustained supply without any interruption, the bid inviting authority reserves the right to approve more than one supplier to supply the requirement among the qualified bidders.
- (ii) Orders will be placed with Lowest I (L-1) firm. However in case of any exigency at the discretion of the bid inviting authority, the orders may also be placed with the other firms, in the ascending order, L-2, L-3 and so on who have matched with the L-1 rates and executed agreement with corporation on same rates (L1), terms and conditions.
- (iii) After the conclusion of financial bid opening (Cover B) the lowest offer of the bidder is considered for negotiation and rate arrived after negotiations is declared as L-1 rate and L-1 supplier for an item for which the bid has been invited.
- (iv) The bid who has been declared as L-1 supplier for certain item shall execute necessary agreement for the supply of the required quantity of such item on depositing the required amount performance security and on execution of the agreement such bidder is eligible for the placement of supply orders.
- (v) JKMSCL will inform the L-1 rate to the bidders who had qualified for financial bid (Cover B) opening, inviting their consent to match with the L-1 rates for the item/items quoted by them and the bidders who agree to match L-1 rate, will be considered as matched L-1
- (vi) The bidder who agrees to match L-1 rate shall furnish the breakup detail (Rate, GST, CUSTOM DUTY etc.) of rates (L-1 rates).
- (vii) The supplier, on receipt of the supply orders deems that the purchase orders exceeds the production capacity declared in the bid documents and the delay would occur in executing the order, shall inform the JKMSCL immediately without loss of time and in executing the order, shall be returned within 7 days from the date of issuing order, failing which the supplier would be deprived from disputing the imposition of liquidated damages, and penalty for the delayed supplies.
- (viii) If the L-1 supplier has failed to supply / intimated JKMSCL about his inability / delay in supply as per the supply order, the required items within the stipulated time or as the case may be, JKMSCL may also place purchase orders with the matched L-1 Bidders for purchase of the items provided such matched L-1. Bidders shall execute necessary agreement indicating the production capacity as specified in the bid document on depositing the required amount. Such bidder is eligible for the placement of purchase orders for the item quoted by them.
- (ix) Subject to para (vii) above, while JKMSCL has chosen to place purchase orders with matched L-1 supplier and there are more than one such matched L-1 supplier, then the purchase orders for the requirement of items will be place with L-2 first on matched rates of L-1 and in case L-2 does not have the required capacity than L-3 would be considered on matched L-1 rates and the same order would be flowed

	in case of L-3, L-4, etc.	
	(x) The matched L-1 supplier, on placement of purchase orders, will be deemed as L-1 rate supplier for the purpose of the bid and all provision of the bid document applicable to L-1 rate bidder will apply to the matched L-1 supplier.	
	(xi) If the supplier fails to supply the item for the purchase orders, at any point of time, either fully or partly, within the stipulated time, JKMSCL is at liberty to place purchase orders with other bidders (in ascending order, viz, L-2, L-3 and so on) at the price offered by then and in such cases the supplier is liable to indemnify JKMSCL, without any protest of demur, for the difference in cost incurred by JKMSCL and the JKMSC is entitled to recover the difference in cost from the amount due payable to the supplier.	
	(xii) Parallel rate contract may be concluded as described above during any time / currency of rate contract subject to matching of L-1 rates price fall clause and on same terms and conditions.	
22	VALIDITY OF BID:	
	Bids shall be valid for a minimum period of 120 days from the date opening of technical bid. Prior to the expiry of the period of validity of bid the procuring entity, may request the bidders to extend the bill validity period for an additional specified period of time. A bidder may refuse the request and such refusal shall be treated as withdrawal of the bid but in succircumstances bid security shall not be forfeited.	
23	PRICE ESCALATION:	
	Price escalation or price variation shall not be applicable or considered under any circumstances for the purchases made under this bid agreement. However, the provisions provided for tax variations are exclusive to this clause.	
24	SUBLETTING OF CONTRACT:	
	Subletting or assigning contract to third party is prohibited. In the event of bidder violating this condition, the Jammu and Kashmir Medical Supplies Corporation Limited shall be at liberty to place the contract elsewhere or the Bidder's account and at his risk. The bidder shall be liable for any loss of damage, which the Government may sustain in consequence or arising out of such replacement of the contract.	
25	FALL CLAUSE:-	
	(i) The prices under contract shall be subject to price fall clause. The prices charged for the store supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the stores of identical description to any other persons during the period of the contract anywhere in India. If any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the JKMSCL, J&K and the price payable under the contract for the stores supplied after the date of coming	

- into force of such reduction or sale shall stand reduced correspondingly. It imply that if the contract holder quotes/ reduces its price to render similar goods at a price lower than the contract price to anyone in the State /UT of India at any time during the currency of contract including extension period, the contract price shall be automatically reduced with effect from the date of reducing or quoting lower price for all delivery of subject matter of procurement under contract and the contract shall be amended accordingly.
- (ii) The firms holding parallel rate contract shall also reduce their price. Firms shall notify their reduced price and intimate their acceptance to the revised price within 15 days to JKMSCL. Similarly, if parallel rate contract holding firm reduced its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firms for corresponding reduction in their prices. If any rate contract holding firm does not agree to reduce price, further transaction with it, shall not be conducted.

# 26 COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF INTEREST:

Any person participating in a procurement process shall-

- a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- b) Not misrepresent or omit misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- Not indulge in any collusion, bid rigging or any-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any part or to its property to influence the procurement process;
- f) Not obstruct any investigation or audit of a procurement process;
- g) Disclose conflict of interest, if any; and
- h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### **Conflict of Interest:**

The bidder participating in a bidding process must not have a conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in bidding process if, including but not limited to: a. Have controlling partners/shareholders in common; or b. Receive or have received any direct or indirect subsidy from any of them; or c. Have the same legal representative for purposes of the bid; or d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring entity regarding the bidding process; or The bidder participates in more than one bid in a bidding e. process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or The bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the goods, works or services that are the subject of the bid; or bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring entity as engineer-in charge/consultant for the contract. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge / consultant for the contract. 27 All correspondence in this connection should be addressed to the Managing Director JKMSCL, J&K. Technical questions should be referred to the Managing Director JKMSCL, J&K direct by correspondence or by personal contact. Direct or indirect canvassing on the part of bidders or their 28 representative shall disqualify their bids. Supplier may be disqualified, banned or suspended from business (ii) during the rate contract if: (a) fails to execute a contract or fails to execute it satisfactorily; (b) no longer has the technical staff or equipment considered necessary; (c) is declared bankrupt or insolvent or its financial position has become unsound, and in the case of a limited company, it is wound-up or taken into liquidation: The firm is suspected to be doubtful loyalty to state. (d) The State Bureau of Investigation (SBI) or any other Investigating (e) agency recommends such a course in respect of a case under investigation. (f) Managing Director JKMSCL, J&K is prima-facie of the view that the firm is guilty of an offence involving moral turpitude in relation to business dealings, which if established would result in business dealing with it banned. 29 No action on the letter head of the bidder /firm regarding any complaints against the JKMSCL will be considered unless the letter head bears the signature of the bidder or the authority higher than the bid signatory of the

	firm.			
30	(i) If any certificate/documents/information submitted by the bidder found to be false/ forged/ fabricated/vexatious or frivolous or malicious appeal or complaints etc. than bidder shall be liable for the appropriate lego action along with disqualification, banning, suspension etc. for limited o unlimited period.			
	(ii) Bidders are required to submit wanted information (if any) based on the facts. If the furnished information by the firm found to misleading or not based on facts disciplinary action against the firm may be taken as to banning concerned item/items for certain or uncertain period.			
31	The JKMSCL reserves the right to accept any bid not necessarily the lowest. The JKMSCL may reject any bid without assigning any reasons and accept bid for all or anyone or more of the articles for which bidder has been given or distribute items of stores to more than one firm/supplier.			
32	GRIEVANCE			
	<b>Grievance</b> regarding interpretation of any clause of the contract/agreeme executed between the parties shall be referred to Managing Director, JKMS for its clarification.			
33	ARBITRATION			
	33.1 Governing Law: This NIT shall be governed by and construed in accordance with the laws of the Union Territory of Jammu and Kashmir and the laws of India as applicable to the Union Territory of Jammu and Kashmir.			
	33.1.1 Amicable Settlement: Either party is entitled to raise any claim, dispute or difference of whatever nature arising under out of or in connection with the NIT including its existence or validity or termination (collectively "dispute") by giving a written notice to the other party, which shall contain			
	<ul><li>i. a description of the dispute</li><li>ii. the ground for such dispute</li><li>iii. all written material in support of its claim</li></ul>			
	<ul> <li>33.1.2 The other party shall, within thirty days of issuance of dispute notice issued, furnish:</li> <li>I. Counter claim and defences, if any, regarding the dispute; and</li> </ul>			
	II. All written material in support of its defences and counter claim			
	34.1.3 Within thirty days of issuance of notice by any party pursua para 29.1.2 both the parties to the dispute shall meet to such dispute amicably. If the parties fail to resolve the dispute amicably within thirty days of the receipt of the notice reference to in the above para the dispute shall be referred to Mana Director, JKMSCL, J&K for its reference to arbitration.			

	Dispute Resolution: Besides, as referred above may also include any dispute arising out of contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to the Administrative Department H&ME, who will, through Law Department, appoint a senior most officer as sole Arbitrator, of the dispute, who will not be related to this contract and whose decision shall be final and binding on both the parties. The Arbitrator proceedings shall be governed by the Arbitration and Conciliation Act, 1996. The venue of the Arbitration shall be in the UT of Jammu and Kashmir.  Note: - Small grievances regarding interpretation of any clause of the Contract / Agreement executed between the parties shall be referred to Managing Director, JKMSCL for its clarification and such interpretation(s) given shall not become subject matter for reference to Arbitration
34	The JKMSCL will have the right of rejection of all or any of the bids without assigning any reason for the same. The right to conclude parallel rate contracts with another firm for the stores detailed in Table I is also reserved by the Managing Director JKMSCL, J&K
35	Extra stipulation or any other condition contrary to the above bid conditions are not acceptable and may render the bid liable to rejection.
36	The bidder must sign all the pages of bid document at the below of terms & conditions agreeing to abide by all conditions of the bid and accept them in toto. The Signing of Annexure A1 shall be treated as acceptance of all the terms and conditions of the bid document.
37	The Managing Director JKMSCL, J&K may relax or change/ modification in terms and conditions in the exigency excluding fundamental changes. In case of such urgency the terms & conditions shall be got approved from Purchase committee of Managing Director JKMSCL, J&K as the case may be.
38	<b>JURISDICTION:-</b> All actions, legal proceedings and suits arising from or connected to this bid shall be subject to the exclusive jurisdiction of courts in J&K only.

## Section VI B: - Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) shall supplement the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clauses of special conditions of contract are as follows:-

Clause No.	Particulars
1.	Technical details, bid security, tender cost, tender processing fee and all other required documents should be uploaded under <b>Cover "A" Technical Bid</b> and financial details (BOQ) should be uploaded under <b>Cover "B"</b> . No document except financial instrument (DD/FDR) & catalogues of the bid items shall be entertained physically by the Corporation.
2.	Pre-requisite, if any, for installation, including UPS, computer, printer, and other items should be provided by the firm in technical bid and financial bid respectively.
3.	Firm shall provide comprehensive maintenance with spare parts for item(s), as mentioned in Technical specification (from the date of installation / demonstration).
4.	Conditional bids shall not be considered.
5.	Normally, payment shall be released after installation, demonstration and successful commissioning of equipment/ITEM and satisfactory operational training.
6.	All certificates should be valid on the date of submission of bids and issue of supply order.
7.	The bidder should have well equipped local service centre in India preferably in J&K.
8.	<ul> <li>i. The bidder shall be a manufacturer/direct importer/authorised representative of the original manufacturer/importer who must have manufactured/ imported and supplied and installed this equipment(s) in India satisfactorily.</li> <li>ii. The merger / amalgamation / transfer of business / transfer of assets etc. of a firm affects the bid condition relating to 'past performance' in preceding years. In cases where bidder acquired an ongoing business</li> </ul>
	or assets of another entity, eligibility in respect of the past performance and condition relating to minimum turn over in preceding years shall be decided based on specific mention in purchase and transfer of ownership agreement / agreement of sale of business and / or its assets / board of directors (B.O.D) resolution chartered accountant certification or any other document (s) in this regard, which the bidder shall have to submit preferably with the bid. The eligibility of a bidder in this regard shall be ascertained by the purchase committee on the basis of the above stated agreement or any other document(s) and the decision of purchase committee shall be final.
9.	The name, make, model and brand of equipments, which are offered, should be mentioned in against each item. Mere indication of English/USA/Indian will not serve the purpose.
10.	In the case of supply of imported item the suppliers may be asked to furnish a certificate to the effect that the firm has completed all the formalities in connection with import of the item in question.

	liquidation damage shall be directly deducted from the security deposit of the firm at the time of refund or before by way of any adjustment order. All breakdown calls to be attended within 24 hrs at (within city limits) and 48 hrs for other districts/peripheral areas otherwise the penalty shall be imposed as per penalty clause.
13	<b>Rupees five thousand per day,</b> if the firm didn't respond after 48 hours from the time of receiving first complaint. The complaint may be sent to firm by way of telephone /fax/letter or e-mail. The amount of
11.	In case the item approved by the JKMSCL is procured by any other department on the rate contract of JKMSCL, the administrative charges to the extent of 5% of the invoice value shall be deposited by the approved firm or else, the firm/supplier shall be liable to be penalised which may lead to blacklisting/debarring from entering into the tender process for not less than 05 years by JKMSCL besides forfeiture of earnest money or any other action as deemed fit by the Manaaina Director, JKMSCL.  The Supplier/service providing firm shall be liable to pay a <b>penalty of</b>

**APPLICABILITY OF CLAUSES: -** All the clauses from 1 to 38 of general terms and conditions and from 1 to 14 of special terms and conditions and their annexure, formats & enclosures are applicable for the bid items.

Managing Director Jammu and Kashmir Medical Supplies Corporation Limited

I/We have read the above terms and conditions and I/We agree to abide myself/ourselves by the above terms & conditions of the bid document

Signature of bid with seal

## Section VI C: Contract Forms (CF)

Table of contents

S.No.	Description	Pages
1.	Declaration of bidder regarding acceptance bid for terms & conditions (Annexure A1)	
2.	Agreement Form	To be downloaded from the website
3.	Form for bank guarantee (on bank letter head)	To be downloaded from the website
4.	Format-Authorized Representatives/Agents of Original Manufacturer/Direct Importer (Annexure AII)	
5.	Technical Specifications (Annexure AIII)	

### (On Letter Head of the Bidder)

#### **DECLARATION**

I/We M/s represented by its
Proprietor/managing Partner/Managing Director having its Registered Office at
and its Factory Premises at
do declare that I/we have carefully read all the conditions of bid no
Dated Ref For
supply cum rate contract of Item name for Jammu and
Kashmir Medical Supplies Corporation Ltd. for the year 2022-23 and accepts all
conditions of bid including amendments, if any.

I/We agree that the M.D. JKMSCL, Jammu / Srinagar (J&K) may forfeit bid security and or performance security and debar me/us for a period specifying in orders, if any information/document furnished by us is proved to be false/fabricated at the time of inspection and not complying with the terms and conditions of the bid document as presented in bid, Annexure-B and other relevant documents.

Signature & Seal of bidder Name & Address:

#### Format-Authorized Representative of Original Manufacturer/Direct Importer

In case, original manufacturer/direct importer wish to authorise any representative to bid, to negotiate, to raise invoice to receive payments on behalf of original manufacturer/direct importer/against invoice raised by representative.

The Managing Director,	
Jammu & Kashmir Medical Supplies Corpord	ation Ltd.
J&K	
Dear Sir,	
We wh	no are established and reputed manufacturers of
naving lactories at	Registered office at ossessing manufacturing license No.
	uthorize M/S (Name and
	and subsequently negotiate with you against the
	ndition that I/we, the original manufacturer/direct
	horized representative are
ready to execute Tripartite agreement with	the Corporation i.e JKMSCL stating inter-alia that:-
shall be endorsed by me /us i. bidding items and original copy of authorised representative for such invoice submitted by our Authorized.  2. JKMSCL may secure an e-mail /al supplies from Manufacturer/Direct In are committed to provide.  3. The payment shall however be reagreement to be signed between and the authorized representative bidding items for such supplies made me / us.  4. In case of change of Dealership was services and maintenance of the ed.  No company or firm or individual other than	norised representative for such supplies e.e. the original Manufacturer/Direct Importer of the delivery challan of Manufacturer's towards a supplies shall also be endorsed along with differentiative. Iternative confirmation for authenticity of such importer, before releasing the payment, which we leased on the terms and conditions of tripartite JKMSCL, Original Manufacturer / Direct Importer of Original Manufacturer / Direct Importer of Original Manufacturer / Direct Importer of we shall be responsible for providing after sales quipment free of cost during the warranty period. It M/S are authorized act in regard to this business against this specific
Conditions, of the tender document. We he	conditions specified under Clause 2(a) –Eligibility ereby extend our full warranty as per the tender ly against this invitation for bid by the above Firm.
(Name of the manufacturer/Direct Importer	

Note: This letter of authority should be on the letter head of original Manufacturer/Direct Importer of bidding items and should be signed and sealed by the Proprietor/ Managing Director of the firm / authorized signatory and shall have to be duly notarised.

## **Machinery/Equipment (Bipartite Agreement)**

[on Rs. 100/- Non-Judicial Stamp Paper- "Affidavit"]

## Agreement: 1

(For Manufacturers/ Direct Importers only)

Whereas the (Original Manufacturer/ Direct Importer) (Second Party)) have agreed to supply to First Party (Purchaser), Machinery & Equipment/Instruments with specifications mentioned in the scheduled attached here to at the prices noted herein and in the manner and under the terms and conditions herein after mentioned and whereas the second party has agreed to deposit performances security to first party, equivalent to 5% of the tentative cost/ contract value (rounded to the nearest round number) in the scheduled attached as per clause 11 of the tender document in the form bank of guarantee for the due and faithful performance of this agreement, to be forfeited in the event of Second Party failing duly and faithfully to perform it. Now these presents witness that for carrying out the said agreement in this behalf into execution the Second Part and the First Party (Purchaser) do hereby mutually covenant, declare, contract and agree each of them in the manner following, that is to say,

- 2.1. The agreement is for the supply, by the Second Party (Suppliers) to the First Party (Purchaser), of the Machinery & Equipment/Instruments on terms and conditions set forth in the agreement.
- 2.2. This agreement shall be deemed to have come into force with effect from the date of signing of the agreement and it shall remain in force up to a period of two years (24) months which can further be extended for another three (03) months with mutual consent of First Party and Second Party.

- 2.3. The bid quantity noted against each item in the scheduled attached here to indicates only the probable/ tentative total requirement of the First Party in respect of each item for the agreement period indicated in clause "2.2" above. This quantity may increase or decrease at the discretion of the First Party. The Second Party (Supplier) shall make supplies of the Machinery & Equipment/Instruments on the basis of Purchase order only placed on him/ her from time to time by the ordering authority of First Party (Purchaser-JKMSCL) specifying the quantity required to be supplied at a specific location/ locations within the UT of Jammu and Kashmir.
- 2.4. The Second Party shall have no right/ query regarding placing of orders against the tentative requirement mentioned in the schedule enclosed which may increase or decrease or First Party may not issue any order for certain item/ items mentioned therein the schedule enclosed/ tentative/ Indicative quantity.
- 2.5. The release of payment shall be as per terms and conditions/ payment clause 17 of the tender document and after successful installation of the Machinery/Equipments at the end user site and after due verification of bills by the end user department and deduction and penalties as per the clause 18 & 19 of the tender document.

#### 3. SUPPLIES ON THE RATE CONTRACT OF JKMSCL:

The Second Party shall in no case, use the rate contract of JKMSCL for making supplies and / or comparing of rates to/ with any of other department(s)/ agency(ies)/ NGO etc. In case Second Party/ firm/bidder/ manufacture /importer shall provide/supply any of the product item of **Identical descriptions/ Specifications**, at the rate contract /approved by JKMSCL to any of the department/NGO/other procuring institute within or outside the Union Territory of J&K. In case any supply is made in violation to the said condition (or), the supplier/ firm shall be liable to be penalized to the tune of 7.5% of order placed as per the provisions of standard procurement (SPP) of JKMSCL and further the Second Party shall be liable to be considered for Debarring/ Blacklisting for a period not less than five years.

#### 4. TERMINATION OF CONTRACT ON BREACH OF CONDITION.

- 4.1. In case the supplier fails or neglects or refuse to faithfully perform any of the covenants on his part herein contained, it shall be lawful for the First Party to forfeit the amount deposited by the supplier (second party) as performance security and cancel the contract.
- 4.2. In case the Second Party neglects or refuse to observe, performs, fulfil and keep, or any one or more or any part of any one of covenants, stipulation and provisions herein contained, it shall be lawful for the First Party on any such failure, neglect or refusal, to put an end to this agreement and there upon on every article, cause and thing herein contained on the part of First Party shall cease and be void and in case of any damage, loss, expenses, differences in cost or other from out of deposit/ due for the time being payable to the Second Party under this and/ or any other contract and in case such last mentioned deposit/ dues are insufficient to cover all such damages, loses, expenses, difference in cost and other deposit as aforesaid, it shall be lawful for the First Party to appropriate the performance security made by the supplier as herein

before mentioned to reimburse all such damages, losses, expenses and difference in cost and other money as the purchaser shall be sustained, incurred or been put to by reason of the Second Party (Supplier) having been guilty of any such failure negligence or refusal as aforesaid or other breach in the performance of this contract.

- 4.3. If any time during the course of contract it is found that the information furnished by the Second Party (Supplier) to the First Party (Purchaser) either in his bid or otherwise, is false, the purchaser may put on end to the contract/ agreement wholly or in part and thereupon the provision of clause "4.1" above shall apply or any other action are deemed fit by the First Party may also apply.
- 4.4. The First party (Purchaser-JKMSCL) reserves the right to terminate, without assigning any reasons the contract/ agreement either wholly or in part, without any notice to the Second Party. The Second Party shall not be entitled for any compensation what so ever in respect of such termination of the contract/ agreement by the First Party.
- 5. All certificates or notices or orders for time or for extra, varied or altered suppliers which are to be the subject of extra or varied charges whether so described in the Agreement or not, shall be in writing and unless in writing shall not be valid, biding or be of any effect what so ever.
- 6. The Second Party (Supplier) shall not be in any way interested in or concerned directly or indirectly with any of the officer, subordinate or servants of the First Party. In any trade, business or transaction nor shall the Second Party give or pay or promise to give or pay any such officer, subordinate, servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Second Party permit any person or persons whomsoever to interfere in the management or performance hereof under the Power of Attorney or otherwise without the consent in writing of the First Party obtained in first hand.
- 7. In case the Second Party (Suppliers) at any time during the continuance of the contract becomes bankrupt of or in solvent or commits any act of bankrupt or insolvency under the provisions of any law in that behalf for the time being in force or should compound with his creditors, it shall be lawful for the First Party to put an end to the agreement and there upon on every article, clauses and thing herein contained to be operative on the part of the purchaser, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

#### 8. SERVING OF NOTICE TO SUPPLIER

- 8.1. All notice or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Second Party (Suppliers) if delivered to him or left at his/her premises, place of business or abode.
- 9. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any of clause herein contained the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents the decision of the Managing Director, JKMSCL in the matter shall be final and binding.
- 10. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by first and the final appellant authority and decision of said authority shall be final.
- 11. The following documents shall be deemed to form & be read & construed as part of this agreement:
  - a) LOI
  - b) NIT & Corrigendum issued thereof, if any.
- 11.1 Secondparty shall indemnify and keep the First party free from any harm, against all losses, expenditures, damages, costs & claims incurred or suffered by or made against the Second/Third party by reason of any breach by the same of any of its obligations, covenants, representations & warranties.
- 11.2 NIT Ref. No: NIT/JKMSCL/M&E/2022/......dated.....
- 11.3 List of Equipment(s), accessories, optional items (if any) under this agreement.
- 12. All terms and conditions of the NIT shall be the part of this agreement.

Original Manufacturer/ Direct Importer Jammu & Kashmir Medical Supplies Corporation Ltd

(Supplier) (First Party)

(Second Party) Represented by

(Signature, Name & full Address with stamp General Manager (P&S)/ JKMSCL

(Signature, Name & full Address with Stamp)

Witness (Signature, Name & Address)	Witness (Signature, Name & Address)
1.	1.
2.	2.

## **Machinery/Equipment (Tripartite Agreement)**

[on Rs. 100/- Non-Judicial Stamp Paper- "Affidavit"]

## **Agreement: 2**

(Tripartite Agreement for Authorized Agents/Dealers/Facilitators)

Whereas the (Original Manufacturer/ Direct Importer) (Second Party/ Third Party (Authorized agents/ dealer)) have agreed to supply to First Party (Purchaser), Machinery & Equipment/Instruments with specifications mentioned in the scheduled attached here to at the prices noted herein and in the manner and under the terms and conditions herein after mentioned and whereas the second party/ third party have agreed to deposit performances security to first party, equivalent to 5% of the tentative cost/ contract value (rounded to the nearest round number) in the scheduled attached as per clause 11 of the tender document in the form of bank guarantee for the due and faithful performance of this agreement, to be forfeited in the event of Second Party/ Third Party failing duly and faithfully to perform it. Now these presents witness that for carrying out the said agreement in this behalf into execution the Second Part/ Third Party, and the First Party (Purchaser) do hereby mutually covenant, declare, contract and agree each of them in the manner following, that is to say,

1. The term "Agreement", wherever used in these connection shall mean and includes the terms and conditions contained in the invitation to bid floated for the rate contract cum supply for Machinery & Equipment/Instruments for Jammu & Kashmir Medical Supplies Corporation Limited (Rate Contract for twenty-four (24) months period, extendable for another three (03) months with mutual consent) (NIT/JKMSCL/M&E/2022/.......dated.......and technical bid opened on......, the instructions to bidders, the condition of bid, acceptance of bid, particulars herein after defined and those eligibility criteria, general conditions and other conditions that may be added from time to time.

- 2.1. The agreement is for the supply, by the Second Party/ Third Party (Suppliers) to the First Party (Purchaser), of the Machinery & Equipment/Instruments on terms and conditions set forth in the agreement.
- 2.2. This agreement shall be deemed to have come into force with effect from the date of signing of the agreement and it shall remain in force upto a period of twenty-four (24) months period which can further be extended for another three (03) months with mutual consent of First Party and Second Party/ Third Party.
- 2.3. The bid quantity, if mentioned against each item in the schedule indicates only the probable/ tentative total requirement of the First Party in respect of each item for the agreement period indicated in clause "2.2" above. This quantity may increase or decrease at the discretion of the First Party. The Second Party/ Third Party (Supplier) shall make supplies of the Machinery & Equipment/Instruments on the basis of Purchase order only placed on him/ her from time to time by the ordering authority of First Party (Purchaser-JKMSCL) specifying the quantity required to be supplied at a specific location/ location within the UT of Jammu and Kashmir.
- 2.4. The Second Party/ Third Party shall have no right/ query regarding placing of orders against the tentative requirement mentioned in the schedule enclosed which may increase or decrease or First Party may not issue any order for certain item/ items mentioned therein the schedule enclosed/ tentative/ Indicative quantity.

#### 3. AUTHORIZED AGENTS/ DEALERS OF SECOND PARTY:

- 3.2. The Corporation under such arrangements shall have a right to secure confirmation to authority of suppliers from Second Party before releasing the payments.
- 3.3. The release of payment shall be as per terms and conditions/ payment clause 17 of the tender document and after successful installation at end user site and proper verification of bills from the end user department and deduction & penalties as per the clause 18 & 19 of the tender document.

#### 4. SUPPLIES ON THE RATE CONTRACT OF JKMSCL:

The Second Party or Third Party shall in no case, use the rate contract of JKMSCL for making supplies and / or comparing of rates to/ with any of other department(s)/ agency(ies)/ NGO etc. In case Second Party/ Third Party supplies any of the item(s) at the rate contract or provides the document for comparison of rates or otherwise, to any other department(s)/ agency(ies)/

NGO(s) etc, the defaulted Second Party or Third Party, wherever applicable, shall have to pay 7.5% of the total invoice value of the product(s) supplied to other department(s)/ agency(ies) etc at the rate contract of JKMSCL as penalty to the first party (JKMSCL-purchaser) and further the Second Party/ Third Party shall be liable to be considered for Debarring/ Blacklisting for a period not less than five years.

#### 5. TERMINATION OF CONTRACT ON BREACH OF CONDITION.

- 5.1. In case the supplier fails or neglects or refuse to faithfully perform any of the covenants on his part herein contained, it shall be lawful for the First Party to forfeit the amount deposited by the supplier (second party/ third party) as performance security and cancel the contract.
- 5.2. In case the Second Party/ Third Party fails, neglects or refuse to observe, performs, fulfil and keep, or any one or more or any part of any one of covenants, stipulation and provisions herein contained, it shall be lawful for the First Party on any such failure, neglect or refusal, to put an end to this agreement and there upon on every article, clause and thing herein contained on the part of First Party shall cease and be void and incase of any damage, loss, expenses, differences in cost or other from out of deposit/ due for the time being payable to the Second Party/ Third Party under this and/ or any other contract and in case such last mentioned deposit/ dues are insufficient to cover all such damages, loses, expenses, difference in cost and other deposit as aforesaid, it shall be lawful for the First Party to appropriate the performance security made by the supplier as herein before mentioned to reimburse all such damages, losses, expenses and difference in cost and other money as the purchaser shall be sustained, incurred or been put to by reason of the Second Part/ Third Party (Supplier) having been guilty of any such failure negligence or refusal as aforesaid or other breach in the performance of this contract.
- 5.3. If any time during the course of contract it is found that the information furnished by the Second Party/Third Party (Supplier) to the First Party (Purchaser) either in his bid or otherwise, is false, the purchaser may put an end to the contract/ agreement wholly or in part and thereupon the provision of clause "5.1" above shall apply or any other action are deemed fit by the First Party may also apply.
- 5.4. The First party (Purchaser-JKMSCL) reserves the right to terminate, without assigning any reasons the contract/ agreement either wholly or in part, without any notice to the Second Party/ Third Party. The Second Party/ Third Party shall not be entitled for any compensation what so ever in respect of such termination of the contract/ agreement by the First Party.
- 6. All certificates or notices or orders for time or for extra, varied or altered suppliers which are to be the subject of extra or varied charges whether so described in the Agreement or not, shall be in writing and unless in writing shall not be valid, binding or be of any effect what so ever.
- 7. The Second Party/ Third Party (Supplier) shall not be in any way interested in or concerned directly or indirectly with any of the officer, subordinate or servants of the First Party. In any trade, business or transaction nor shall the Second Party/ Third Party give or pay or promise to

give or pay any such officer, subordinate, servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Second Party/Third Party permit any person or persons whomsoever to interfere in the management or performance hereof under the Power of Attorney or otherwise without the consent in writing of the First Party obtained in first hand.

- 8. In case the Second Party/ Third Party (Suppliers) at any time during the continuance of the contract becomes bankrupt of or in solvent or commits any act of bankrupt or insolvency under the provisions of any law in that behalf for the time being inforce or should compound with his creditors, it shall be lawful for the First Party to put an end to the agreement and there upon on every article, clauses and thing herein contained to be operative on the part of the purchaser, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.
- 8.1. In case Third Party, (Authorized Agent/ Dealer/ facilitator- clause 3) at any time during the continuance of the contract become bankrupt of or insolvent or commits any act of bankrupt or insolvency either provisions of any law in that behalf for the time being in force, or should compound with his creditors, the Second Party, (Original Manufacturer/ Direct Importers) shall be bound to continue with the supplies directly for the First Party till the completion of contract otherwise it shall be lawful for the purchaser to put an end to the agreement and thereupon every article, clause and thing herein contained to be operative as part of First Party, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

#### 8.2 SERVING OF NOTICE TO SUPPLIER

All notice or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Second Party/ Third Party (Suppliers) if delivered to him or left at his/ her premises, place of business or abode.

- 9. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any of clause herein contained the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents, the decision of the **Managing Director**, **JKMSCL** in the matter shall be final and binding.
- 10. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by <u>first and the final appellant</u> authority as reflected in NIT and decision of said authority shall be final.
- 11. The following documents shall be deemed to form & be read & construed as part of this agreement:
  - c) LOI
  - d) NIT & Corrigendum issued thereof, if any.

11.1Second/Third party shall indemnify and keep the First party free from any harm, against all losses, expenditures, damages, costs & claims incurred or suffered by or made against the Second/Third party by reason of any breach by the same of any of its obligations, covenants, representations & warranties.			
11.2 NIT Ref. No: NIT/JKMSCL/M&E/20	22/dated		
11.3 List of Equipment(s), accessories, opti	ional items (if any) under this agreement.		
12. All terms and conditions of the NIT/release this agreement.	evant clause of SPP of JKMSCL shall be the part of		
Authorized Agent/ Dealer	Original Manufacturer/ Direct Importer (Supplier)		
(Third Party)	(Second Party)		
(Signature, Name & full Address with stamp)	(Signature, Name & full Address with stamp)		
Witness (Signature, Name & Address)  1.	Witness (Signature, Name & Address)  1.		
2.	2.		

HIGH CAPACITY ELECTRONIC OSCILLATOR SYSTEM FROM			
Feature	5 KVA TO 100 KVA  Required Specification	Remarks/ Compliance	
Туре	Single Phase In-Single Phase Out / 3 Phase In-3 Phase out	•	
Technology	DSP Based PWM technology using IGBT		
Series	Pure Sine Wave		
Rating	5/7.5/10/15/20/25/30/40/50/65/100 KVA Single phase / 3 Phase		
Input	Single Phase for 5KVA & 10 KVA and 3 Phase for capacities from 10-100KVA  Oscillators both single phase as well 3 phase		
Voltage Range (Input)	150 to 280 Volts for Single Phase and 280 to 465 Volts AC for 3 Phase		
Frequency Range (Input)	43 to 57 Hz		
Power Factor	0.8		
Output Voltage	230V ± 1 % (Single Phase), 415 V ± 1% (3 Phase)		
Output Frequency	50 Hz ± 0.05 Hz		
Regulation	_		
Peak Efficiency	> 92%		
Output wave form	Pure Sine Wave		
Total Harmonic Distortion (THD)	< 3%		
Crest Factor	>4:1		
Transient Response	Recovery to + - 5% within 1.5 cycles		
Charging Current Selectable	C-10 ( 10% of the rated current)		
Charging cycle	Intelligent with boost charging and advanced management.		
Overload	110% for 8 Min, 150% for 15 Sec, 200% for 4 Sec, 300% for 2 Sec.		
Battery Type	2 Volt Cells / 100-1800 AH (SMF VRLA)		
Battery Bank Voltage	120/360 Volts (Single / 3 Phase)		
Communication Port	RS 232		
Operating System	Windows 2003 Server or Higher Compatible		
Operating Temperature	-15 to +50 degree Celsius		
Acoustic Noise at 1 Meter	< 60 db		
Humidity			
Indication & Alarm	Audio & Visual		
Protection Class	IP 21		
Power Quality Audit Through	Required		
Software			
Multi User License	Required		
Priority Shutdown High or Low	Required		

Digital & Graphical Parameter	Required		
Representation SMS 8 a seril Alasta	Di. 1		
SMS & e-mail Alerts	Required		
User Selectable Parameter	Required		
Built in Galvanic Isolation	Required		
Transformer	D : 1		
Suitable for Heavy Duty	Required		
Equipments			
Auto Self Test	Required		
Cold Start	Required		
Scalable Runtime	Required		
Fuzzy Logic Control	Required		
Data availability when the Oscillator is OFF	Required		
Availability of Manual	Required		
Maintenance Bypass and the			
same must be protected by a			
door with a lock to isolate the			
internal parts of Oscillator			
from any energy source.			
Operation with Gen Set(s) with	Required		
the provision to guarantee			
synchronism between the input			
and output frequency for wider			
frequency range.			
Protection on Backup Path	Required		
MCB Protection on AC & DC	Required		
Path			
Water Topping Alarm	Required		
Microprocessor Based	Required		
Ventilation			
Microprocessor Based	Required		
Charging compensation with	1		
altitude without de-rating up			
to 1500m			
Solar compatible with Solar	Required.		
priority with static changeover			
time <2ms.			
The oscillator shall manage the following	ng measurements and show th	e relevant values on the displa	ay panel and also
communicate the same through e-mail	and SMS to designated nodal	officers/personnel.	
INPUT OUTPUT	BATTERIES	MISCELLANEOUS	HISTORICAL DATA

E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2025)

Current	Current			
<ul> <li>Root mean-square value</li> <li>Peak Value</li> <li>Peak Factor</li> <li>Voltage</li> <li>Root mean-square value</li> <li>Power</li> <li>Apparent</li> <li>Active</li> <li>Power factor</li> <li>Frequency</li> </ul>	<ul> <li>Root mean- square value</li> <li>Peak Value</li> <li>Peak Factor</li> <li>Voltage</li> <li>Root mean- square value</li> <li>Power</li> <li>Apparent</li> <li>Active</li> <li>Power factor</li> <li>Frequency</li> </ul>	<ul> <li>Charging current.</li> <li>Discharging current</li> <li>Battery operation time</li> <li>Residue capacity</li> <li>Battery voltage</li> <li>Date and time of last battery calibration</li> </ul>	<ul> <li>Internal temperature of Oscillator/battery bank</li> <li>Ambient temperature</li> </ul>	<ul> <li>Number of         Battery         commutations</li> <li>Number of total         discharge</li> <li>Overall time of:         <ul> <li>Battery operation</li> </ul> </li> <li>Mains operation.</li> </ul>

## SPECIFICATIONS OF BATTERY BANK

Features	Specifications	Remarks	
BATTERY TYPE	SMF VRLA		
CAPACITY	120/360 V, 100-1800 AH ( 2 Volt Cells of 100-1800 AH SMF VRLA )		
INTERNAL RESISTANCE (FULLY CHARGED @ 25 DEG C)	3.5 m Ohm		
CAPACITY AFFECTED BY TEMPERATURE (10 ) HRS  • 40 DEGREE  • 25 DEGREE  • 0 DEGREE	<ul><li>102%</li><li>100%</li><li>85%</li></ul>		
SELF DISCHARGE 25 DEG  • 3 MONTHS  • 6 MONTHS  • 12 MONTHS  NOMINAL OPERATING  TEMPERATURE	<ul> <li>REMAINING CAPACITY 91%</li> <li>REMAINING CAPACITY 82%</li> <li>REMAINING CAPACITY 65%</li> </ul> 25 DEGREE + - 3 DEGREE C		
OPERATING TEMPERATURE RANGE	-15 DEG TO +60 DEG C		
FLOAT OPERATING VOLTAGE	2.23-2.25 VPC		
BOOST CHARGE	2.30-2.32 VPC		
MAXIMUM CHARGING CURRENT	0.2 C	C IS THE RATED CAPACITY@10 HOURS	

TERMINAL MATERIAL	LEAD	
MAXIMUM DISCHARGING CURRENT	2500 A (5 Min)	
CONTAINER TYPE	FLAME RETARDANT ABS	
RACK FOR HOUSING BATTERY BANK	REQUIRED	

#### Terms and Conditions:-

- 1. The Minimum power back-up of the Oscillator 6 hours on full load. The **Oscillator and Battery bank both** should be warranted for **five years** from the date of installation and commissioning.
- 2. The bidder would have to undertake to upkeep the complete oscillator system

(oscillator and Battery bank) for a minimum period of five years from the date of installation/commissioning by providing spares and service.

3. The scope of supply shall include supply and commissioning of complete Oscillator system at consignee's end across J&K.

## Documents required to be attached with the Technical Bid

Document Required

ISO 9001 : 2000 Certificate
ISO 14001 : 2004 Certificate

In House R&D recognized by Govt. of India, Ministry of Science & Technology

Inductive Load Oscillator Output Graph

THD Graph

Output wave form graph

PQM Captured Waveform Graph

CE/UL Certificate

Authorization from OEM specific to this tender enquiry in original

**Eligibility of OEMs** 

ISO 9001 Certified

ISO 14001 Certified

CE/UL Certified

Company owned Service Centre at Jammu/Srinagar

**Super Brand Certification** 

# **Technical specifications of Vitrectomy Unit Parameter specification**

#### **IRRIG AT10N**

Fluid delivery source-gravity fed- eye pressure determined by the height of irrigation VENTED gas forced infusion system to maintain IOP

Forced irrigation- Eye pressure controlled by the equipment

Control- System Food pedal

**ASPIRATION** 

Aspiration pump types - peristaltic or venture peristaltic and rotary vane.

Default vacuum level - User programmable

Available vacuum range - from 5 to 650 mmHg

Default flow rate - User programmable

Available flow rate range - from 0 to 65 cc/min, step 1 cc/min (peristaltic only)

Available aspiration rise time adjustable on 25 levels (0.5s - 12s)

Surgeon mode (linear aspiration) - Linear aspiration (vacuum and/or flow rate) from 0 to

Preset linearly controlled via System foot pedal

Control - System Food pedal

VIT (VITRECTOMY)

Hand piece type - pneumatically powered guillotine cutter

pneumatically powered microscissors

The vitrectomy probe should work with dual pneumatic line

Cutting Mode - reciprocating motion

Default cut rate - User programmable

Available cutting rate - from 60 to 10,000 cuts per minute

Upgradeable to 20,000

Single cut — Single cut mode available

Actuating Mode - pressurized air
Operating pressure - from 2.3 to 4.2 bar

Available cutting rate - from 60 to 10,000 cuts per minute

Upgradeable to 20,000

Surgeon mode (linear cut) - linear cut rate from 0 to preset controlled via system foot pedal

Control - System foot pedal

**DIATH (DIATHERMY)** 

Type - bipolar generator

Operating frequency -2 MHZ

Nominal power -9 W (200 Ohm Load)

Default bipolar power -User programmable

Available bipolar power -from 5 to 100%

Surgeon mode (linear power) -allows linear control of the DIATHERMY power via system foot

pedal

Hand piece type - bipolar micro forceps slim stat pencil eraser intraocular diathermy

pencils

Control - System foot pedal

#### **ILLUMINATION**

Source type -3 led light sources/XENON with dual port

Intensity adjustment - mechanical diaphragm, 20 levels+ 4 protection cut off filters

#### AIR INJECTION SECTION

Nominal pressure - from to 120 mm Hg Safety devices -air activation sound

#### SILICONE INJECTION SECTION

Nominal pressure -from 0.4 to 5 bars

Signals - Silcone injection activation sound, low pressure at air inlet

Control -System foot pedal

#### **PHACOEMULSIFIER**

Hand piece type piezoelectric

Frequency 32 KHz to 43.5 KHz with Torsional Phaco

TIP stroke from 0 to 100 µm

Power Control panel or linear control of the U/S power via system -

Foot pedal depression

U/S Mode linear or panel continuous, Short pulse. Single burst, Multi burst.

Continuous burst. programmable emission mode

#### **LASER**

Laser Type - Diode pumped and frequency doubled Nd: YVO

Wave length - 532 nm Laser class - IV

Laser should have dual port to connect LIO End laser

Laser Power - Adjustable from 50mW to 2000mW

Pulses length - Adjustable from 10ms to 2s Pulses interval - Adjustable from 0 to 1s

Cooling System - Thermo-Electric

Aiming beam wavelength - 635 nm Aiming beam LASER class - II

Aiming beam power - Adjustable from 0 to 1mW

Hand piece type - 20GA, 23GA, 25GA and 27GA Ophthalmic endolaser probe

#### **FOOTPEDAL**

Programmable, simultaneous double linear. Single linear Bluetooth

Degree of protection against IPXS Number

harmful ingress of water

Number of ON/OFF controls 9 user configurable

Number of Linear controls 3 (2 of which simultaneous) user configurable

Wireless type Class 2 Bluetooth 2.1
Operating frequency 2400-2480 MHz
Transmission Power 4dbm Max

Power Supply NiMh 2700 mAH rechargeable battery

Operating Time (on battery) 20 hr approximately

#### **COMPRESSED AIR SPECS**

Input air pressure from 500 to 800 (Pa (from 72 to 116 PSI)

Air consumption 32 normal lite/ minute

#### **ELECTRICAL SPECS**

Input Voltage 100-240 VAC Frequency 50/60 Hz Regulatory compliance 93/42 EEC

Medical Devices Directive (MDD)

Technical standards EN60601-1

EN60601-1-1 EN60601-1-2 EN60601-2-2 - Xenon/LED

Light Source - Xenon/LED Foot pedal should have wireless wired foot pedal

Tech	nnical Specifications: Flow Cytometer
1	Pre-configured flow cytometer equipped with at least three lasers including blue (488nm) and red (640nm) and violet (405nm) lasers
2	Should have minimum capability of at least 10 fluorescent colours and 12 parameters. For each parameter the flow cytometer should be capable of measuring area, height and width.
3	The excitation and collection optics of both lasers should be fixed requiring no alignment to be done by operator.
4	Should have high quality quartz flow cell
5	Should have single tube sample loading mode, integrated and automated multi-tube loader with at least 24 tubes loading capacity or 48- & 96- well plate loader.
6	Should offer low, medium and high flow rates.
7	Should be able to acquire at least upto 1,000-10,000 events per second.
8	The sample carryover must be ≤0.1%.
9	Minimum detectable particle size should be 0.5 Micrometer.
10	Should have compensation capability between all fluorescence channels with online as well as post-acquisition manual and auto-compensation features.
11	Should have digital signal processing with linear and log modes and dynamic range of at least 5 decades.
12	Should be operable at 220-230V and 50Hz
13	Should be capable of online and offline analysis and capabilities of quality control and validation, cell counting, viability, apoptosis analysis, cytometric bead analysis, cell cycle analysis, surface marker studies and kinetic studies.
14	Data format should be compatible to Microsoft office.
15	Compatible antivirus software with update for 7 years.

16	The Cytometer should have bio-hazard containment system and proper waste collection and management system.
17	Compatible computer system (branded only): PC workstation with at least Core i7 or higher, 2 TB hard drive or more, DVD/CD ROM R/VV Combo Drive, at least 23 inch LCD monitor.
18	The computer system should have latest licensed windows (Professional) software and Microsoft office.
19	A separate offline analysis software (5 years)capable to manage multiple data sets, with feature of automatic plot organization, auto-layout, data merging of different files. It should perform plots like tree, 3D radar and overlay histogram as well as standard scatter, histogram and contour plots.  A separate offline analysis workstation: i5 Processor or higher, 32GB RAM, NVIDIA Quadro P5000 Graphic card, 23" monitor, Windows 10 should be provided
20	One color printer with 4 changes of toner cartridges per year for 10 years.
21	Suitable branded online UPS of sufficient capacity with half hour backup for uninterrupted running of full equipment during power interruption.
22	Provide with complete essential accessories including appropriate starter kits, QC beads, and maintenance kits.
24	The reagents/ consumables including OC materials, proprietary tube sheath fluid, other fluids for start-up, cleaning and shutdown for an annual load (300 days) of 50 tubes per day should be quoted. The same would be taken into consideration for price comparison. L1 is ascertained after calculation.
25	It should be US FD/European CE

## **Technical Specification of Solid State Photocoagulator**

Frequency Doubled Solid State, diode-pumped with diode on demand Technology, Continuous Wave.

Wave length 532 nm, Max. Power 1.5 W at cornea or more.

Laser Console with Single or Dual Fiber port.

Aiming beam 620-650 nm laser diode, Adjustable Brightness, Max. power 1mW

Auto pulse adjustable from 10-6000 ms pulse interval

Pulse duration 10-2,500ms, CW (Max 180s)

Electrical connection: 100-240V, 50/60 Hz

All laser parameters like power, pulse duration; pulse interval etc. should be displayed in eyepieces. If required can be switched off also.

Should have Touch Control Centre. Switch to change and adjust parameter while viewing through eyepieces during laser deliver through. This will save chair time of patient.

Should have compact display with Easy GUI to plan treatment protocols efficiently and effectively

Thermoelectric cooling(Must).

To avoid overlapping of laser spot should have unique Square Aiming beam & Laser Energy also delivered in Square spot.

Laser should be with integrated with Original Zeiss/Haag-streit Slit Lamp for Laser delivery, Laser delivery should be through Slit lamp prism.

Laser spot diameter 50-1,000um (Without Contact Lens Used), Par focal, continuously adjustable, larger spot sizes depending on contact lens used.

Slit Lamp should have 5-Step Magnification Changer and should give 5/8/12/20/32X magnification.

Must have Physician safety filter in Slit Lamp.

Slit Height 1/3/5/9/14mm, slit Width 0 -14mm continuous.

Slit Image Rotation 0 degree/±45 degree/ 90 degree

Must have Servo electric micromanipulator for precise shift of laser beam along with Aiming, beam & Slit beam without moving slit Lam.

Suitable laser contact lenses (e.g Goldman 3 mirrors, Minster PRP 125 deg.)

Laser report.

Asymmetric motorized table for wheel chair patients.

#### **Optional Accessories:**

- 1) LIO with LED illumination System with chargeable battery, 20D Laser Lens.
- 2) Physician Safety filter
- 3) Endo Probes 25G
- 4) Power Foot control

S.No.	Technical Specifications of ENT Powered Drill System	
1	(The system should be a compatible console with multi-functional capabilities. Must be useful for Sinus, skull base, airway procedures and neurotology procedures.	
2	System must be capable of providing speed upto 7500 RPM in Oscillating mode, [30000 RPM in forward mode for debrieder and upto 75000 RPM for drill.	
3	System should be easy to operate, touch screen enabled with user friendly options to control various parameter settings.	

4	It must be provided with multi functional footswitch allowing surgeon to toggle between different handpieces, change mode of motor rotation as forward or reverse or oscillation and control speed of motor without need to touch the screen during the surgery.
5	Console must have manual switch to operate motor in case of emergency footswitch failure.
6	System must have 2 inbuilt pumps for providing controlled irrigation (in step of 5 cc/min upto 50 cc/min)
7	System must be provided with compatible drill motor handpiece with straight and angled attachment each.
8	Weight of the drill should not be more than 90 grams and length should be less than 11.0 cm with diameter not exceeding 1.70 cm.
9	NIM stimulating electrode or stimulating burr guard must be provided with the system
10	Motor should not require any lubrication for movement.
11	Handpiece should have quick release and lock system for tools and attachment.
12	The handpiece should be compatible with trans nasal skull base burrs which should be directly attachable to the motor.
13	Drill must be provided with variety cutting and diamond burs for otology surgery.
14	Drill must have an upgradable option of variable length straight and variable length angled attachment.
15	Must have option to connect irrigation tubing which can be programmed to provide intermittent or continuous irrigation.
16	Compatible burr (Tungsten coated) cutting & diamond
17	should be compatible with ENT EM (Medtronic) Navigation System
	Additional Points
	1. Straight Attachment 9 cm 1 no with cutting tools 3-9 cm – 1 No.
	Perforator with bit -1 No
	Craniotomy footed attachment -1 No with cutting tool -5 Nos
	Remarks :for Otological procedures /bur hole/lateral skull procedures
	2. Angled 15cm long attachment -1 No. with cutting tools 3-6v -3 No.s Remarks :For Trans Nasal Approach /Skull base Surgeries

## **TECHNICAL SPECIFICATIONS OF IOL**

Equipment to provide facility for measurement of Axial length, keratometry, anterior chamber depth, WTW measurement and Pupil size.

To provide sectional lens image, pupil image and reflected image of double mine rings. Access to full eye data in a single click

The Equipment should be OLCR/OCT/SWEPT SOURCE based and to be able to provide accurate measurement for every section of the eye from cornea to the retina. With its integrated Olsen formula and Toric planner featuring the Barrett Toric calculator, should supply the user with latest technology in 1OL prediction for any patient.

- 1. Axial Length: Measurement range minimum 14 mm to 32 mm or more in increments of 0.01 mm.
- 2. Lens thickness: at least 2 mm to 6.5mm or more
- 3. Corneal curvature radius: Measurement range minimum 5 mm to 10mm in increments of 0.01 mm
- 4. Central corneal thickness: 300 to 800 or more with actual measurement of corneal thickness
- 5. Anterior chamber depth: Measurement range at least 1.5mm to 6mm in increments of 0.01 mm
- 6. White to white distance: Measurement range minimum 8mm to 16mm or wider in increments of 0.1mm
- 7. Pupil Size Measurement range minimum 2mm to 9mm or more in increments of 0.1 mm
- 8. IOL Calculation formula: SRK II, SRK/T, Barrett, Hoffer Q, Haigis, Latest Al Hill RBF, Multi formula calculation and should have all the latest formulae
- 9. To have auto-tracking in x-y-z direction and auto shot
- 10. To have integrated 'A' constant optimization for IOL calculation formats
- 11. Interface LAN, USB
- 12. Should be able to detect usual eye geometries
- 13. Integrated Toric calculator
- 14. Capability of topographic measurement with 9-11 ring placido topography for Toric IOL Surgery
- 15. Latest PC with latest operating system, processor i5/i7 10th generation with at least 4 cores or higher, RAM at least 16GB, HDD 1TB (Preferably SSD), USB ports 4-6, Compatible monitor, at least 4GB graphics Card and suitable color printer to be provided.
- 16. Original Motorized Table to be provided
- 17. Power supply 100-240V AC
- 18. Should be USFDA and European CE approved
- 19. Suitable Online UPS for entire system along with printer to be provided
- 20. Firm should be capable for providing all the services and repairs including spares within the country.

#### **Technical Specifications: Hemo Diafiltration Machine**

General		
Requirements		
	Microprocessor	Should be microprocessor controlled & capable
	Based Control	of providing therapies such as Conventional
		HD,online HDF,HF& features such as Online
		priming, Acetate &Bicarb dialysis, Volumetric
		UF, Sodium/ UF profiling, Online help options
		(in case of alarm condt.), BPM,OCM or RCM

	Graphical User Interface (Display)	High resolution TFT touch screen with functional keys & provide cumulative graphical display treatment data & physiological trends including sodium 7 UF profiles. Freely rotatable & adjustable design. Should display different menus 9preferably more than 8) indicating preparation, dialysate, UF, Treatment, Reinfusion, Cleaning, System parameters, & screen saver option. Should have integrated Patient card reader system where at least 03 treatment data can be recorded.
	Safety Features	Should be a close system design with volumetric balancing system,
Performance		Last three years' experience certificates
Requirements		
Blood Circuit	Vascular Access	Single Needle click clack should be available Blood pump with features such as flow range of 30-600ml/min, with 10ml increments & accuracy up to #10% Effective blood rate should be displayed in accordance to the setting & tubing size with diameter 2mm – 10mm could be used, An emergency hand crank should be provided to enable reinfusion in case of power failure.  Emergency button enabled bolus, UF control,
		BPM control. Air free pressure measurement on arterial line, in view of reducing chance of blood clot.
	Heparin Pump	Should be automatic or manual start/stop, with infusion rate 0.5-10ml/hr in 0.1ml/hr increments % accuracy. Heparinizaton stop time should be user- adjustable in 1 min increment,& positive/ negative extracporporeal blood ckt pressure should not affect infusion rate. Auto Bolus administration should be programmable from 1-20ml/hr
	Pressure Monitoring & Alarms	Venous pressure monitoring & adjustment in case of alarm condition. (Range :- 100 to +400mmHg, Accuracy:#7%) Arterial pressure monitoring & adjustement in case of alarm condition. (Range:-300 to +300mmHg, Accuracy:#7%)
	Air Detection	Ultrasonic design & should be activated for air & micro bubbles over entire blood flow range. Sensitivity of detection mechanism should be specified in terms of air bubble size & on detection of excessive air, venous clamp should activate & blood pump stop. Reference point for

		level detector measurement should be about 13 # 4mm, from upper edge of venous chamber.
Dialysis Circuit	Treatments/Therapies	Should facilitate Acetate & Bicarbonate dialysis. Variable sodium & bicarbonate options. Volumetric UF & Sodium/UF profile options.
	Dialysate flow rates	A Range of 100=800/1000ml/min should be available, with resolution of 100ml/min, with Accuracy- # 10%, & provide good clinical outcome on EDDF therapy foracute patient Autoflow function should be available with ON/OFF feature, in view to save electricity & water consumption & synchronize with blood flow changes, Eco flow function should be available when preparation phase is finished to sace dialysate, water, electricity Pre-Programmed more than 10 types of concentrates should be available & its change should not be necessary for calibration.
	Temperature Control & Alarm	Control Range: 34.0 to 39.0 deg Celsius with 0.5 increment Alarm Limits:33.5 to 40.0 deg Celsius
	Conductivity Control & Alarm	Range: 12.0 to 15.7 mS/cm Accuracy:# 0.1 mS/cm Dialysate conductivity should be adjustable by sodium concentration, for Acetate Dialysis-with range from 125 to 151mmol/I in increment of 1mmol/I. For Bicarbonate dialysis, range from 125  To 151mmol/I in increment of # 8mmol/I.
	Blood leak detection	Photo detector used, & alarm should be activated for blood loss rates <0.5ml/min, with HCT of 20-25%.
	Volume UF	Control Range: 0-4/hr, given by set values of UF volume & treatment time, with accuracy # 1% UF volume: 0-9.99L adjustable in 1ml increment Treatment time: adjustable upto 9 hr 59 min. in 1 min increment TMP monitoring:- 100 to +400 mmHg. Isolated ultrafiltration process should be provided.
		Equipment should be capable of on-line preparation of bicarbonate dialysis fluid & IT should be handle by one hands only
	Ultra – pure Dialysate Filter	Should have hygienic connection for ultra-pure dialysate filter Should have endotoxin retention capacity not less than 0.3EU/ml. Machine should have an automatic program to change filter, including emptying & filling cycles. Filter should have life span more than 9 weeks or 90 treatments Filter
		Should be arranged in cross flow setting & equipment should perform flushing during

		treatment automatically every 1 hr. Filter change
		reminder should be available.
Online Fluid	For HDF	Both option of Pre-dilution & post – dilution of
Circuit		blood should be available Automatic control
		substitution program with pre/post dilution
		identity integrate function, dialyser integrate
		function, Effective blood flow rate integrate,
		HCT integrate function, Total protein integrate
		& UF rate integrate functions. Equipment should
		have 2 ultra- pure filters to prepare the online
		substitution fluid for priming& rinsing of
		extracorporeal ekt for HD/HDF/HF/ or as
		injection- bolus & reinfusion at the end of
		treatment . Substitution fluid delivery rate: 25 to
		600ml/min in 1ml/min increment, with accuracy
		# 0.1ms/cm & exchange volume – 210L (max.)
Dialysis	Equipment should	Arterial Pressure, Venous Pressure, Blood flow
Parameter	display parameters-	rate, Dialysate Conductivity, TMP, UF volume,
Display	First Francisco	UF rate, Remaining treatment time, Heparin
Display		infusion rate, Alarm info, etc.
Online	Equipment should	Inbuilt measurement & monitoring of effective
Clearance	Have	Urea clearance K, Dialysis does Kt/v,& Plasma
Monitor		sodium during dialysis. This measurement
(OCM)		should be done without any additional cost &
		disposable during each treatment Measuring
		accuracy: Clearance +/6% Kt/V +/-9% OCM
		conductivity evaluation should be 12 bit with 2
		channels & 2CD cells (1 cell for basic machine
		function) & Measuring range: 12.8 –
		15.7mS/cm, Accuracy:0.05mS/cmOCM
		Temperature evaluation should be 12 bit with 2
		channels & 2 NTC
		(1NTC for basic machine function( &
		Measuring range: 33.5 -41*C, Accuracy: 0.2*C
Blood Pressure	Equipment should	Should be Build in non-invasive device for
Monitor (BPM)	Have	measuring the patient blood pressure
		automatically Measuring Range should be Cuff
		pressure range: 10-325 mm Hg or wider choice
		Systolic range: 30-280mm Hg or wider choice
		MAP range: 20-255 mm Hg or wider choice
		Diastolic range: 10-240 mm hg or wider choice
		Pulse rate range: 20-245 1/min or widerchoice
		_
		Alarm values should be Systolic range :90 &
		165 mm Hg MAP range : 70 & 120 mm Hg
		Diastolic range : 50 & 100 mm Hg Pulse range:
		40 & 150 1/min
Battery Backup		The equipment should be able to operate and
		monitor the extracorporeal circuit without
		interruption for 20 minutes or more in case of
		AC power failure by backup battery
Į.	I	p of talled of outsite outsite

Disinfection	Both chemical and heat disinfections should be
And Cleaning	performed Sodium hypochlorite should be used
	as cleansing disinfectant Various Programmable
	Cleansing Cycles should be provided with
	different phases and timings in accordance with
	different disinfectants. Should be One-touch
	fully automatic operation including pre-rinse,
	chemical-intake for combined disinfection &
	decalcification, post- chemical mandatory rinse,
	and automatic power-off; without the need of
	any end-user handling during this whole
	disinfection process.

## **Specifications of NCT (Non Contact Tonometer)**

- A. Smart Puffing Control System.
- B. Intraocular Pressure (IOP) Measurement Range:
  - 1mm Hg-60mm Hg/0.1kPa-8.0 kPa.
- C. Measurement Resolution:
  - 1mmHg/0.1 kPa.
- D. IOP Correction function: With Corneal Thickness Input Function.
- E. Start-up Method: Manual, Automatic.
- F. 5.7 Inch Color LCD Monitor.
- G. US-FDA Approved.

# Technical specifications of 4 KW high Frequency Mobile Machine

4KW high frequency mobile x-ray system on heavy base on castors With 4 anti –static swivel wheels with foot breaks

Output power:4Kw

KV range:40 to 100 KV

Output waveform, high frequency, inverter based system for constant Output

MA range:100Ma

MAs range:1 to 250 mAs

Exposure time, adjustable: should be microprocessor controlled on the basis of set parameters.

X-ray tube, stationery anode tube 2.8mm\*2.8mm or better with manual collimator with auto shut off light facility

Power requirements;220v/50HZ,single phase

#### Features Required in control panel

- Soft touch key board system
- KVp, technic and mAs can be automatically selected by selecting the body part.
- Each key can be reprogrammed at the customer's place as per customer requirements.
- Separate factors setting for child, Thin and fatty patient
- 2Step Kv and single mAs for better radiographic results.
- Illuminated LCD Display, first Digital Model and completely Electronic model in the country
- Digital meter for main line voltage display for accurate exposures.
- Microprocessor based electronic overload protection for better tube safety life.
- Microprocessor based electronic exposures control for accurate exposur exposures
- Password protected exposure counter
- Automatic selection of Bucky

Mobile stand:light weight latest design mobile stand with four wheels support (2 wheels should be free and 2 with brakes)

Tube arm: Tube arm should be operated through Actuator for easy positioning,

Accessory: Lead Apron Qty.2 and chest stand Qty.1

Unit should be upgradeable to CR &DR

Device should be produced by ISO13485:2016 Certified manufacturer

Device should be BIS certified

Device should be CE certified

Device should be approved by AERB for radiation safety. Certificate should be enclosed

#### 1757 **MODULAR MONITOR**

- ➤ Should have atleast 17" Touch Colored active TFT display with atleast 08 or more waveforms.
- Monitor should have Modular in design with versatile mounting options.
- ➤ Should have Modular design of module to measure parameters ECG, Nelcor /Masimo Spo2 NIBP, HR, Resp, 2 X Temp, 2XIBP and Side Stream ETCo2/main stream suitable for Adult, Pediatrics and Neonates.
- ➤ Monitor should have separate ETCO2 Monitoring and integrated module for 6 including ECG, NIBP, SPO2, Respiration, Temp and IBP.
- ➤ Each monitor should have separate module

  Basic 5 Parameter module (ECG, NIBP, Nelcor SPO2 /Masimo, Resp ,Temp) 1 No.

  ETCO2 Module -1 No.

  2X IBP Module -1 No.
- ➤ Should have Loflow technology with intake of 70 ml / min or less sample volume.
- Should have Nelcor Technology for SPO2 Measurement/ Masimo. (Quoting Company should furnish letter from covidean to have contractual relationship with Manufacturer for Nelcor Technology)
- ➤ Should have OxyCRG to judge the respiration and circulation functions in Neonates.

- ➤ Should have facility for Drug Dose, Haemodynamic, Renal and Oxygenation and Ventilation calculation packages.
- > It should be possible to operate it through both the touch screen and a trim knob interface.
- Monitor should have Arrhythmia detection (16 types), S-T Analyses and Pacemaker detection.
- ➤ Should have facility for future upgrade to 12 lead ECG, Invasive (Thermo dilution) and Non Invasive Cardiac Output (I.C.G), and Anesthesia Multi Gas/O2 and BIS.
- ➤ 48 hours Graphical & tabular trends of all parameters, 200 Event storage for alarms events
- ➤ Should have software of Modified Early Warning System (MEWS/EWS).
- Monitors should have a facility for Defibrillator Synchronization.
- > Should have HL7 compatibility
- ➤ Should have ability to connect with central Station.
- ➤ Should have integrated Battery with a backup for atleast 2 Hrs.
- ➤ Should be supplied with following accessories
  - ECG cable (5 lead) -1 No.
  - SPO2 Sensor Clip Type -1 No.
  - SPO2 Sensor "Y" Type -1 No.
  - SPO2 Extension cable -2 No.
  - NIBP Cuff- Adult, paed and Neonate 1 Each
  - NIBP Pipe -1 No.
  - ETCO2 Water trap and Sample Line 2 No. each
  - IBP cable -2 No.
  - IBP transducer (Disposable) -2 No.
  - Power Cord -1 No.
  - Operating Manual -1 No.
- Manufacturer should have direct service support office in India.
- Confirms USFDA Certification and European CE Quality standards.
- A. Video-Endoscope with facilities for biopsies with video processor.
- B. ERCP scope with accessories
- C. Colonoscope

(Adult & Pediatric)

**One Endoscopic Workstation**: For complete High resolution/High definition video endoscope system for Upper and Lower Gastrointestinal Pediatric endoscopy which the following equipments:

A. One video endoscope image processor system which must have the facility to provide the images with processor compatible with below mentioned items, B,C and D, compulsorily and have separate outputs (HD-SDI, rgb, dv, dvi, s-video and composite) for monitor/screen view and Desktops/PC for images and video storages compatible with HD/High resolution imaging for videos and image stills. The system should also have a slot for Memory/CF card//USB for image storage.

The endoscope system must be suitable to produce high definition / high resolution and magnified images of GI tract. The light source system should be separate or inbuilt with the image processor supplied with high intensity Xenon lamp source.

B. Upper gastrointestinal video endoscopes with standard accessories which include:

- 1. One Ultrathin (Neonatal) endoscope with following specification Viewing direction Forward
- ii.Observation range 3-100 mm
- iii. Field of view Minimum 120 degrees or more
- Distal end diameter 4.9-6.0 mm

Bending or angulation range UP-200 degrees or more, down -90 degree or more, Right and Left 100 degrees or more.

i.Forceps or Instrument channel diameter – 2.0 mm or more Working length – 1100 mm or more

i.With standard accessories

2. One thin (Pediatric) Endoscope with the following specifications:

.Viewing direction – Forward

i.Observation range – 4-100 mm

i.Field view – 120 degrees

Distal end diameter – 8.5 to 9.5 mm

Bending capability-Up-200 degrees or more, down -90 degrees or more, Right and Left 100 degrees or more

i.Forcep channel diameter-2.8 mm or more

i.With all standard accessories

C. Lower GI endoscope (colonoscope) system with accessories

.Viewing direction – Forward

i.Observation range – 3.100 mm

.Field of view - 140 to 170 degrees

Distal end diameter – 9.6 mm to 11.8 mm

.Flexible portion diameter – 11.8 mm or less

i.Bending capacity – Up and down 180 degrees or more, Left and right 150 degrees or more.

i.Forceps channel diameter – 3.2 mm or more

i.Working length – 1330 to 1700 mm or more

.With all standard accessories

- D. LCD/Led Medical Grade screen or monitor for A), B) and C), and capable of HD Videos and image stills with display size of 19 and 20 inches
- i.19-21 inch LCD/LED colour High definition (HD) Professional/medical grade monitor
- Compatible with HDMI interface
- .High purity RGB colour filters
- .Excellent brightness and contrast
- Should have a wide viewing contrast both horizontally and vertically
  - E. UPS/Voltage stabilizer for the above.
- F. Movable trolley with brakes to accommodate the above.
- G. Pediatric ERCP Duodenoscope
- Distal and diameter 11.2 mm with all standard accessories
- LCD Monitor for ERCP with specification as above (in D)
  - H. C-arm for ERCP
- I. The equipment should be USFDA &CE approved

## Fully Automated Allergy Analyzer

- 1. System should be an In-vitro Multiplex Allergy Microarray test system based on Enzyme Linked Immunosorbent Assay.
- 2. The system should be capable for performing both Allergy Testing and Food Intolerance on the same platform.
- 3. System should be fully automated analyser dedicated for specific Ige estimation.
- 4. System should be a bench top analyser.
- 5. System should be able to measure both quantitative Specific IgE and semi quantitative Total IgE.
- System should be able to process and read cartridge having recombinant DNA based molecular allergens, purified molecular allergens and purified extract-based allergens.
- 7. System should be able to identify and quantify minimum 200 allergens in a single run for a patient sample.
- 8. System should be able to measure Specific IgE with sensitivity of minimum 0.3KUA/L and Linearity of minimum 50KUA/L.
- 9. System should be able to accommodate test tubes of 13x75 mm along with false bottom tubes.
- 10. System should have an i-bult barcode reader for positive sample identification and capturing reagent information.
- 11. System should be able to read QR code/Bar code of the test cartridge.'
- 12. System's test cartridge should have in-built quality controls (for internal QC check) and calibration details.
- 13. System should have real time inventory management system.
- 14. System should have level sensors for wash, system fluid and waste.
- 15. System software should have guidance system for minimum reagents as required.
- 16. System should be able to uniformly incubate the test cartridges at 37°C  $\pm$  0.5°C.
- 17. System should be calibrated using test cartridge (dedicated for analyzer calibration).
- 18. System should mix the added reagents on the cartridge in non-invasive manner.
- 19. System should have a non-invasive washing technology.
- 20. System should have liquid level detection and crash detection technology for sample probe.
- 21. System should be able to transfer the scanned image of a cartridge to an analysis software for interpretation.
- 22. System's reading software should be a Windows based software.
- 23. System's reporting software should be cloud based for automatic updates.

- 24. System software should be able to utilize artificial intelligence for generating interpretation guidance in allergy report.
- 25. System generated allergy report should provide interpretation guidance summary.
- 26. Information on protein families, cross-reactive protein families, CCD (Cross-reactive
- 27. Carbohydrate Determinants) inhibition, possible symptoms, prognosis, AIT (Allergen Immunotherapy) guidelines along with quantitative Specific IgE and semi-quantitative Total IgE
- 28. System software should have possibilities to customize reports in terms of adding laboratory/hospital logo, patient demographics, sample cartridge barcode number, referring doctor's name etc.
- 29. System should have in-built CCD (charge Coupled device) camera for image acquisition.
- 30. System should be able to connect to a personal computer.
- 31. System should require standard power supply of 100-240V, 100W, 50/60Hz.
- 32. System should produce less noise during operations e.g., <65dB in 1m distance.
- 33. System should be compatible to be connected to an external computer.
- 34. Analyzer and reagent system should be CE Certified.
- 35. Sample cup 1000nos
- 36. Should be supplied with 50 test kits with minimum 1 year shelf life.
- 37. CDSCO approved.

#### The Unit should be supplied along with:

- 1. Compatible PC-Intel i5, window 10."18" colour Display, 64bit, 8GBRAM,, 500GB SSD.
- **2.** High quality colour printer, online UPS 1KV with 4 Hrs backup with isolation transformer Optional Item:
- 3. Allergy Test kit 50 tests.

#### **BODY PLETHESMOGRAPHY SYSTEM**

#### **Bodybox** (Plethesmography System)

- 1. A wide cabin with internal volume rang of > 900 liters to providease of accessibility and comfort to the patient without effecting volume changes.
- 2. Transparent robust glass walls to ensure visibility from all sides and minimize any claustrophobic feeling for the patient.
- 3. The seat must be ergonomic, comfortable and adjustable or fixed bench to bear weight up to 150Kg.

- 4. The arm for the breathing valve support must be flexible enough to allow test execution even outside the cabin.
- 5. Controlling station should be on a movable trolley.
- 6. Speaker and mike facility inside box for communication with the patient.

#### I. Test and minimum set of parameter required:-

- Dynamic lung volumes: Measurement of the Forced Vital Capacity (FVC), Slow Vital Capacity (SVC) and Maximal Ventilatory Ventilation (MVV). Graphic display of Flow/volume, Volume/time loops.
- 2. Static Lung Volume: Measurement of TGV, RV, VC, IRV, FRC, TLC.
- 3. Airway resistance: MIP/MEP and Respiratory Drive (P0.1)

#### II. Lung Diffusion Capacity Test using Hellum/Methane:

- a) Single-Breath with Apnea
- b) Single Breath without Breath Holding.

#### **III.Technical Specifications-**

- 1. Flow meters: Calibration free ultrasonic based flow sensor.
- 2. CO Analyzer: Preferably Non Dispersive Infrared (NDIR) or ATS/ERS recommended techniques.
- Helium/Methane Analyzer: The equipment must use Helium/methane as tracer gas and measurement of He/Methane preferably by Ultrasonic Moi mass/Thermal Conductivity determination technique/ATS/ERS recommended technique.

#### 4. Sensors:

- All sensors should preferably be non-consumable or their life should be specified and the bidder should arrange free sensors for the warranty/CMC period.
- ii. All sensors of equipment should meet the American Thoracic Society (ATS)/ European Respiratory Society (ERS) standard for linearity, response time, and accuracy.
- 5. Should have facility for future upgradation for P0.1/max, Bronchial Provocation Test, Rhinomanometry, SNIP, Tidal Breathing Analysis for neonatal, Capnovolumetry.
- 6. Power Supply: The operating AC Voltage range should be 100-240V AC±10% 50/60Hz.
- 7. Interface: It should have RS232/USB Interface for connecting to a computer.
- 8. Software: Latest Software should be supplied with the equipment. The management software should be designed for Window 10 environment and also should be able to connect to online hospital information system and work flow when necessary with easy data storage and recovery for research purpose.
- 9. Essential Accessories: The system should be supplied with all essential accessories required like:

- i. Trolley
- ii. All in one Desktop PC, with minimum i5 or obove processor 4GB or above RAM 500GB or above hard drive memory, Original Windows 8/10, 18.5" LED Colour Display monitor.
- iii. Monochromatic laser printer: 01.
- iv. On line UPS (1KVA): 01 to provide power backup up to at least 30 minutes.
- v. Diffusion Test gas cylinder with pressure regulator: (05 No's)
- vi. Anti-Bacterial Filters: 5000 nos.
- vii. Reusable rubber nose clips: 100 nos.
- viii. Cost of disposables should be quoted separately
  - ix. Cost of gas refilling should be quoted separately.

#### 10. Quality assurance:

- 1 .The system should have CDSCO certifications along with European CE/ FDA, certifications and should meet latest ATS/ERS standardization guidelines.
- **2** The company should also provide a certificate stating the model provided in the latest version available.
- **3** The company should also provide a certificate stating that spare parts and service with available easily for at least **next 5 years**.

#### 11. Warranty:

- 1. 05 Years onsite warranty & 05 years CMCof the principal equipment i.e body box with plethysmograph (CMC rates to quote separately).
- 2. Training of technician whenever necessary or when requested by the department.

## Automated plasma expresser

S.No.	Specification. Automated plasma expresser
1.	Operating temperature o to 40 degree C°
2.	Input supply 110-240 V
3.	Weight 4 Kgs
4.	Max tube diameter 6.5 mm
5.	Overall dimension 167x270x290mm (LxBxH)

## Advance Visual Field Analyser.

- 1. High quality Goldman standard automated full field Perimetry of international
- 2. Standard with bowl size radius = 30 cm.
- 3. Computer & Monitor should be integrated in the perimeter (No external computer).
- 4. Stimulus size I, II, IIL. IV &V
- 5. Halogen lamp projection system.
- 6. Background illumination 31.5Asb.
- 7. Maximum temporal range 90 Deg Suitable for central 30, neurological tests as well as.
- 8. Full field testing.
- 9. Central field test patterns 30-2, 24-2, 10-2 Macula.
- 10. Peripheral field test pattern 60-4, Nasal Step, custom test.
- 11. Threshold test strategies full threshold, SITA standard, SITA Fast, Full threshold.
- 12. Fast Pack, SITA SWAP.
- 13. Screening field test. P-60, FF-80, FF-120, FF240, Nasal Step for periphery.
- 14. Screening test Strategies Two zone, Three zone and Quantify Defects.
- 15. Glaucoma hemi field test. Heiji Krakau blind spot monitor
- 16. Video eye monitoring, Gaze Tracking monitoring system.
- 17. Vertex Monitoring and Head Tracking.
- 18. Touch Screen on CRT Monitor, keyboard & provision of external monitor
- 19. Keyboard.
- 20. Internal hard disk drive.
- 21. Stimulation duration 200ms, wavelength Broad band visible light
- 22. Stimulus/Background Colour White on White.
- 23. SWAP (Blue on yellow) Perimetery.
- 24. Auto Pupil Measurement.
- 25. Kinetic testing & Custom Kinetic testing.
- 26. Motorized chinrest, Motorized table, Laser Jet Printer.
- 27. Glaucoma Progression Analysis (GPA) Software for monitoring disease progression.
- 28. With visit wise graph & Visual Field Index (VFI).
- 29. FeIEye Monitor.
- 30. Automated liquid Trial Lens (Auto TLC).
- 31. HFA DICOM Gateway.

#### NON CONTACT BIOMETER WITH SWEPT SOURCE OCT TECHNOLOGY

- 1. SWET Source Biometry showing full length OCT image showing anatomical details of the Eye on longitudinal cut through the entire eye.
- 2. Should be able to detect usual eye geometries, such as a tilt or decentration of crystallinelens.
- 3. Facility of fixation check. All measurements caliper are shown on the full length OCT image to verify the structure of the eye has been measured. Thus potential Source of errors are eliminated.
- 4. Should have telecentric keratometry for distance independent keratometry.
- 5. Axial Length 14-36 mm.
- 6. Corneal radii 5-10 mm.
- 7. Anterior Chamber depth 0.7 -8 mm.
- 8. Lens thickness 1-10 mm (Phakic eye) & 0.13-2.5 mm (Pseudophakic eye)
- 9. Central corneal thickness 0.2 1.2 mm.
- 10. White to white 8 mm -16mm.
- 11. Posterior keratometry measurements, Total K.
- 12. New Haigis T formula on board for Toric IOL power calculation.
- 13. Formulas for IOL calculation SRK II, SRK / T, Holladay 2, Hoffer Q, Haigis suite including Haigis L & Haigis T.
- 14. Barret Suite consisiting of Barrett Universal, II, Barrett Toric & Barrett True K with TK. Formula.
- 15. The equipment should have integrated hardware & Software (CPU) within the single unit.

## RAPID BIOLOGICAL INDICATOR FOR AUTOCALVE.

- 1. Containing a standardized, viable population of Bacillus stearothermophilus.
- 2. Detect the presence of viable spores within 24 mins.
- 3. Designed and certified as per ISO 11138 and EN 866.
- 4. Should be compatible with the pre-Vacuum cycle of 132°C to 135°C
- 5. Should be compliant to ISO 11138-1:2006 (e) Part 1 and ISO 11138-1:2006(en) Part 3
- 6. Every box should contain Quality Assurance certificate with mention of Spore population, D-value & Z value.
- 7. Should have a BSI Kitemark Certificate
- 8. Should have FDA clearance.

## LAPAROSCOPIC SIMULATOR.

- 1. The system should be fully computerized and interactive...
- 2. Should have PC and virtual reality simulation processor, with 24" flat L CD screen.
- 3. Should have elevation mechanism for height adjustment, foot switch for electrosurgical coagulation.

- 4. Should have high performance force feedback with three (3) degrees of freedom, tool tracking with five (5) degrees of freedom.
- 5. System should be high performance and precesion with a variety of optical angles: 0.30 and 45 and adapted instrument handles (graspers)
- 6. Should have interchangeable suturing handles with suturing module.
- 7. The system should contain at least 19 or above modules providing comprehensive training in the field of laparoscopic surgery and allow for individual training and allow Team Training by plug-and play-connection of the portable system. "Team training is performed using a combination of haptic and non-haptic systems".
- 8. The system should have multiple parameters to evaluate trainee and web based Simulator Curricula Management System. Providing the optimal solution for managing simulation based training and education needs.
- 9. Should facilitate performance the administrative tasks of running a training course or workshop.
- 10. Should offer extensive library of courses including a library of ready- to use simulator based courses and a platform to design new ones. Courses may include online didactic content, performance review and assessment with benchmark in selected modules.
- 11. System should offer Virtual selection of pre-se trocar position in certain modules.

#### Virtual Operating Room Setting -VR-OR (in selected modules)

- 1. The system must feature fully immersive environment of the Virtual Operating Room, accessible through Oculus headsets, specifically designed for modules such as Inguinal Hernia, LAP Chole, Appendectomy, and Hysterectomy.
- 2. The VR Operating Room setting should enable users to perform procedures in a virtual operating room, complete with a virtual team, equipment, and authentic operating room sounds. This setting should also include optional tool selection instructions provided by a Nurse in specific modules.
- 3. The VR OR must incorporate the Surgical Mentor capability, Wherein the Surgical Mentor provides procedural comments and tips for enhanced learning and guidance in certain modules.

#### **Modules:**

1. The system should have the following practice modules:

#### **Basic Laparoscopic Skills Including:**

- 1. Camera mainpulaiton
- 2. Eye-Hand Coordination
- Clip Applying

- 4. Clipping and Grasping
- 5. Two handed Manoeuvres
- 6. Cutting
- 7. Electrocautery.
- 8. Tanslocation of Objects.

#### **Basic and Advanced Suturing Skills:**

- 1. The Advanced Suturing Module should include, Backhand technique, Ustitch, Curved suture line, Anastomosis, Slanted plane Suture line, Upper plane suturing and Hexagonal suture line.
- 2. The basic and advance Suturing, should include, detailed interactive tutorials to enable independent training.

#### **Essential Skills Module:**

1. Should have Essential tasks similar to Fundamentals of Laparoscopic Skills developed by SAGES.

#### Camera Manipulation Module:

 Should train on a set of camera management exercises in a safe, yet fun and engaging environment. The module enables the user to concentrate on obtaining the camera's required skills, which in turn will be implemented in hands – on Practice. Such skills include the correct usage of the horizontal plane, angled optics, zoom and focus.

#### **Should have Leaning Objectives:**

- 1. To Practice camera holding and spatial awareness.
- 2. To maintaining and control the horizon.
- 3. To use angled optics
- 4. To become familiar with 0° and 30° camera manipulation and orientation.
- 5. To master the camera's zoom & focus mechanisms.
- 6. To practice camera stability, given smaller objects that require skilled handling.

#### The system should trainee to practice simulation of the following procedures:

#### Lap Cholecystectomy skills and full procedures-

- 1. Should have procedural task module to guide the trainee through the critical steps involved in the Lap Chole procedure with displayed guidance.
- 2. Should have Full procedures for Cholecystectomy of at least 6 virtual patient cases with 16 anatomical variations enabling hands on in an unrestricted environment.

3. Should have task Expert's "Critical view of Safety" which allows to perform a dissection of the cystic duct and artery using a reference of the expert's dissection.

#### Lap Inguinal Hernia Module-

- 1. The Module should provide virtual –reality hands on simulation for Inguinal Hernia.
- 2. The Module should allow users to practice the key steps of the Laparoscopic Transabdominal Preperitoneal **(TAPP)** Inguinal Hernia repair for the right direct defect.
- 3. Should include anatomy identification, peritoneal incision and dissection and sac reduction steps.
- 4. Should include mesh placement, closure and fixation of the peritoneum task.

#### Lap Appendectomy Skill and full procedures-

- 1. Should have a complete laparoscopic appendectomy curriculum.
- Should include at least two guided tasks, three guided techniques and four complete procedures with different levels of appendix inflammation and anatomical variations.
- 3. Anatomy variations should include: retrocecal appendix, regular appendix, gangrenous pre- ileal appendix and perforated appendix.
- 4. Should include ability for complete exposure, dissection and clipping of the appendicular artery.
- 5. Should be able to teaching surigical residents the basic steps of an appendectomy procedure and its techniques.

#### Should include.

- i. Inspection of the abdominal cavity,
- ii. Pus removal (in perforated and gangrenous cases)
- iii. Exposure of the retrocecal appendix .C
- iv. Cecum mobilization (in retrocecal case),
- v. Division of the mesoappendix,
- vi. Control of the appendicular artery, division and extraction of the appendix and irrigation and inspection of the abdominal cavity.
- 6. Trainees should be able to learn to prevent potential complications such as perforation of the appendix and injury to the surrounding structure.
- 7. Should have anatomical 3d Map and real life video...
- 8. Should include "Proctor Mode"-capability enabling real -time modification of mesoappendix blunt dissection difficulty.
- 9. Should include "Proctor Mode"- Capability real time trigger of injury to the appendicular artery and bleeding control.
- 10. Should include "Proctor Mode- Capability that allows to enable/disable a specific tool from the tool menu in real time.
- 11. Should include Nurse Tool Selection capability that enables the selection of instruments during the case by a nurse.
- 12. The Appendectomy module should be validated.

#### Nissen Fundoplication.

- 1. The module should offer hands on practice with highly realistic graphics allowing users to practice the key step of the Laparoscopic Nissen Fundoplication procedure for treatment of Gastro-Esophageal Reflux Disease (GERD)
- 2. Should include Dissection of peritoneal ligaments, and dissection of the short gastric vessels.
- 3. Trainee should learn to prevent potential Complications such as bleeding from various vessels and damage to the esophagus, crura, Stomach an spleen.
- 4. Should have at least two Tasks-

## Task1-Incision of the Gastrohepatic ligament and revealing Esophagus and Crura.

- 1. The task should allow for practicing accurate peritoneal incision and dissection.
- **2.** Should provide the trainee an opportunity to incise a window into the gastroheptic ligament, safely dissect the peritoneum, separating the esophagus and crura, and release the esophageal circumference by dissecting the phrenoesophageal ligament.

#### Task 2- Division of the Short Gastric Vessels.

1. The task should allow for practicing an accurate and safe dissection of the gastrosplenic ligament, including its short gastric vessels, in order to later mobilize the stomach fundus.

## **Management System:**

- 1. The simulator should offer optional offline or online curricula management system.
- 2. Include online curricula management with centralized control, user/group registration, and administration.
- 3. Provide access to didactics content, course materials, tutorials, and real-life videos.
- 4. Allow access to performance reports and export options and allow creation and modification of proficiency benchmark, track parameters to evaluate trainee performance.
- 5. Include video debriefing capabilities, Present and allow export of performance reports and learning curves.
- 6. Enable setting benchmark/training goals for procedure metrics. Include reporting and assessment categories like time/economy of movements, safety, procedural errors, and checklist items.
- 7. Provide tools for administration of users and curricula design and offer readyto use curricula and courses from leading institutes.
- 8. System should cater to learners of all levels with real-life procedure videos for enhanced learning.

#### **Team Training:**

- Should have Team Training capability in hysterectomy Module allowed by a plug and play connection of the portable LAP Express system to the haptic LAP Mentor.
- 2. Should have Camera Assistant capabilities in LAP Chole and Appendectomy modules allowed by a plug and play connection of the portable LAP Express system to the haptic LAP Mentor.
- 3. The Camera control in the Team Training case in the Hysterectomy module should be easily switched between users during a procedure.
- 4. The camera control in the Camera Assistant setting in the LAP Chole Full Procedures module should be easily switched between users during a procedure.
- 5. In the Hysterectomy Team Training case several trainees should be able to work simultaneously on the same case: The main surgeon operates 2 Tools. The first assistant operates the third assisting tool and the second assistant manipulates the uterine manipulator.
- 6. Should offer Nurse Tool control capability– that enables the selection of instruments during the case (in Appendectomy, Hysterectomy and Lobectomy modules).

#### Curriculum:

- 1. Should offer an implementation of the validated proficiency Based Curriculum for the Cholecystectomy module, SORTED Bariatic Curriculum implementation of the patient safety Course for OR Nurses, and implementation of the 1st MSMU (1.M Sechenov First Moscow State Medical University) Scoring course.
- 2. Should also offer an implementation of the LSS (Laparoscopic Surgical Skills) Curriculum Grade 1- Level 1.

#### Associations.

1. Should be used exclusively for the simulation based assessment for the European Laparoscopic Skills Curriculum (LSS) – Endorsed by EAES.

S.No	Disinfectant Generation System
1)	System should be a compact, automated mobile unit
2)	It should be CE (European) / USFDA certified.
3)	It should generate a solution that contains Hypochlorous Hydrogen peroxide and Sodium Hypochlorite.  The generated solution should have an oxidant concentration of more than 600ppnm and TDS of less than 2000ppm.
4)	The pH of the solution should be almost neutral.
5)	The system should have two cells for uninterrupted Working.
6)	It should have real time LCD display for current and voltage.
7)	It should auto identify errors and display the type of error for easy troubleshooting.

8)	Automatic dilution and dispensing system should be present for Dispensing
	100 ppm, 200 ppm and 400 ppm really usable.
9)	It should have an automatic preventive maintenance cycle for enhanced life
	of membranes used.
10)	It should have automatic de-scaling of cells.
11)	It should have a generation capacity of at least 40 litres of final solution per
	hour.
12)	It should audit the solution quality in real time.
13)	It should stop production and prompt the user for preventive maintenance if
10)	the quality is not up to mark go into preventive cycle without user
	intervention.
14)	It should have ISO 9001-2008, ISO 13485-2003, WHO-GMP/GPP
	certifications.
15)	It should be quoted along with the consumables (01 packs of 10 litres)
16)	The one litre of electrolyte solution should generate at least 50 litres of
	solution with more than 600ppm of oxidant concentration.
17)	The firm must submit order copies and performance certificate of the quoted
	model from reputed Government hospitals in India.
18)	The firm should provide/quote Rates of Consumables respectably to be freeze
10)	1 1
1	for at least 3 year, Demo if required to be provided.

## Important Note:

- a. The CE/European Certification wherever asked in the technical specifications shall be considered only which have been issued by the notified body with 4 digit no.
- b. In case of ISO certification, the certificate issued by the NABCB accredited bodies shall be accepted.