

JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Corporate Office Kashmir: Near Haj House, Bemina(190018), Srinagar

email: jkmssljepm@gmail.com; website: www.jkmssl.nic.in

M/s Medilux Systems

Lucknow(Bidder)

No: JKMSCL/GM/2025/1893-1907

Dated: 30-05-2025.

Sub: E.bid for the finalization of Rate Contract for the procurement of "Machinery & equipment's" - issuance of Rate Contract thereof for the item "(Slit Lamp)".

Ref No.

1. NIT No. JKMSCL/Mach/2023/607 dated 02.12.2023

2. Minutes of Purchase Committee vide No. JKMSCL/PS/MD/2024-25/941-53 dated 26.03.2025.

3. LOI No. JKMSCL/GM/16059-64 dated 27.03.2025.

Sir,

As per the decision of the Purchase Committee, the Jammu and Kashmir Medical Supplies Corporation J&K has approved the following item/item(s) under group "Machinery & equipment's" in your favour on the quoted rates by you in the NIT

S. No.	Name of item	currency	Basic Rate without Tax with Conversion (1)	Taxes (2)	Total Amount (in Rs) with taxes (1+2)
1.	Slit Lamp M/s Appasamy Associates Pvt Ltd, Chennai (Manufacturer) Model: AIA 11 3S	INR	242857.00	29142.84	271999.84 (Rupees two lakh seventy one thousand nine hundred ninety nine and eight four paisa only)

The approved rates for Comprehensive Maintenance Contract after the expiry of warranty period of 05 (Five) years are as follows:

S. No	Name of Item	CMC for five years
1	Slit Lamp M/s Appasamy Associates Pvt Ltd, Chennai (Manufacturer) Model: AIA 11 3S	6 th yr : 8597.00 7 th yr : 8597.00 8 th yr: 8597.00 9 th yr: 8597.00 10 th yr: 8597.00 Total : 42985.00

Terms and Conditions:

- Delivery Site :** Rate are FOR Drug warehouse of JKMSCL/any Govt. Institution of J&K State, wherever installation is required.
- Validity :** The rate contract shall remain valid for a period of two years from the date of issuance of the Contract which may be extended for a period of 90 days or till such time the new rate contract is finalized, whichever is earlier, with mutual consent of JKMSCL and successful bidder.
- Taxes:** As mentioned above and as applicable.
- Warranty:** Five Years from the date of installation.
- Performance Security**

You are further required to deposit the performance security equivalent to 5% of the total invoice value in the shape of Bank Guarantee in favour of FA/CAO, JKMSCL within seven days from the date of issuance of Purchase Order(s) from time to time.
- Supplies**


Within 60 days from the date of issuance of supply order.
- Penalty**

In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%

8. **Installation:** Installation / commissioning and necessary training for upkeep of the equipment shall be provided free of cost.
9. **Availability of Spares:** Firm shall certify that the parts of the equipment shall remain available at least for a period of five years after the year of expiry of warranty period of five years.
10. You have to certify that the rates mentioned above as quoted by your firm are the lowest rates applicable to all Govt./private Institution/PSU etc. Variation found if any, during the rate contract period by the Corporation/Intending department or any other agency shall be the sole responsibility of the Contractor/Supplier/manufacturer/importer.
11. The supplier/manufacturer/importer shall ensure to supply the Brand new and unused item(s) strictly as per specifications/sample(s) approved. Variations found, if any, in instant case/or in later stages by the Corporation/Intending department/any other agency which may lead to sub standard or Not of standard/approved quality, shall be the sole responsibility of the supplier/ manufacturer/ importer/contractor.
12. JKMSCL is at liberty to get the feedback from the end-user department/intending department regarding the functioning of the machinery & equipment supplied by your agency. Adverse report, if any, may lead to strict action against you under rules/terms & conditions of the NIT/guidelines issued by the Govt. from time to time.
13. **Fall Clause:** The prices under contract shall be subject to price fall clause. The prices charged for the goods supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the goods or offers to sell the goods of identical description to any other person(s)/Organization(s) including procurement agencies or any other department of Central Govt. or State Govt. as the case may be during the period till the performance of the contract. If at any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the JKMSCL, J&K and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stand reduced correspondingly. It imply that if the contract holder quotes/ reduces its price to render similar goods at a price lower than the contract price to anyone in the Central/State Govt. at any time during the currency of contract including extension period, the contract price shall be automatically be reduced with effect from the date of reducing or quoting lower price for all delivery of subject matter of procurement under contract and the contract shall be amended accordingly.
14. **Risk Purchase :** If the bidder is unable to complete the supply within the specified or extended period, the corporation shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval of Managing Director JKMSCL, J&K. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder.
The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made from the bidder. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.
15. **Orders shall only be placed on the basis of actual requirement and funds as available under the relevant Head of Accounts.**
16. **Payment shall be released after successful installation and commissioning of the equipment duly verified by the intending department.**
17. **Approved technical specifications shall remain same as per NIT (Annexure I)**

All the terms and conditions of the NIT, Standard Procurement of Procedure (SPP) of JKMSCL & LOI shall be part of this Rate Contract.

Issued with the Decision and Authorization of Purchase Committee of JKMSCL vide its minutes No. JKMSCL/PS/MD/2024-25/941-53 dated 26.03.2025.

Yours sincerely,
30/5/25

(Mohd. Ashraf Choudhary) JKAS
General Manager (Adm.), JKMSCL

Copy for information to the:

1. Principal, Govt. Medical College, Srinagar (Kashmir) (Director, Board of Directors- JKMSCL).
2. Principal, Government Medical College, Jammu (Director, Board of Directors JKMSCL).
3. Principal, Government Dental College, Srinagar (Director, Board of Directors- JKMSCL).
4. Principal, Government Dental College, Jammu (Director, Board of Directors- JKMSCL).

5. Director General, Indian System of Medicines, J&K (Director, Board of Directors- JKMSCL).
6. Director, Family Welfare, MCH & Immunization, J&K (Director, Board of Directors- JKMSCL).
7. Director, Health Services, Jammu (Director, Board of Directors- JKMSCL).
8. Director, Health Services, Kashmir (Director, Board of Directors- JKMSCL).
9. Mission Director, NHM, J&K (Director, Board of Directors- JKMSCL).
10. Controller, Drug & Food Control Organization, J&K (Director, Board of Directors JKMSCL).
11. F.A/Chief Accounts Officer, J&K Medical Supplies Corporation Limited.
12. General Manager –K(P&S, IT), J&K Medical Supplies Corporation Limited.
13. Asstt Programmer to upload on official website.
14. I.T cell JKMSCL.
15. File

Technical Specifications : Slit Lamp

Clinical Purpose:

Ophthalmic diagnostic Instruments designed for examining the eye (mostly the anterior part of the eye) using an illumination sources with a mechanism that provides a slit beam of light into the eye with different types of illumination (e.g., direct or indirect, focal or diffuse, background illumination), a binocular microscope for viewing the magnified slit image, and a control component for adjusting the focus of the microscope and the slit(e.g., slit rotation, slit width): some also have refraction mirrors to direct light to a camera mounted above the microscope. Slit Lamps provide a magnified view of eye structures (e.g. eyelid, sclera, iris, crystalline lens and cornea): some instruments can also examine the retina using specific lenses. Slit lamps are used mainly in the diagnosis of eye condition.

Used by clinical department / ward:- ophthalmology Department

2. Technical Characteristics

2.1 Technical Characteristics (specific to this type of device):-

1. Should have LED with adjustable and good illumination.
2. Should have facility for applanation tonometer if required.
3. Type of microscope: Binocular.
4. Should have 3 step magnification and total magnification is from 10 x25x
5. Should have slit width \geq 0-14mm, adjustable.
6. Should have slit length \geq 0-10mm, adjustable.
7. Should have standard filters: Minimum: blue, green (red-free), heat absorption. A broader selection of filters increases the functionality of the slit lamp.
8. Rotation is between 0-180
9. Should be supplied with motorized table
10. Should have a longitudinal movement of at least 90mm
11. Should have a lateral movement of at least 95mm.
12. Should have slit length \geq 0-14 mm, adjustable.

2.2 User's interface:-Manual

2.3 Software and/ or standard of communication (wherever required): NA

3. Physical Characteristics

- 3.1 Dimensions (metric): NA
- 3.2 Weight (lbs, kg): NA
- 3.3 Noise (in Db) - <50Db
- 3.4 Heat dissipation :- NA
- 3.5 Mobility, portability: NA
4. Energy Source (Electricity, UPS, Solar, Gas, water, CO2)
 - 4.1 Power requirements: should operate from 200 to 240Vac, 50Hz input supply.
 - 4.2 Battery operated: should be supplied with suitable online UPS with at least half an hour backup
 - 4.3 Protection; - Yes
 - 4.4 Power Consumption:- To be specified vendor

5. Accessories Spare Parts Consumables

- 5.1 Accessories (mandatory, standard, optional):- 1. Focusing Test rod & dust cover
- Spare parts (main ones): consumables/ reagents
2. Slit lamp dust cover (Open, closed system):-
3. Rack, manual and motorized guard
4. 90D/70D Lens

Bidding/ Procurement Terms / Donation Requirements

1. Environment and Departmental Consideration

6.1 Atmosphere / Ambulance(air conditioning, humidity, dust....):

Operating Condition: Capable of operating continuously in ambient temperature of 5 to 40 deg C and relative humidity of 15 to 90% in ideal circumstances.

Disinfection: Parts of the device that are designed to come into contact with the patient or the operator should either be capable of easy disinfection or be protected by a single use sterile disposable cover.

7. Standards and safety

7.1 Certificates (pre-market, sanitary...) performance and safety standards (specific to the device type): Local and/ or international

1. Should be US FDA/CE/BIS/CDSCO approved (USFDA/ CE requirements will be applicable only when the Indian standards like BIS/ CDSCO are not available.)
2. Manufacturer should have ISO 13485 Certification for quality standards.
3. Electrical safety conforms to the standards for electrical safety IEC 60601-1 – General requirements(or equivalent BIS Standard),

8. Training and Installation

8.1 Pre-installation requirements: nature, values, quality, tolerance: NA

8.2 Requirements for sign-off:- Supplier to perform installation, safety, and operation checks before handover

Local clinical staff to affirm completion of the installation

8.3 Training of staff (medical, paramedical, technicians

Training of users in operation and basic maintenance shall be provided

Advanced maintenance tasks required shall be documented

9. Warranty and Maintenance

9.1 Warranty:- 05 years, including for all spares and calibration work

10. Documentation

10.1 Operation manuals, Set manuals, and other manuals:-

Should provide two sets (hard copy and soft copy) of

1. User, technical, and maintenance Manuals should be supplied in English/Hindi/ Regional language along with machine diagrams;
2. List of equipment and procedures required for local calibration and routine maintenance
3. Services and operation manuals (original copy to be provided)
4. Advanced maintenance tasks documentation
5. Certification of calibration and inspection
6. Satisfactory certificate for any existing installation from a government hospital
7. Other accompanying documents – list of essential spares and accessories with their parts number and cost

NOTES

11.1 Services support contract details

Hierarchy wise: including a toll free / landline number) contact details of manufacturer, supplier and local service agent to provide

Any contract (AMC/CMC / add -hoc) to be declared by the manufacturer

11.2 recommendations or warning Any warning sign would be displayed equally

