



JKM SCL

GOVERNMENT OF JAMMU & KASHMIR
 JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.
 (Public Sector Undertaking of the Government of Jammu and Kashmir)
 Corporate Head Office: Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
 Corporate Office: Kashmir, Near Haj House, Bemina 190018, Srinagar
 email: mdjkm scl2@gmail.com jkm scljspm@gmail.com; website: www.jkm sclbusiness.com

Name of the Project: Jhelum and Tawi Flood Recovery Project.
 Name of the Work : Supply and Installation of Portable Color Doppler Ultrasound System (15 Nos) including Comprehensive Maintenance of Five Years for Strengthening of Healthcare Facilities through JTFRP
 Id No. : JKMSCL/Criticalcare/2025-26/New/04.
 Date of Pre Bid Meeting : 04-05-2026
 Mode of Pre Bid Meeting : Hybrid.

Table - 2
 (Corrigendum As a Result of Pre-bid Conference)

S.No.	Clause No. ITB/GCC/SSC/Forms	As existing	As Amended	Reference to Sl. No of Response [Table 1] wherever applicable	Remarks
1	Section III. Evaluation and Qualification Criteria 1.2 Qualification Criteria (ITB 32.1) (b) Experience and Technical Capacity	If the bidder is manufacturer Experience and Technical Capacity The bidder should have successfully complete substantially completed within the period of three years at least one Contract of similar product (i.e similar equipment of different variants/models shall be accepted) to the extent of at least 50% the quantity indicated against each schedule under "Section -VII, Schedule of Requirements" in one of the last three financial years (2024-2023-2024, 2022-23). They should not have adverse report regarding supplies for at least three years on the date of bid opening. A declaration be furnished.	If the bidder is manufacturer Experience and Technical Capacity The bidder should have successfully completed or substantially completed within the period of last three years at least one Contract of similar product (i.e similar equipment of different variants/models shall be accepted) to the extent of at least 50% of the quantity indicated against each schedule under "Section -VII, Schedule of Requirements" in any one of the last three financial years (2025-2026, 2024-2025, 2023-24). They should not have any adverse report regarding supplies for at least three years on	1	Amended

		the date of bid opening. A declaration may be furnished.		
2.	<p>Section III. Evaluation and Qualification Criteria</p> <p>1.1 Qualification Criteria (ITB 32.1)</p> <p>B. If the Bidder is not a Manufacturer</p>	<p>If the bidder is not manufacturer:</p> <p>If a bidder is not a manufacturer, but is offering the goods on behalf of the Manufacturer under Manufacturer's Authorization Form (Section IV Bidding Forms) the manufacturer shall demonstrate the above qualifications as detailed above at (a) and (b) and the bidder shall demonstrate that it has successfully completed at least one contract of similar nature of value not less than Rs 05 (Five) crore in the past three financial years.</p>	2	Amended
3.	<p>SECTION VII – SCHEDULE OF REQUIREMENTS</p> <p>Technical Specifications PORTABLE COLOR DOPPLER ULTRASOUND SYSTEM</p>	<p>Users training for operation and basic maintenance shall be provided and also training for Calibration and troubleshooting training should be Company through its trained Person</p> <p>Essential features/ minimum specifications:</p> <p>1. General:</p> <ul style="list-style-type: none"> The system should be Premium End Multi-Disciplinary Digital Architecture suitable for applications including complete Regional Anaesthesia, General Imaging, cardiac, vascular and USG nerve blocks applications. System should be capable of supporting broad band transducers with frequency range from 1-25 (+1 or -1) MHz. System should be DICOM 3.0 or higher ready for connecting to HIS, 	NA	Modified
		<p>Users training for operation and basic maintenance shall be provided and also training for Calibration and troubleshooting training should be Company through its trained Person</p> <p>Essential features/ minimum specifications:</p> <p>1. General:</p> <ul style="list-style-type: none"> The system should be Premium End Multi-Disciplinary Digital Architecture suitable for applications including complete Regional Anaesthesia, General Imaging, cardiac, vascular and USG nerve blocks applications. System should be capable of supporting broad band transducers with frequency range from 1-20 (+1) MHz. System should be DICOM 3.0 or higher ready for connecting to HIS, 		

	<p>RIS, PACS and DICOM enabled printing devices.</p> <ul style="list-style-type: none"> • System should have inbuilt 2 active universal transducer ports. • System should have full alphanumeric keyboard. • System should be supplied with mobile cart having transducer holders, wheels with locking system. <p>2. System should be portable weight less than 7 Kgs and should have in built battery backup of at-least 30 minutes and in-built AC charger for charging the battery.</p> <p>System Operating Modes and features: The system should be capable of operating in following modes.</p> <ul style="list-style-type: none"> • M Mode (including colour M- Mode) • Colour Doppler • Power Doppler- Directional • Pulsed Wave Doppler mode • Duplex and Triplex modes • Tissue Harmonic imaging • Software for Speckle Noise Reduction with multiple steps • Software for Compound Imaging • System should have needle visualization feature which can dynamically optimize the image to give best possible view of the needle tip. • One touch auto optimization should be available <p>Display Monitor:</p> <ul style="list-style-type: none"> • 15" high resolution LED monitor with contrast and brightness adjustment • The monitor should have resolution of 1,920 x 1,080 		
	<p>RIS, PACS and DICOM enabled printing devices.</p> <ul style="list-style-type: none"> • System should have inbuilt 2 or more active universal transducer ports. • System should have full alphanumeric keyboard. • System should be supplied with mobile cart having transducer holders, wheels with locking system. <p>2. System should be portable weight less than 8 Kgs and should have in built battery backup of at-least 30 minutes and in-built AC charger for charging the battery.</p> <p>System Operating Modes and features: The system should be capable of operating in following modes.</p> <ul style="list-style-type: none"> • M Mode (including colour M- Mode) • Colour Doppler • Power Doppler- Directional • Pulsed Wave Doppler mode • Duplex and Triplex modes • Tissue Harmonic imaging • Software for Speckle Noise Reduction with multiple steps • Software for Compound Imaging • System should have needle visualization feature which can dynamically optimize the image to give best possible view of the needle tip. • One touch auto optimization should be available <p>Display Monitor:</p> <ul style="list-style-type: none"> • 15" high resolution LED/LCD monitor with contrast and brightness adjustment. Touch 		

9

	<p>4. Transducers:</p> <ul style="list-style-type: none"> • Multi-frequency Convex Array probe with frequency range of 1-6MHz for abdomen, obstetrics and MSK applications. • Linear probe with frequency range 3-12MHz for vascular, small parts and MSK • Transducers should be lightweight digital broadband type transducers with 128 elements or more. <p>Measurement, Calculation and Reports</p> <ul style="list-style-type: none"> • Trackball with multiple sets of callipers for measurements. • Standard measurements like depth, distance, area, circumference, volume, ratio, angle slope, time, velocity, heart rate, etc. Atleast six distance measurements should be possible on one image with auto repeat of measurement function. <p>Control Panel Software and other features:</p> <ul style="list-style-type: none"> • At least 15,00,000 digital processing channels should be available • System dynamic range of min 320dB or more should be available • System should have frame rate of min 2,500fps in 2D mode • User programmable presets for different types of examinations. • Automatic optimization function that optimizes system parameters for B- Mode and Doppler Mode. • This should be in addition to the presets for various examinations. 	<p>screen/alphanumeric key board can be provided.</p> <ul style="list-style-type: none"> • The monitor should have resolution of 1,920 x 1,080 <p>4. Transducers: (Frequency difference of +/- 1 MHz accepted for transducer.</p> <ul style="list-style-type: none"> • Multi-frequency Convex Array probe with frequency range of 1-6 +/- 1 MHz for abdomen, obstetrics and MSK applications. • Linear probe with frequency range 3-12MHz/+/-1 MHz for vascular, small parts and MSK • Transducers should be lightweight digital broadband type transducers with 128 elements or more. <p>Measurement, Calculation and Reports</p> <ul style="list-style-type: none"> • Trackball with multiple sets of callipers for measurements. • Standard measurements like depth, distance, area, circumference, volume, ratio, angle slope, time, velocity, heart rate, etc. Atleast six distance measurements should be possible on one image with auto repeat of measurement function. <p>Control Panel Software and other features:</p> <p>At least 15,00,000 digital processing channels should be available</p> <ul style="list-style-type: none"> • System dynamic range of min 250 dB or more should be available • System should have frame rate of min 2,500fps in 2D mode • User programmable presets for different types of examinations. • Automatic optimization function that optimizes system parameters for B- Mode and Doppler Mode. 	<p>2</p>
--	---	---	----------

- Multiple pre and post processing functions and colourise options.
- Onboard archival facility with easy and rapid retrieval of images in the form of integrated DVD/CD writes. Should be able to store static images and cine clips in system hard disc and in on board archival devices.
- Data archival should be possible to export data on DVD/CD, USB, DICOM.
- System should be provided with a highly advance software for review, post-process and printing of exams. System should have more than 500 GB hard disk inbuilt (preferably SSD).
- System depth should be 400 mm or more.
- System should be upgradable to 4D ULTRASOUND
- It should be possible to annotate and perform measurement function. Image display modes: Dual: B+B; B+ Colour, and display of B+M and B+ colour in various size combinations. The system should have cine loop review facility of not less than 65000 frames
- Application specific programmable annotations and body marks with image plane orientations.
- Ethernet port for networking and at least 3 USB ports. It should be possible to transfer images to desktop PC.

- This should be in addition to the presets for various examinations. Multiple pre and post processing functions and colourise options.
- Onboard archival facility with easy and rapid retrieval of images in the form of integrated DVD/CD/USB writes. Should be able to store static images and cine clips in system hard disc and in on board archival devices.
- Data archival should be possible to export data on DVD/CD, USB, DICOM.
- System should be provided with a highly advance software for review, post-process and printing of exams. System should have more than 500 GB hard disk inbuilt (preferably SSD).
- System depth should be 400 mm or more.
- Deleted
- It should be possible to annotate and perform measurement function. Image display modes: Dual: B+B; B+ Colour, and display of B+M and B+ colour in various size combinations. The system should have cine loop review facility of not less than 65000 frames
- Application specific programmable annotations and body marks with image plane orientations.
- Ethernet port for networking and at least 3 USB ports. It should be possible to transfer images to desktop PC.

9

	<ul style="list-style-type: none"> • Free software upgrade of the equipment to be provided during the warranty and AMC period <p>7. Certifications:</p> <ul style="list-style-type: none"> • The system should be European CE with 4-digit notified number and US FDA certified. • The manufacturing company should be ISO 13485 certified. • CDSCO certificate should be submitted mentioning manufacturing site address. • The OEM should have minimum 3 years of experience in as per last 3 financial years. Copy of any government PO to be attached of same or similar model. <p>8. Accessories:</p> <p>a) B/W thermal Printer</p> <p>Note: Onsite training of 2 doctors for 7 days and education material should be provided post installation of ultrasound machines.</p>	<ul style="list-style-type: none"> • Free software upgrade of the equipment to be provided during the warranty and AMC period <p>7. Certifications:</p> <ul style="list-style-type: none"> • The system should be Eu-CE by Four digit notified body/USFDA/BIS, CDSCO is mandatory. • The manufacturing company should be ISO 13485 certified. • CDSCO certificate should be submitted mentioning manufacturing site address. • The OEM should have minimum 3 years of experience in as per last 3 financial years. Copy of any government PO to be attached of same or similar model. <p>8. Accessories:</p> <p>a) B/W thermal Printer</p> <p>Note: Onsite training of 2 doctors for 7 days and education material should be provided post installation of ultrasound machines.</p>		
--	--	--	--	--

A handwritten signature is written across the bottom of the table. To the right of the signature, a checkmark is drawn, indicating that the requirements listed in the table have been reviewed or approved.

In addition to the above, the following changes have been made to the provisions of the bid document by the Purchaser :

<p>1.</p> <p>Section VII of Schedule Requirements</p> <p>1. List of Goods & Delivery Schedule, Final (Site) Destination as specified in BDS.</p>		<p>The Table in the bidding document as issued is replaced with the table attached to this corrigendum.</p>	<p>Modified by Purchaser</p>	<p>Modified</p>
<p>2</p> <p>Section IX. Special Conditions of Contract GCC 16.1</p>	<p>GCC 16.1</p> <p>Payment shall be made in Indian Rupees in the following manner:</p> <p>(a)</p> <p>(i) Advance Payment: 20% of the total contract price shall be paid within (30) days of signing of Contract and upon submission of claims/against a simple receipt and a bank guarantee for the equivalent amount valid until the goods are delivered and in the form provided in the bidding documents or another form acceptable to the Purchaser.</p> <p>(ii) On Delivery: Sixty (60) % of the contract price shall be paid on receipt of Goods and upon submission of the documents specified in Clause 13 of SCC; and</p> <p>(iii) On Final Acceptance: the remaining twenty (20) % of the Contract Price shall be paid after completion of the delivery of goods against an unconditional Bank Guarantee of</p>	<p>GCC 16.1</p> <p>Payment shall be made in Indian Rupees on a pro-rata basis of goods supplied, installed, tested, commissioned and training provided to the onsite operating staff in the following manner</p> <p>(a)</p> <p>i. Advance Payment: 20 % of the total contract price shall be paid within (30) days of signing of Contract and upon submission of claims/against a simple receipt and a bank guarantee for the equivalent amount valid until the goods are delivered and in the form provided in the bidding documents or another form acceptable to the Purchaser.</p> <p>ii. On Delivery: Sixty (60) % of the contract price shall be paid on receipt of Goods at Regional Drug Warehouse Bemina and upon submission of the documents specified in Clause 13 of SCC; and</p> <p>iii. On Final Acceptance: The remaining twenty (20) % of the Contract Price shall be</p>	<p>Modified by Purchaser</p>	<p>Modified</p>

equivalent Amount valid until successful installation of the goods which shall be released within thirty (30) days after the date of the Acceptance Certificate issued by the Purchaser's representative, successful installation & verification of the equipment in the proforma given in Section VII - item 6.

(b) Not applicable

(c) (i) For all the payments to be made, against Bank guarantees, the bank guarantee shall be issued by a Scheduled Indian Bank or a foreign bank located in India in the format enclosed at Section X. The guarantees issued by other banks should be confirmed by a Scheduled Indian Bank or a foreign bank operating in India.
(ii) Bank guarantees for advance payment shall be released not later than 30 days after the date of completion of supply of the goods at their final destination.

Note:

1. No supplies shall be accepted beyond 31st of August 2026 unless agreed specifically by the Purchaser.
2. The delivery destination shall be made at Regional Drug ware House Bemina, Srinagar. The training shall be provided to the staff deployed at the installation site to be notified by the Purchaser to the Supplier during

paid after successful installation, testing and training of the staff at site as per the Consignee List in Table 1 : List of Goods and Delivery Schedule in Section VII, Schedule of Requirement. The payment shall be released after submission of the Acceptance Certificate issued by the Purchaser's representative at site as per the Consignee List.

(b) Not applicable

(c) (i) For all the payments to be made, against Bank guarantees, the bank guarantee shall be issued by a Scheduled Indian Bank or a foreign bank located in India in the format enclosed at Section X. The guarantees issued by other banks should be confirmed by a Scheduled Indian Bank or a foreign bank operating in India.
(ii) Bank guarantees for advance payment shall be released not later than 30 days after the date of completion of supply of the goods at their final destination.

Note:

1. No supplies shall be accepted beyond 31st of August 2026 unless agreed specifically by the Purchaser.
2. The supplier shall supply, install and provide training to user as per Consignee List in Table 1 : List of Goods and Delivery Schedule in Section VII, Schedule of Requirements.



3	<p>the warranty cum Comprehensive Maintenance period of Five Years.</p>	<p>The period of validity of the Warranty shall be Five Years.</p>	Modified by Purchaser	Modified.
<p>Section IX. Special Conditions of Contract GCC 28.3</p>	<p>For purposes of the Warranty, the place(s) of final destination(s) shall be Regional Drug Ware House Bemina, Jammu and Kashmir Medical Supplies Corporation Limited Srinagar :</p> <p>i. The warranty period shall be sixty (60) months from date of acceptance of the Goods or sixty six (66) months from the date of shipment, whichever occurs earlier. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, pay liquidated damages to the Purchaser with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be 0.5% of the contract price for each equipment that fails to meet the contractual performance guarantees per week or part thereof.</p> <p>ii. The Installation and the commissioning, training to users of the equipment is included in the price schedule with warranty period of 05 years. The warranty of the equipment covers comprehensive maintenance of the equipment with spares and</p>	<p>For purposes of the warranty, the place(s) of final destination(s) shall be the consignee sites as reflected in Table 1 : List of Goods and Delivery Schedule in Section VII, Schedule of Requirements.</p> <p>i. The warranty period shall be sixty (60) months from date of acceptance of the Goods. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, pay liquidated damages to the Purchaser with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be 0.5% of the contract price for each equipment that fails to meet the contractual performance guarantees per week or part thereof subject to a maximum of 10% of the contract price for each equipment.</p> <p>ii. The Installation and the commissioning, training to users of the equipment is included in the price schedule with warranty period of 05 years. The warranty of the equipment covers comprehensive maintenance of the equipment with spares and preventive maintenance. The Supplier shall, during the warranty period appearing in the contract, replace the whole subject matter of</p>		

9

preventive maintenance. The Supplier shall, during the warranty period appearing in the contract, replace the whole subject matter of procurement or part(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment/ordered items operative.

iii. The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.

procurement or part(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment/ordered items operative.

iii. The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.

iv. During the warranty period, the Supplier shall be fully responsible for the proper functioning and performance of the equipment and shall provide, at no additional cost to the Purchaser, all preventive maintenance services, corrective maintenance, repairs, replacement of defective or worn-out spare parts, accessories, consumables essential for operation, software updates/upgrades, calibration, safety checks, and labour required for maintaining the equipment in optimal operating condition in accordance with OEM standards. The Supplier shall ensure availability of qualified service engineers and shall attend breakdown complaints within the response time specified in the Contract, failing which suitable penalties may be imposed as per tender conditions. Any equipment or component found defective during the warranty period shall be repaired or replaced with new genuine OEM parts without any additional financial implication to the Purchaser. The warranty shall also cover ~~at~~

9

		<p>integrated hardware, software, networking components, and peripherals supplied under the Contract. In case the equipment remains non-functional beyond the permissible downtime (i.e minimum 95% uptime is required), the warranty period for the affected equipment shall be extended proportionately for the duration of such downtime. The Supplier shall maintain proper service records/logbooks for all preventive and breakdown maintenance visits and submit the same to the designated authority whenever required.</p>		
<p>4. Section II Bid Data Sheet ITB 14.8 (a) (iii)</p>	<p>"Final destination (Project Site)" is Jammu and Kashmir Medical Supplies Corporation Limited, Regional Drug Ware House Bemina Srinagar, Jammu and Kashmir, 190018 India as per delivery schedule.</p>	<p>"Final destination (Project Site)" is Consignee List in Table 1 : List of Goods and Delivery Schedule in Section VII, Schedule of Requirements.</p>	<p>Modified by Purchaser</p>	<p>Modified.</p>
<p>5. Section IX Special Conditions of Contract GC 1.1 (o)</p>	<p>The Project Site(s)/Final Destination(s) is : Jammu and Kashmir Medical Supplies Corporation Limited Regional Drug Ware House Bemina Srinagar Jammu and Kashmir 190018 India</p>	<p>The Project sites(s)/Final destination : Consignee List in Table 1 : List of Goods and Delivery Schedule in Section VII, Schedule of Requirements.</p>	<p>Modified by Purchaser</p>	<p>Modified.</p>
<p>6. E. Procurement Notice Invitation of Bids Sr. No. 4 (e) and 4 (f)</p>	<p>Last date and time for submission of online bids: 09.06.2026 upto 11.00 AM. Time and Date for opening of bids -Technical Part : 09.06.2026 at 11.15 hrs</p>	<p>Last date and time for submission of online bids: 11.06.2026 upto 11.00 AM. Time and Date for opening of bids -Technical Part : 11.06.2026 at 11.15 hrs</p>		<p>Amended by Purchaser</p>



7.	Section II - Bid Data Sheet ITB - 22.1	The deadline for uploading of bids is : Date [09.06.2026] Time [11.00 a.m]	The deadline for uploading of bids is : Date [11.06.2026] Time [11.00 a.m]	Amended by Purchaser
8.	Section II - Bid Data Sheet ITB - 25.1	The online opening of the Technical Parts of Bids shall take place at: JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD. (Public Sector Undertaking of the Government of Jammu and Kashmir) Corporate Head Office: Plot No. 58, Friends Colony Satyarn Road Trikuta Nagar Jammu Jammu and Kashmir-180020 Country: INDIA Date of opening of e-bid : 09.06.2026 Time of opening of e-bid : 11.15 A.M	The online opening of the Technical Parts of Bids shall take place at: JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD. (Public Sector Undertaking of the Government of Jammu and Kashmir) Corporate Head Office: Plot No. 58, Friends Colony Satyarn Road Trikuta Nagar Jammu Jammu and Kashmir-180020 Country: INDIA Date of opening of e-bid : 11.06.2026 Time of opening of e-bid : 11.15 A.M	Amended by Purchaser



1. List of Goods and Delivery Schedule

Line Item No	Description of Goods	Quantity	Physical unit	Final (Site) Destination as specified in BDS	Delivery (as per Incoterms) Date	Bid Security in Indian Rupees ¹
					Latest Delivery Date	
[insert item No]	[insert description of Goods]	[insert quantity of item to be supplied]	[insert physical unit for the quantity]	[insert place of Delivery]	[insert the number of days following the date of Contract signature]	
01	Supply and Installation of Portable Color Doppler Ultrasound System including Comprehensive Maintenance of Five Years for Strengthening of Healthcare Facilities through JFRP	15	Number	As per Consignee List attached	60	INR 500,000.00

¹ Bid security listed here must be the same as provided under ITB/BDS 19.1

Note : [i] There is two stage delivery as below

Stage 1 : Delivery shall be at the Regional Drug Ware House Bemina, Jammu and Kashmir Medical Supplies Corporation Limited, Srinagar at address : 2nd Floor Corporate Office Bemina Srinagar 190018. The purpose of delivery at this stage is to allow the Purchaser to make entries in Stock Register. The process will take approximately an hour.

Stage 2 : Last Mile Delivery shall be as per Consignee List attached as Annexure 1 of this Table, after completion of Stage 1 delivery.

[ii] If the Consignee is unable to take delivery at Stage 2 within 1 working day, these items will be delivered back to the above warehouse after which it will be the responsibility of the Purchaser to make these deliveries as per Consignee List at the Purchaser's risk and cost.



Annexure 1 to Table 1 : List of Goods and Delivery Schedule, Section VII : Schedule of Requirements

Consignee List

S.No.	Destination	No. Of Equipment	Remarks
	Government Medical College Jammu	02	
	Government Medical College Doda	01	
	Government Medical College Rajouri	01	
	Government Medical College Kathua	01	
	Director Health Services Jammu	02	List of individual hospitals to be provided at the time of Contract signing.
	Government Medical College Srinagar	03	
	Government Medical College Anantnag	01	
	Government Medical College Baramulla	01	
	Government Medical College Handwara	01	
	Director Health Services Kashmir	02	List of individual hospitals to be provided at the time of Contract signing.

No. JKMSCL/2026/1369 Dated : 05.06.2026


 General Manager
 JKMSCL
 Medical Supplies Corporation Ltd
 05.06.26