




(Public Sector Undertaking of Govt of Jammu & Kashmir)  
 Corporate Head Office: Plot No: 58, Friends Colony, Salyam Road, Trikuta Nagar Jammu  
 Corporate Office: Opp State Motor Garages Near Haj House, Bemina, Srinagar  
 Telephone: 0191-2580842, Fax: 0191-2581845 (Jammu); Telefax: 0194-2432008 (Srinagar)  
 e-mail: gm@jkmscl@gmail.com

## Invitation For Bids for COVID-19 Supplies

Quotations are invited from the Manufactures / Authorized Dealers for PPE KITS( Specification annexed at Annexure A) along with sample submitted on 13.04.2020 upto 02.00pm at Corporate Head Office Jammu to Combat COVID- 19, the tentative quantity urgently required is 10000 (Ten thousand). The quotation should reach through return mail on [motendering.jkmscl@gmail.com](mailto:motendering.jkmscl@gmail.com) and [jkmscl.ap@gmail.com](mailto:jkmscl.ap@gmail.com).

### Note:

- Tentative Quantity may increase or decrease.
- Without sample of PPE Kit no Quotation shall be entertained.
- No quotation shall be entertained after the above mentioned date and time.
- Rates must be FOR Regional Drug Ware House Bemina Srinagar / Nagrota –Jammu.
- No Advance Payments shall be made at all. Payment shall be released after receipt of supplies.
- Documentation, Catalogue and Certifications shall be uploaded with the quotation.
- Gst Number.
- 5% Performance Security.

  
 General Manager(Adm)

JKMSCL

dated 10 .04.2020

No.JKMSCL/GM/2020/ 6294-96

Copy for information:

1. Managing Director –JKMSCL
2. FA/CAO-JKMSCL
3. General Manager (P&S/IT)-JKMSCL
4. Office record.

Personal Protection Equipment (PPE) - Specifications  
(for Contact & Airborne infections)

**1. PPE Kit**

**1.1 Gloves**

- Nitrile
- Non-sterile
- Powder free
- Outer gloves preferably reach mid-forearm (minimum 280 mm total length)
- Different sizes (6.5 & 7)
- Quality compliant with the below standards, or equivalent:
  - a. EU standard directive 93/42/EEC Class I, EN 455
  - b. EU standard directive 89/686/EEC Category III, EN 374
  - c. ANSI/SEA 105-2011
  - d. ASTM D6319-10

**1.2 Coverall (medium and large)\***

- Impermeable to blood and body fluids
- Single use
- Avoid culturally unacceptable colors e.g. black
- Light colors are preferable to better detect possible contamination
- Thumb/finger loops to anchor sleeves in place
- Quality compliant with following standard
  - a. Meets or exceeds ISO 16603 class 3 exposure pressure, or equivalent

**1.3 Goggles**

- With transparent glasses, zero power, well fitting, covered from all sides with elastic band/or adjustable holder.
- Good seal with the skin of the face
- Flexible frame to easily fit all face contours without too much pressure
- Covers the eyes and the surrounding areas and accommodates for prescription glasses
- Fog and scratch resistant
- Adjustable band to secure firmly so as not to become loose during clinical activity
- Indirect venting to reduce fogging
- May be re-usable (provided appropriate arrangements for decontamination are in place) or disposable
- Quality compliant with the below standards, or equivalent:
  - a. EU standard directive 86/686/EEC, EN 166/2002
  - b. ANSI/SEA Z87.1-2010



1.4. N-95 Masks

- Shape that will not collapse easily
- High filtration efficiency
- Good breathability, with expiratory valve
- Quality compliant with standards for medical N95 respirator:
  - a. NIOSH N95, EN 149 FFP2, or equivalent
- Fluid resistance: minimum 80 mmHg pressure based on ASTM F1862, ISO 22609, or equivalent
- Quality compliant with standards for particulate respirator that can be worn with full- face shield

1.5. Shoe Covers

- Made up of the same fabric as of coverall
- Should cover the entire shoe and reach above ankles

1.6. Face Shield

- Made of clear plastic and provides good visibility to both the wearer and the patient
- Adjustable band to attach firmly around the head and fit snugly against the forehead
- Fog resistant (preferable)
- Completely covers the sides and length of the face
- May be re-usable (made of material which can be cleaned and disinfected) or disposable
- Quality compliant with the below standards, or equivalent:
  - a. EU standard directive 86/686/EEC, EN 166/2002
  - b. ANSI/SEA Z87.1-2010